

State of Idaho  
Department of Water Resources  
**Permit to Appropriate Water**  
NO. 3-10263

Priority: November 05, 2007

Maximum Diversion Rate: 0.04 CFS

This is to certify, that JOHN LARSON  
PO BOX 417  
ASOTIN WA 99402

has applied for a permit to appropriate water from:

Source: SNAKE RIVER                      Tributary: COLUMBIA RIVER  
and a permit is APPROVED for development of water as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> |
|-----------------------|----------------------|--------------------------|
| DOMESTIC              | 01/01 to 12/31       | 0.04 CFS                 |

**LOCATION OF POINT(S) OF DIVERSION:**

SNAKE RIVER L3 (NE $\frac{1}{4}$ SW $\frac{1}{4}$ ) Sec. 14, Twp 31N, Rge 05W, B.M. NEZ PERCE County

**PLACE OF USE:** DOMESTIC


| Twp | Rge | Sec | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 31N | 05W | 14  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |
|     |     |     |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |        |

X  
L 3

**CONDITIONS OF APPROVAL**

1. Proof of application of water to beneficial use shall be submitted on or before **February 01, 2013**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. This right does not grant any right-of-way or easement across the land of another.
5. A fish screen of  $\frac{1}{4}$  inch or smaller mesh shall be installed and maintained at the point of diversion.
6. The approach velocity at the point of diversion shall not exceed 0.8 feet per second.
7. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.
8. Domestic use is for 1 home.
9. The irrigation occurring under this domestic use shall not exceed  $\frac{1}{2}$  acre.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 4<sup>th</sup> day of February, 2008.

  
DAVID R. TUTHILL, JR., Director