2008 FEB 20 PM 02:00
DISTRICT COURT - SRBA
TWIN FALLS CO., IDAHO
FILED _____

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

RECEIVED
FEB 25 2008
DEPARTMENT OF WATER RESOURCES

In Re SRBA	)	PARTIAL DECREE PURSUANT TO
	)	I.R.C.P. 54(b) FOR
Case No. 39576	)	
	)	Water Right 79-02019

NAME AND ADDRESS: JOE ENNEKING RANCH INC
C/O FRANK ENNEKING
1904 KEUTERVILLE RD
KEUTERVILLE, ID 83522

SOURCE: DEEP CREEK TRIBUTARY: SALMON RIVER

QUANTITY: 0.50 CFS

The quantity of water under this right for stockwater use shall not exceed 13,000 gallons per day.

PRIORITY DATE: 02/10/1910

POINT OF DIVERSION: T31N R02W S16 NENW Within Idaho County

PURPOSE AND PERIOD OF USE:

PURPOSE OF USE	PERIOD OF USE	QUANTITY
Irrigation	03-15 TO 10-31	0.50 CFS
Stockwater	01-01 TO 12-31	0.02 CFS

PLACE OF USE: Irrigation Within Idaho County

T31N R02W S16	NWNW 1.0	
S17	NENE 19.0	NWNE 3.0
	SENE 2.0	

25.0 Acres Total

Stockwater Within Idaho County
Same as Irrigation

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

The quantity of water decreed for this water right for stockwater use is not a determination of historical beneficial use.

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. I.C. SECTION 42-1412(6).

RULE 54(b) CERTIFICATE

With respect to the issues determined by the above judgment or order, it is hereby CERTIFIED, in accordance with Rule 54(b), I.R.C.P., that the court has determined that there is no just reason for delay of the entry of a final judgment and that the court has and does hereby direct that the above judgment or order shall be a final judgment upon which execution may issue and an appeal may be taken as provided by the Idaho Appellate Rules.

John M. Melanson
Presiding Judge of the
Snake River Basin Adjudication

SCANNED
FEB 28 2008