

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 96-09351

Priority: August 31, 2007

Maximum Diversion Rate: 0.14 CFS

This is to certify, that GARY EASTEP LIVING TRUST
123 JONES RD
SAGLE ID 83860

has applied for a permit to appropriate water from:

Source: FRY CREEK

Tributary: LAKE PEND OREILLE

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
FIRE PROTECTION	01/01 to 12/31	0.14 CFS

LOCATION OF POINT(S) OF DIVERSION:

FRY CREEK SE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 2, Twp 56N, Rge 02W, B.M. BONNER County


PLACE OF USE: DOMESTIC and FIRE PROTECTION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
56N 02W 2								X									

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **February 01, 2013**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
5. Domestic use is for 1 home.
6. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
7. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d'Alene, this 5th day of February, 2008.


DAVID R. TUTHILL, JR., Director