

74223

Ident. No. 96-9351

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public water of the State of Idaho

RECEIVED
NOV 14 2007
IDWR/North

1. Name: GARY EASTEP LIVING TRUST
123 JONES RD
SAGLE ID 83860
(208)265-7980

2. Source: FRY CREEK Tributary to: LAKE PEND OREILLE

3. Location of Point of Diversion:

#1 FRY CREEK
BONNER County

SE1/4NW1/4

Sec. 2, Twp 56N, Rge 02W, B.M.

4. Water will be used for the following purposes:

Purpose	From To	RATE OF DIVERSION	ANNUAL VOLUME
DOMESTIC	01/01 to 12/31	0.04 CFS	
FIRE PROTECTION	01/01 to 12/31	0.14 CFS	

5. Total quantity to be appropriated is: 0.14 CFS

6. Proposed diverting works:

POINT OF DIVERSION #1

a. Type and size of devices used to divert water from the source: HIGH PRESSURE SPRINKLER
PUMP 2 TO 3 HP AND 2 INCH PIPING

b. Height of storage dam _____ feet;
Active reservoir capacity _____ acre-feet;
Total reservoir capacity _____ acre-feet;

c. Proposed well diameter is _____ inches;
Proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85F being sought?

e. If well is already drilled, when? _____;
Drilling Firm _____;
Drilling Permit No. _____.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 year(s).

Page 2

8.

PLACE OF USE: DOMESTICRECEIVED
NOV 14 2007
IDWR/North

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02W	2								X									

PLACE OF USE: FIRE PROTECTION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02W	2								X									

9a. Who owns the property at the point of diversion? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT


9b. Who owns the land to be irrigated or place of use? If other than applicant, describe the arrangement enabling the applicant to make this filing.

APPLICANT

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by  Date 11/14/07 Time 11:50a Preliminary check by 
 Publication prepared by  Date 11/28/07 Published in Banner Co Daily See 12/6+13/07
 Publication approved  Date 12/12/07

Receipt No. N018698

Date: 8/31/07Receipted by: Dianna

STATEMENT

When this property was purchased in 1999, it came with a 220V electrical outlet installed near the water. This outlet was/is controlled by a timer, which can be programmed for days of the week and length of time during each event. The previous owner turned the outlet on and off with this timer to pump water to one faucet.

RECEIVED
AUG 31 2007
IDWR/North

Our attempt now is to obtain approval for water rights to support a watering system that utilizes the existing equipment. We want to irrigate, on a timed system, the entire property as one zone rather than multiple zones. For example, one zone would operate for ten (10) minutes a day, versus four zones operating for a total of forty (40) minutes a day. We believe a one-zone system will be most economical in both water and electrical consumption.

A pump and well-drilling business owner in Sandpoint tells us that Rain Bird impulse sprinklers require approximately two (2) gallons of water a minute to operate. It will take approximately thirty (30) sprinkler heads to cover this property. The resulting water requirement is approximately sixty (60) gallons a minute from the pump to support a one-zone, 30 sprinkler-head operation.

We also believe the pump described above (approximately 60 gallons a minute) could be used for fire protection. We have a gas-driven generator and a switch box for powering the outlet at the water during an electrical power outage. The water discharge line could be designed to divert water to a fire suppression outlet when necessary.

96-9351




0.06 0 0.06 0.12 Miles

- Township/Range
- QQ
- PLSS Section LinesSections.shp
- Bonner taxlots
- GCDB57N02W GCDB
- GCDB56N02W GCDB
- Pou.shp
- Pod.shp
- Administrative BasinsAdminbas.shp



BONNER COUNTY




6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

DATE DRAWN		DRAWN BY		R.W.S.	
REVISION MADE		DATE	CHECK BY		
T-83, 101621		08/05	R.W.S.		
148011		02/97	R.W.S.		
125781-131821		02/89	R.W.S.		
123551		03/89	R.W.S.		
157002-158101		03/04	R.W.S.		
123511-118021		05/04	R.W.S.		

RECEIVED
AUG 31 2007
IDWPR/North

37.73






Buck Run

Property Line


Proposed Waterline Encroachment

Lot 10 Block 1 Plat of Harborview
NW1/4 Section 2, T.56 N, R.2 W. B. M.
Bonner County Idaho



VICINITY MAP


123 Jones Road
Sagle, ID 83860



Adjacent Property Owners

Larry Glayhe (Lot #9 Harborview)
121 Jones Rd. Sagle, ID
Gary Schuelke (#9 Buck Run Sagle, ID)
13845 Comanche Ct. Yucaipa, CA


Scale



RECEIVED
AUG 31 2007
IDWR/North

Proposed Waterline Encroachment

IN: Fry Creek
NEAR: Sagle, Idaho
COUNTY: Bonner
STATE: Idaho
APPLICANTS: Gary & Diane Eastep



Property Line
water line
Pump

Property Line

Back Run

RECEIVED
JUN 31 2007
DWR/North

BONNER COUNTY

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

DATE DRAWN	DRAWN BY	REVISION MADE	DATE	CHECK BY	R.W.S.
T-83.10162]		[4601]	08/95	R.W.S.	
[2576]-[3752]			0297	R.W.S.	
[2555]			02/99	R.W.S.	
[5702]-[5910]			03/99	R.W.S.	
[2351]-[1802]			03/04	R.W.S.	
			05/04	R.W.S.	

