

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 67-14887

Priority: November 13, 2007

Maximum Diversion Rate: 0.20 CFS

This is to certify, that JOANN C HEMENWAY
2812 SALUBRIA RD
CAMBRIDGE ID 83610

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 10/31	0.20 CFS
STOCKWATER	01/01 to 12/31	0.03 CFS
WILDLIFE	01/01 to 12/31	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW ¼ SW ¼ Sec. 11, Twp 14N, Rge 03W, B.M. WASHINGTON County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N 03W 11							.4				13.7						14.1

Total Acres: 14.1

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N 03W 11											X						

PLACE OF USE: WILDLIFE


Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N 03W 11											X						

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 67-14887

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **February 01, 2010**.
2. Subject to all prior water rights.
3. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
4. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
6. Stockwater use is for 100 range cattle.
7. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 18th day of January, 2008.


for DAVID R. TUTHILL, JR., Director