

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 2-10269

Priority: February 04, 2005

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.4 AF

It is hereby certified that SUNRISE SKY PARK HOMEOWNERS ASSN
11158 AIRPARK LP
MELBA ID 83641-4263

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 04, 2005; and has submitted Proof of Beneficial Use on January 18, 2006. An examination indicates that the works have a diversion capacity of 0.09 cfs of water from:

SOURCE

SNAKE RIVER

Tributary: COLUMBIA RIVER

and a water right has been established as follows:

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

03/01 to 11/15

DIVERSION RATE

0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

SNAKE RIVER L1(NE¼SE¼SW¼) Sec. 16, Twp 01N, Rge 03W, B.M. OWYHEE County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N 03W 16								.3									.3
							L 1										

Total Acres: 0.3

CONDITIONS OF APPROVAL


- When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 2-10269

2. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 1.4 af at the field headgate for irrigation of the land described above.
3. Water shall not be diverted under this right when flows in the Snake River are below established minimum flow amounts at any of the following locations: Weiser, 4750 cfs; Johnson Bar, 5000 cfs; Lime Point 13,000 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 24th day of December, 2007.

for 
DAVID R. TUTHILL, JR.
Director