

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 3-10191

Priority: April 08, 2003

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.2 AF

It is hereby certified that JOHN A GIARDINELLI
857 MORGAN RD
ASOTIN WA 99402 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated April 08, 2003; and has
submitted Proof of Beneficial Use on June 28, 2004. An examination indicates that the works have a
diversion capacity of 0.02 cfs of water from:

SOURCE

SNAKE RIVER

Tributary: COLUMBIA RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF
FIRE PROTECTION	01/01 to 12/31	0.02 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SNAKE RIVER L2 (SW¼NW¼) Sec. 11, Twp 31N, Rge 05W, B.M. NEZ PERCE County

PLACE OF USE: DOMESTIC AND FIRE PROTECTION


Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
31N 05W 11							X										
							L2										

CONDITIONS OF APPROVAL

1. Water shall not be diverted under this right when flows in the Snake River are below established minimum flow amounts at the following location: Lime Point 13,000 cfs.
2. A fish screen of 3/16 inch or smaller mesh shall be installed and maintained at the point of diversion.
3. Domestic use is for 1 home.
4. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
5. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 31st day of December, 2007.


DAVID R. TUTHILL, JR.
Director