

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09409

Priority: August 29, 2007

Maximum Diversion Rate: 0.15 CFS

This is to certify, that SALLIE HILL or KIRK HILL
5047 E SHORE COVE
POST FALLS ID 83854
has applied for a permit to appropriate water from:

Source: SPOKANE RIVER

Tributary: COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.15 CFS

LOCATION OF POINT(S) OF DIVERSION:

SPOKANE RIVER L2 (NE1/4NW1/4) Sec. 8, Twp 50N, Rge 04W, B.M.KOOTENAI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N 04W 8					5.0												5.0
					L 2												

Total Acres: 5

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **December 01, 2008**.
2. Subject to all prior water rights.
3. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
4. This right does not grant any right-of-way or easement across the land of another.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Coeur d' Alene, this 14th day of December, 2007.


DAVID R. TUTHILL, JR., Director