

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 98-07864

Priority: August 29, 2007

Maximum Diversion Rate: 0.15 CFS

This is to certify, that CLIFTY VIEW NURSERY INC
RTE 1 BOX 509
BONNERS FERRY ID 83805

has applied for a permit to appropriate water from:

Source: UNNAMED STREAM
GROUND WATER

Tributary: CABIN CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.15 CFS

LOCATION OF POINT(S) OF DIVERSION:

UNNAMED STREAM SE1/4SW1/4 Sec. 8, Twp 61N, Rge 02E, B.M. BOUNDARY County
GROUND WATER SE1/4SE1/4 Sec. 7, Twp 61N, Rge 02E, B.M. BOUNDARY County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
61N 02E 18		5.0															5.0


Total Acres: 5

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **December 01, 2008**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
4. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
5. This right does not grant any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of

the Director, affixed at Coeur D'Alene, this 14th day of December, 2007.


DAVID R. TUTHILL, JR., Director