

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 75-14417

Priority: December 11, 2006

Maximum Diversion Rate: 0.24 CFS

This is to certify, that WESLEY G ROSE
769 HWY 93 S
SALMON ID 83467

And/Or

BONNIE L ROSE
769 HWY 93 S
SALMON ID 83467

has applied for a permit to appropriate water from:

Source: SPRING**Tributary:** SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
IRRIGATION	04/01 to 10/31	0.22 CFS

LOCATION OF POINT(S) OF DIVERSION:SPRING L5 (NE $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$) Sec. 34, Twp 19N, Rge 21E, B.M. LEMHI County**PLACE OF USE:** IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N 21E 34													6.0	5.0			11.0
													L 5	L 5			

Total Acres: 11


CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **November 01, 2012**.
2. Subject to all prior water rights.
3. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
4. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 75-14417

5. As part of the diversion works, the right holder shall install a straight length of conduit that will accommodate a device for measuring the entire flow of water being diverted in connection with this right. The straight length of conduit shall be at least ten times the diameter of the conduit and shall be above ground or otherwise easily accessible.
6. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
7. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
8. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
10. Stockwater use is for 10 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 23rd day of November, 20 07.


for DAVID R. TUTHILL, JR., Director

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 75-14417



0 0.2 0.4 0.6 0.8 Miles

-  Sections
-  QQ
-  Pou.shp
-  Lemhi taxlots

