

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 96-09079

RECEIVED
OCT 23 2007
RECEIVED
DEPARTMENT OF
WATER RESOURCES
OCT 16 2007
IDWR/North

Date of Priority: March 16, 2001

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 6.0 AF

Comes now **RON DIEHL And MARIANNE DIEHL**
PO BOX 368

LACLEDE ID 83841 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 96-09079, and requests that the permit be changed as follows:

Source: PEND OREILLE RIVER

Tributary: COLUMBIA RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION:

PEND OREILLE RIVER SW1/4SE1/4 Sec. 30, Twp 56N, Rge 03W, B.M.


BONNER County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N 03W 30															2.0		2.0

Total Acres: 2

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 12 day of OCTOBER, 2007.


(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 96-09079

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$50⁰⁰ Received by db # N018823 Date 10/16/07


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, DAVID R. TUTHILL, JR., of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 96-09079 with the following:

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
2. Water shall not be diverted under this right when flows in the Pend Oreille River are below established minimum flow amounts.

Witness my hand this 25th day of October, 2007.


DAVID R. TUTHILL, JR.
Director