

EDWARD A. JOHNSON
ATTORNEY AT LAW
5330 Farrow Street • Boise, Idaho 83713
PHONES
Bus. (208) 377-4104 / Res. (208) 375-6787 / Fax (208) 376-6908

RECEIVED
APR 05 2007
DEPT. OF WATER RESOURCES
SOUTHERN REGION

Mr. Doug Jones
Tech Engineer 1
Twin Falls, ID
Doug.jones@idwr.idaho.gov

Subject: Water transfer 4717105

Dear Mr. Jones:

During the last week, I personally (again) inspected the area affected by the above water transfer.

I am having a great deal of difficulty in understanding what you seem to be concerned about in watering BLM ground. That is just not happening here, nor has it been happening in the past. The property north of my north fence is as it has always been, in sage brush and other native plants. I am aware that water is expensive and am concerned enough to be sure it is put to proper beneficial use on my own property.

Just how the original place of use was not correctly stated, I have not discovered. Someone made a mistake and we are trying to properly correct it. With your assistance, I'm sure we can.

There is no reason for me to continue using Mr. Hannula's services in this matter. It has gone on longer than expected and I want to get it corrected as soon as possible.


We believe the modified application is correct as submitted, but if adjusting the one acre is as your proposal I your fax of March 16, 2007. I will not object.

The pivot wheel closest to our north fence line (BLM Property) is 250 feet away.

The nozzles in the pivot system have been replaced with nozzles allowing a discharge of 300gpm.

I believe with the possible adjustment of the one acre mentioned in the paragraph two of your e-mail of March 16, 2007 we are in full compliance.

Sincerely yours,

A handwritten signature in cursive script that reads "Edward A. Johnson". The signature is written in dark ink and is positioned above the printed name.

Edward A. Johnson