



State of Idaho

**DEPARTMENT OF WATER RESOURCES**

900 N. Skyline Dr., Suite A • Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 • Fax: (208) 525-7177 • Web Site: [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

EASTERN REGION

October 10, 2007

C. L. "BUTCH" OTTER  
Governor

DAVID R. TUTHILL, JR.  
Director

ERNEST CARLSEN  
WATER DISTRICT 120  
900 N SKYLINE DR STE A  
IDAHO FALLS, ID 83402

RE: Application for Transfer 74198, 74192, 74195 and 74197

Dear Watermaster:

A copy of the above referenced application is enclosed. Please review the application, then complete the enclosed recommendation form and return it to this office within 21 days of the date of this letter.

IDWR's regional offices can finish reviewing an unprotested application as soon as the protest period has past. Your prompt response to this request will ensure that your recommendation can be considered during regional review. If IDWR has not received your written recommendation within 21 days from the date of this letter, IDWR will presume that you do not oppose approval of the application and that you have no comments for IDWR to consider.

Please contact this office if you have any questions regarding the application.

Sincerely,

Dave Carlson  
Water Resource Supervisor

Enclosure(s)

DC:sc