

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 61-12094

Priority: September 13, 2006

Maximum Diversion Rate: 0.04 CFS

This is to certify, that LON BOTTTS And/Or MARY BOTTTS
921 E BASELINE RD
BOISE ID 83716

have applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT OF DIVERSION:

GROUND WATER L1 (NE $\frac{1}{4}$ NE $\frac{1}{4}$) Sec. 2, Twp 01S, Rge 04E, B.M., ELMORE County


PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
01S	04E	2	X																
			L1																

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 01, 2008**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
4. Domestic use is for 1 home.
5. The irrigation occurring under this domestic use shall not exceed 1/2 acre.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 12th day of September, 2007.


for DAVID R. TUTHILL, JR., Director