

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 72-16701

Priority: January 17, 2006

Maximum Diversion Rate: 0.09 CFS

This is to certify, that ANDREW L JACOBS
357 BLAINE ST
ARCO ID 83213

And/Or

PEGGY A JACOBS
357 BLAINE ST
ARCO ID 83213

has applied for a permit to appropriate water from:

Source: SALMON RIVER**Tributary:** SNAKE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.09 CFS

LOCATION OF POINT(S) OF DIVERSION:SALMON RIVER L6 (SE $\frac{1}{4}$ SW $\frac{1}{4}$) Sec. 28, Twp 11N, Rge 17E, B.M. CUSTER County**PLACE OF USE:** IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
11N 17E 28																	2.8
																	L6

Total Acres: 2.8

CONDITIONS OF APPROVAL


1. Proof of application of water to beneficial use shall be submitted on or before **August 1, 2008**.
2. Subject to all prior water rights.
3. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 170.
4. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
5. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 72-16701

6. As part of the diversion works, the right holder shall install a straight length of conduit that will accommodate a device for measuring the entire flow of water being diverted in connection with this right. The straight length of conduit shall be at least ten times the diameter of the conduit and shall be above ground or otherwise easily accessible.
7. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
8. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
9. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 13th day of August, 2007.


for DAVID R. TUTHILL, JR., Director