

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 77-14280

Priority: June 25, 2007

Maximum Diversion Rate: 0.20 CFS

This is to certify, that JEANNE CAMPBELL
PO BOX 1978
MC CALL ID 83638-1978

And/Or

JAMES CAMPBELL
PO BOX 1978
MC CALL ID 83638-1978

has applied for a permit to appropriate water from:

Source: LEMHI CREEK

Tributary: SALMON RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 10/31	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

LEMHI CREEK SE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 29, Twp 25N, Rge 09E, B.M. IDAHO County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
25N 09E 29											10.0						10.0

Total Acres: 10

CONDITIONS OF APPROVAL


1. Proof of application of water to beneficial use shall be submitted on or before **September 1, 2008**.
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
5. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide suitable control of the diversion.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 77-14280

6. As part of the diversion works, the right holder shall install a straight length of conduit that will accommodate a device for measuring the entire flow of water being diverted in connection with this right. The straight length of conduit shall be at least ten times the diameter of the conduit and shall be above ground or otherwise easily accessible.
7. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
8. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
10. Place of use includes a portion of Homestead Entry Survey No. 707.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 18th day of September, 2007.


for DAVID R. TUTHILL, JR., Director