

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 51-13017

Priority: December 06, 2006

Maximum Diversion Rate: 0.04 CFS

This is to certify, that ORVA EUGENE BOTTS
7097 E CHAFIN RD
KING HILL ID 83633

And

SHEILA P BOTTS
7097 E CHAFIN RD
KING HILL ID 83633

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 32, Twp 05S, Rge 11E, B.M. ELMORE County

PLACE OF USE: DOMESTIC


Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
05S 11E 32																X	

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 15, 2008**.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.
4. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
5. The domestic use authorized under this right shall not exceed 13,000 gallons per day.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of

the Director, affixed at Boise, this 24th day of August, 2007.


for DAVID R. GUTHILL, JR., Director