

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 67-14757

Priority: July 26, 2006

Maximum Diversion Rate: 0.68 CFS

This is to certify, that JEFFREY V MUSSER
1712 E HANDEL ST
MERIDIAN ID 83642

And

REBECCA C MUSSER
1712 E HANDEL ST
MERIDIAN ID 83642

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 10/31	0.68 CFS

LOCATION OF POINT OF DIVERSION:

GROUND WATER NW¼SE¼ Sec. 1, Twp 12N, Rge 03W, B.M. WASHINGTON County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
12N 03W 1																	35.0 28.0 63.0

Total Acres: 63

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 15, 2012**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.


State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 67-14757

5. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
6. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 24th day of August, 2007.


for DAVID R. TUTHILL, JR., Director