

State of Idaho
Department of Water Resources
Amendment of Permit

NO. 95-09240

Priority: May 21, 2004

Maximum Diversion Rate: 0.42 CFS

This is to certify, that WESTVIEW PROPERTY OWNERS ASSOCIATION
12861 STORMY POINT LN
HARRISON ID 83833

has applied for an amendment of a permit and the amendment is APPROVED for development of water as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	0.42 CFS	102.6AF


LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER L1 (NE $\frac{1}{4}$ NW $\frac{1}{4}$) Sec. 31, Twp 49N, Rge 03W, B.M. KOOTENAI County
GROUND WATER L1 (NE $\frac{1}{4}$ NW $\frac{1}{4}$) Sec. 31, Twp 49N, Rge 03W, B.M. KOOTENAI County

CONDITIONS OF APPROVAL

- 1 Place of use is within the area served by the public water supply system of Westview Property Owners Association. The place of use is generally located within Lots 1-4, Blk. 1; Lots 1-17, Blk. 2; West View Property Owners Association.
- 2 A map depicting the place of use boundary for this water right at the time of this approval is attached to this document for illustration purposes.
- 3 Proof of application of water to beneficial use shall be submitted on or before **January 1, 2009**.
- 4 Subject to all prior water rights.
- 5 Point of diversions are located within Lot 5 and Lot 3 of Block 1 West View Property Owners Association.
- 6 After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
- 7 Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.

This amendment of permit is issued pursuant to the provisions of Section 42-211, Idaho Code. Witness the signature of the Director, affixed at Boise, this 17th day of July, 2007.


for DAVID R. TUTHILL, JR., Director

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09240

Digital Boundary for Westview Property Owners Association

July 13, 2007



0.3 0 0.3 0.6 Miles



-  Permit 95-9240 Place of Use
-  Sections
-  QQ
-  GCDB49N04W GCDB
-  GCDB49N03W GCDB
-  Permit POD