

**STARTING
LEFT
SIDE OF
FILE**

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09392

Priority: May 23, 2007

Maximum Diversion Rate: 0.22 CFS

This is to certify, that KOOTENAI COUNTY SOLID WASTE
3650 RAMSEY RD
COEUR D ALENE ID 83815

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.11 CFS
IRRIGATION	04/01 to 11/30	0.11 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NW¼NE¼NW¼ Sec. 29, Twp 51N, Rge 05W, B.M. KOOTENAI County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N 05W 29					X	X											

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N 05W 29					3.0	3.0											6.0

Total Acres: 6


CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **July 15, 2012**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 95-09392

4. When notified by the Department, the right holder shall record the quantity of water diverted and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code, and/or the management plan for the Rathdrum Prairie Ground Water Management Area.
5. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.
6. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of the management plan approved by the director for the RPGWMA.
7. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
8. Domestic use is for County Waste Transfer Station public and employee restroom facilities. Irrigation of lawn, garden and landscaping associated with the transfer station is authorized under the irrigation component of this right.
9. The domestic use authorized under this right shall not exceed 13,000 gallons per day.
10. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 20th day of July, 2007.


for DAVID R. TUTHILL, JR., Director

73601

Ident. No. 95-9392

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

MAY 21 2007

IDWR/North

1. Name of Applicant Kootenai County Solid Waste Phone 208.446.1430
Mailing address 3650 Ramsey Road Coeur d'Alene, ID 83815
2. Source of water supply Bathdrum Prairie Aquifer which is a tributary of _____
3. Location of point of diversion is Township S1N Range 5W Sec. 29 in the NW $\frac{1}{4}$,
NE $\frac{1}{4}$, NW $\frac{1}{4}$, Govt. Lot _____, B.M., Kootenai County;
additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.11 cfs for Irrigation purposes from April 1 to Oct 1 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.11 cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.22 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source Well Pump Station

- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet

- c. Proposed well diameter is 8 inches; proposed depth of well is 210 feet * 6" ID telescoping screen

- d. Is ground water with a temperature of greater than 85°F being sought? NO

- e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Transfer Station (Municipal Solid Waste Management Facility) - Irrigation / Domestic Water Uses
23 ± Full Time Employees Spread over 7-9 Hr Days.

RECEIVED
MAY 23 2007
IDWR/North

3. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
S1N	SW	29					3	6 ³											6
		29					D	D											

Total number of acres to be irrigated 6


10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Kootenai County
- b. Who owns the land to be irrigated or place of use? Kootenai County
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____


12. Remarks: _____

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


 Signature of Applicant (and title, if applicable)

Received by 256 Date 5/23/07 Time 1:57p Preliminary check by No 18400 Date 5/23/07
 Fee \$ 256 Received by 256 Date 5/23/07 Published in 6/21/07
 Publication prepared by 256 Date 5/23/07 Deputy Clerk 6/21/07
 Publication approved 256 Date 5/23/07

DANIEL J. ENGLISH, CLERK
 BY: 
 Deputy Clerk

WGS84 116°58'00" W



95-9392



0.2 0 0.2 0.4 Miles


-  Kootenai taxlots
-  GCDB51N05W GCDB
-  Active Permit POD
-  Pou.shp
-  Pod.shp
-  Administrative BasinsAdminbas.shp




SITEMARD - CIVIL
OVERALL SITE LAYOUT
AND UTILITY PLAN

KOOTENAI COUNTY
SOLID WASTE DEPARTMENT
PRAIRIE TRANSFER STATION
KOOTENAI COUNTY, IDAHO

PRELIMINARY
NOT FOR
CONSTRUCTION



KEY MAP



CONSTRUCTION SURVEY CONTROL POINTS

No.	NORTHING	EASTING	ELEVATION	DESCRIPTION
1210	2217039.6480	2318373.3310	2117.7940	CP BARB
1211	2217039.6480	2318373.3310	2117.7940	CP BARB
1212	2217039.6480	2318373.3310	2117.7940	CP BARB
1213	2217039.6480	2318373.3310	2117.7940	CP BARB
1214	2217039.6480	2318373.3310	2117.7940	CP BARB

NOTES

1. SEE ELECTRICAL PLANS FOR SITE ELECTRICAL LINES.
2. TEST #117#7 WAS NOT EXCAVATED.
3. TOPSOIL STOCKPILE SIZE WILL VARY DEPENDING ON FINAL TOPSOIL REMOVAL QUANTITY. BERM LENGTH WILL BE APPROXIMATELY 1100 FEET, AND WIDTH AND HEIGHT WILL VARY. BERM WILL BE BUILT IN STAGES TO COMPLETED HEIGHT. SEE BERM CONSTRUCTION DETAIL AND REQUIREMENTS ON EROSION CONTROL PLAN.
4. UTILITY EASEMENTS ARE RESTRICTED ACCESS AREAS. CONTRACTOR SHALL INSTALL CONSTRUCTION SITE SECURITY FENCE ALONG EASTERMOST EASEMENT LINE TO PREVENT VEHICLE AND EQUIPMENT ACCESS ONTO THE EASEMENT. THREE GAS LINES ARE 36" TO 40" HIGH PRESSURE NATURAL GAS TRANSMISSION LINES.

**NOW
STARTING
RIGHT
SIDE OF
FILE**



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street • P.O. Box 83720 • Boise, Idaho 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Web Site: www.idwr.idaho.gov

July 23, 2007

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Interim Director

KOOTENAI COUNTY SOLID WASTE
3650 RAMSEY RD
COEUR D ALENE ID 83815

RE: Permit No. 95-9392

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.


The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-287-4947.

Sincerely,

A handwritten signature in black ink that reads "Shelley W. Keen". The signature is written in a cursive style with a large, stylized 'S' and 'K'.

Shelley W. Keen, Manager
Water Right Permits Section


Enclosures

CERTIFICATE OF SERVICE

I hereby certify that on July 23, 2007 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person listed below:

RE: WATER RIGHT NO. 95-9392

**KOOTENAI COUNTY SOLID WASTE
3650 RAMSEY RD
COEUR D ALENE ID 83815**

A handwritten signature in cursive script, reading "Emalee Rushing", is written over a horizontal line.

**Emalee Rushing
Technical Records Specialist**

Statement of Available Procedures and Applicable Time Limits

RESPONDING TO PRELIMINARY ORDERS ISSUED BY THE IDAHO DEPARTMENT OF WATER RESOURCES (To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

Date: July 20, 2007
To: Water Right File 95-9392
From: cpadilla
Re: Permit Review

No Wd

No overlaps for this use

RPGW conditions added to permit along with standard conditions

Recommend for approval as suggested by the region.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

RECEIVED

JUN 11 2007

IDWR/North

Heather Bump
being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.


3. The Legal Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 7 day of June, 2007, and ending on the 14 day of June, 2007, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice Heather Bump. On this 14 day of June in the year of 2007, before me, a Notary Public, personally appeared Heather Bump, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Regina Mason
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho

MY COMMISSION EXPIRES 6/18/09



LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

94-7418
WILBUR RONALD LEONARD
36621 S HWY 3
ST. MARIES ID 83861
Point(s) of Diversion L9 (SESW) S6 T47N R02W KOOTENAI Co.
Source SPRING - Tributary To SINKS
Point(s) of Diversion L8 (SWSW) S6 T47N R02W KOOTENAI Co.
Source SPRING - Tributary To SINKS
Use: DOMESTIC 01/01 To 12/31 0.04 CFS
Total Diversion: 0.04 CFS

Date Filed: 05/16/2007
Place Of Use: DOMESTIC
T47N R02W S6 SESW Lot 9
Remark: Domestic use is for 1 home.

95-9390
RUSSELL A WATT
14280 N HAUSER LAKE RD
HAUSER ID 83854
Point(s) of Diversion I2 (NWNE) S12 T51N R06W KOOTENAI Co.
Source SHAW CREEK - Tributary To HAUSER LAKE
Use: IRRIGATION 03/15 To 11/15 0.05 CFS
Total Diversion: 0.05 CFS

Date Filed: 05/15/2007
Place Of Use: IRRIGATION
T51N R06W S12 NWNE Lot 2
Number of Acres 1.5

95-9391
KOOTENAI COUNTY SOLID WASTE
3650 RAMSEY RD
COEUR D ALENE ID 83815
Point(s) of Diversion NWNENW S29 T51N R05W KOOTENAI Co.
Source GROUND WATER
Use: FIRE PROTECTION 01/01 To 12/31 3.9 CFS
Total Diversion: 3.9 CFS

Date Filed: 05/23/2007
Place Of Use: FIRE PROTECTION
T51N R05W S29 NENW NWNW SENW
95-9392

KOOTENAI COUNTY SOLID WASTE
3650 RAMSEY RD
COEUR D ALENE ID 83815
Point(s) of Diversion NWNENW S29 T51N R05W KOOTENAI Co.
Source GROUND WATER
Use: IRRIGATION 04/01 To 11/30 0.11 CFS
Use: DOMESTIC 01/01 To 12/31 0.11 CFS
Total Diversion: 0.22 CFS

Date Filed: 05/23/2007
Place Of Use: DOMESTIC and IRRIGATION
T51N R05W S29 NENW NWNW
Number of Acres 6
Remark: Domestic use is for County Waste Transfer Station public and employee restroom facilities
Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.
Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D'Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 06/25/2007. The protestant must also send a copy of the protest to the applicant.

DAVID R. TUTHILL, JR., Director

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

94-7418

WILBUR RONALD LEONARD

36621 S HWY 3

ST. MARIES ID 83861

Point(s) of Diversion L9 (SESW) S6 T47N R02W KOOTENAI County

Source SPRING - Tributary To SINKS

Point(s) of Diversion L8 (SWSW) S6 T47N R02W KOOTENAI County

Source SPRING - Tributary To SINKS

Use: DOMESTIC 01/01 To 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 05/16/2007

Place Of Use: DOMESTIC

T47N R02W S6 SESW Lot 9

Remark: Domestic use is for 1 home.

95-9390

RUSSELL A WATT

14280 N HAUSER LAKE RD

HAUSER ID 83854

Point(s) of Diversion L2 (NWNE) S12 T51N R06W KOOTENAI County

Source SHAW CREEK - Tributary To HAUSER LAKE

Use: IRRIGATION 03/15 To 11/15 0.05 CFS

Total Diversion: 0.05 CFS

Date Filed: 05/15/2007

Place Of Use: IRRIGATION

T51N R06W S12 NWNE Lot 2

Number of Acres 1.5

95-9391

KOOTENAI COUNTY SOLID WASTE

3650 RAMSEY RD

COEUR D'ALENE ID 83815

Point(s) of Diversion NWNENW S29 T51N R05W KOOTENAI County

Source GROUND WATER

Use: FIRE PROTECTION 01/01 To 12/31 3.9 CFS

Total Diversion: 3.9 CFS

Date Filed: 05/23/2007

Place Of Use: FIRE PROTECTION

T51N R05W S29 NENW NWNW SENW

95-9392

KOOTENAI COUNTY SOLID WASTE

3650 RAMSEY RD

COEUR D'ALENE ID 83815

Point(s) of Diversion NWNENW S29 T51N R05W KOOTENAI County

Source GROUND WATER

Use: IRRIGATION 04/01 To 11/30 0.11 CFS

Use: DOMESTIC 01/01 To 12/31 0.11 CFS

Total Diversion: 0.22 CFS

Date Filed: 05/23/2007

Place Of Use: DOMESTIC and IRRIGATION

T51N R05W S29 NENW NWNW

Number of Acres 6

Remark: Domestic use is for County Waste Transfer Station public and employee restroom facilities

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 7600 Mineral Drive, Suite 100, Coeur D'Alene ID 83815 together with a protest fee of \$25.00 for each application on or before 06/25/2007. The protestant must also send a copy of the protest to the applicant.

DAVID R. TUTHILL, JR., Director Published on June 7 & 14, 2007



DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 FAX: (208) 762-2819 www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR
Director

May 29, 2007

*Please FAX proof copy before this goes to press, to 762-2819
Thanks, Dianne*

DEE DUQUETTE
Legal Notice Department
COEUR D ALENE PRESS
201 N 2ND
COEUR D ALENE ID 83814

RE: Application for Permit No. 94-7418, 95-9390, 95-9391 and 95-9392

Dear Dee:

Enclosed you will find **our second of three** legal notices which we will be sending to you this week, each of which we wish to have published separately in your newspaper on the dates indicated, June 7 and 14, 2007, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department for each of these legal notices, separately, along with the publication bill. Please send the affidavits and bills to this office before 06/25/2007. Your cooperation is appreciated.

Thank you very much for all your help with these three legal notices. Your cooperation is, as always, greatly appreciate.

Sincerely

Dianne

Dianne Ball
Administrative Assistant

Ball, Dianne

From: Ball, Dianne
Sent: Wednesday, May 30, 2007 2:19 PM
To: Legal Notices-CdA Press (E-mail); Legal Notices-CdA Press3 Dee Duquette (E-mail); Legal Notices-CdA Press2 Glenda Jefferson (E-mail)
Subject: SECOND OF THREE Legal notices for publication June 7 & 14, 2007

Good afternoon to you, Dee,

Attached is our cover letter requesting publication of a legal notice (**the second of three** that you will receive today) for publication on June 7 & 14, 2007.

The legal notice is also attached.

Please call if you have ANY questions. Layout on this one is normal for one of our legal notices.

AGAIN - PLEASE FAX A PROOF COPY OF EACH LEGAL PRIOR TO PUBLICATION (ONE STILL FORTHCOMING).

THANKS VERY MUCH FOR ALL YOUR GOOD HELP.

Dianne

*Dianne Ball
Administrative Assistant
Idaho Dept of Water Resources
7600 Mineral Drive Suite 100
Coeur d'Alene, ID 83815
Phone (208)762-2800 FAX (208)762-2819*



CoverLetter
5-29-07 CDA e-mai.



LegalNotice
5-29-07 CDA2 94-7.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800

Fax: (208) 762-2819

Web Site: www.idwr.idaho.gov

May 29, 2007

C. L. "BUTCH" OTTER
Governor
DAVID R. TUTHILL, JR.
Director

KOOTENAI COUNTY SOLID WASTE
3650 RAMSEY RD
COEUR D ALENE ID 83815

RE: Application for Permit No 95-9391 and 95-9391

Dear Applicant(s):

RE: Applications for Permit Nos. 95-9391 and 95-9392

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Coeur d'Alene Pres on June 7 and 14, 2007. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight and twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

A handwritten signature in black ink, which appears to read "Keith E. Franklin". The signature is fluid and cursive, written over a white background.

Keith E. Franklin
Senior Water Resource Agent

Idaho Department of Water Resources Receipt

Receipt ID N018400

Payment Amount	\$620.00	Date Received	5/23/2007 1:57:39 PM	Region	Northern	Status
Payment Type	Check	Check Number	357785			

Payer KOOTENAI COUNTY - FOR SOLID WASTE

Comment 1 WR Permit App Fee for Domestic & Irrigation \$250
1 WR Permit App Fee for Fire Protection \$370

Fee Detail

Amount	Description	Fund	FD	PCA	SO
\$620.00	PERMITS	0229	21	65103	1155



Signature Line (Dept. Representative)

CH2MHILL TRANSMITTAL

To: Roger Saterfiel
Kootenai County Solid Waste
3650 Ramsey Road
Coeur D'Alene, ID 83815

Date: May 14, 2007

From: Travis Pyle

Project Number: 352878

We Are Sending You:

- ☐ For Approval ☐ Information
☐ As Requested ☒ For Review and Comment
☐ For Your Use

-
- ☐ Shop Drawings ☐ Documents ☐ Tracings
☐ Prints ☐ Specifications ☐ Catalogs
☐ Copy of letter ☒ Other:

Quantity	Description
1	Prairie Transfer Station – IDWR Application to Appropriate Public Water – Irrigation (fee \$250)
1	Prairie Transfer Station – IDWR Application to Appropriate Public Water – Fire Protection (fee \$370)

Remarks:

Attached are the original IDWR Applications to Appropriate Public Water for the Prairie Transfer Station. Please sign where indicated and forward along with the fees to:

IDWR-Northern Region
1910 Northwest Blvd.
Suite 210
Coeur d'Alene 83814

Cc: Jay Dehner