

**STARTING
LEFT
SIDE OF
FILE**

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 83-11931

Priority: 07/03/2001

Maximum Diversion Rate: 0.07 CFS

This is to certify, that LAKEVIEW RECREATIONAL WATER DISTRICT
4115 EUREKA RIDGE RD
OROFINO ID 83544

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 23, Twp 37N, Rge 01E, B.M. CLEARWATER County

PLACE(S) OF USE: Within the service area of Lakeview Recreational Water District as provided for under Idaho Law. Place of use generally described as T37N, R1E, Sections 23 and 24.

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **November 1, 2006**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Source is also known as Well #5.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 31st day of October, 2001.


for **KARL J DREHER, Director**

MICROFILMED

OCT 11 2001

69265

Jent. No. 83-11931STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

JUN 25 2001

IDWR/North

RECREATIONAL

1. Name of Applicant LAKEVIEW WATER DISTRICT Phone (208) 476-5556
Mailing address 4115 EUREKA RIDGE ROAD, OROFINO, IDAHO 83544
2. Source of water supply GROUNWATER which is a tributary of N/A
3. Location of point of diversion is Township T37N Range R01E Sec. 23 in the S.E. 1/4, S.E. 1/4, N.E. 1/4, Govt. Lot —, B.M., CLEARWATER County;
additional points of diversion if any: —

4. Water will be used for the following purposes:

Amount 0.07 for MUNICIPAL DOMESTIC purposes from JAN. 01 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.07 and/or (b) 48.4
cubic feet per second acre feet per annum

6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source WELL, PUMP + SERVICE SYSTEM
- b. Height of storage dam — feet; active reservoir capacity — acre-feet; total reservoir capacity — acre-feet
- c. Proposed well diameter is 8 inches; proposed depth of well is 1,200 feet
- d. Is ground water with a temperature of greater than 85°F being sought? —
- e. If well is already drilled, when? —; Drilling firm —;
Well was drilled for (well owner) —; Drilling Permit No. —

7. Time required for completion of works and application of water to proposed beneficial use is
- 5
- years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. —
- b. Stockwatering; list number and kind of livestock. —
- c. Municipal; show name of municipality. —
- d. Domestic; show number of households. 36 HOUSEHOLDS - 9 acres IRRIGATED (1/4 ac/HOUSE)
- e. Other; describe fully. MISC. IRR.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
37N	01E	23	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	2	5
37N	01E	23	-	-	-	D	-	-	-	-	-	-	-	-	D	-	-	D	
37N	01E	24	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	4
37N	01E	24	-	-	-	-	-	-	D	-	-	D	-	-	-	-	-	-	



PLACE OF USE IS WITHIN SERVICE AREA OF LARGEVIEW WATER DISTRICT.

Total number of acres to be irrigated 9

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? WELL SITE IS LOCATED IN EASEMENT OWNED BY DISTRICT.

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: PROPOSED WELL WILL BE DRILLED BY UHLENKOT WELL DRILLING - DRILLERS LICENSE NO. 125.


SOURCE IS KNOWN AS WELL #5.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sammy Cannon PRESIDENT
Signature of Applicant (and title, if applicable)

Partial Received by cb Date 6/25/01 Time 100P Preliminary check by AB
Fee \$ 50.00 / 50.00 Received by cb / cb # N014492/N01511 Date 6/25/01 / 7/3/01
Publication prepared by cb Date 7/11/01 Published in Clearwater Trail 7/19+26/01
Publication approved cb Date 10/3/01





0.3 0 0.3 0.6 Miles



- Quad IndexQuadcov.shp
- GCDBT37N01E.shp
- POD- ApplicationApplication POD
- Application POU
- Townships
- Sections



MICROFILMED
SEP 16 2003



1	2	3	1 Park 2 Aldermand Ridge 3 Elk Creek Falls
4		5	4 Southwick 5 Dent 6 Peck
6	7	8	7 Orofino West 8 Orofino East

HIGHWAYS AND ROADS	
Interstate	5
U. S.	101
State	79
County	6
National Forest, suitable for passenger cars	105
National Forest, suitable for high clearance vehicles	105
National Forest Trail	384
Primary highway	5
Secondary highway	101
Light-duty road	
Paved	79
Gravel	6
Dirt	105
Composition unspecified	384
Unimproved; 4 wheel drive	105
Trail	384
Gate	384

AHSAHKA, ID

46116-E3-TF-024

1994

DMA 2777 III SF - SERIES 1/202

**NOW
STARTING
RIGHT
SIDE OF
FILE**



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 1, 2001

LAKEVIEW RECREATIONAL WATER DISTRICT
4115 EUREKA RIDGE RD
OROFINO ID 83544

RE: Permit No. 83-11931

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.


The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

ENCLOSURE
7/1/01

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in black ink, appearing to read "Shelley Keen". The signature is fluid and cursive, with the first name "Shelley" written in a larger, more prominent script than the last name "Keen".

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


2000

CERTIFICATE OF MAILING

I hereby certify that on November 1, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 83-11931

**LAKEVIEW RECREATIONAL WATER DISTRICT
4115 EUREKA RIDGE RD
OROFINO ID 83544**

A handwritten signature in black ink, reading "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

MICROFILMED

NOV 1 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APPEAL
FILED
JUL 12 2017

AFFIDAVIT OF PUBLICATION

RECEIVED

STATE OF IDAHO)
) ss.
County of Clearwater)

SEP 17 2001

IDWR North

LA RAE CALL

being first duly sworn, on oath, deposes and says:

That I am and at all times herein mentioned have been a citizen of the United States and of the State of Idaho, over 21 years of age, and that I am not a party to nor interested in the above entitled proceeding; that I am and at all times herein mentioned have been the Editor, Foreman, of the THE CLEARWATER TRIBUNE; that said Clearwater Tribune is a newspaper of general circulation, printed and published weekly at Orofino, in the County of Clearwater and State of Idaho; that the Clearwater Tribune has been continuously and uninterruptedly published in Clearwater County, Idaho, during the period of seventy-eight consecutive weeks prior to

NOTICE - APPLICATION FOR WATER RIGHTS

LAKEVIEW RECREATIONAL WATER DISTRICT

of which the annexed is a full, true and correct printed copy, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for a full period of two consecutive issues, commencing on the 19th day of July 2001 and ending on the 26th day of July 2001.

La Rae Call


STATE OF IDAHO)
)
COUNTY OF CLEARWATER)

On this 13th day of September in the year of 2001, before me, a Notary Public, personally appeared

La Rae Call

known or identified to me to be the person whose name subscribed to the within instrument, and being by me duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Notary Public for Idaho
Resident at Orofino, Idaho
My commission expires: 12/11/03



NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

83-11931

LAKEVIEW RECREATIONAL WATER DISTRICT

4115 EUREKA RIDGE RD

OROFINO ID 83544

Point(s) of Diversion

SESENE S23 T37N R01E

CLEARWATER County

Source GROUND WATER

Use: MUNICIPAL 01/01 To 12/31
0.07 CFS

Total Diversion: 0.07 CFS

Date Filed: 07/03/2001

Remark: Place of use is within the service area of the applicant.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur d'Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 08/06/2001. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published in Clearwater Tribune on July 19 and 26, 2001.

7-19,26c

MICROFILMED

SEP 17 2001

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

83-11931

LAKEVIEW RECREATIONAL WATER DISTRICT
4115 EUREKA RIDGE RD
OROFINO ID 83544

Point(s) of Diversion SESENE S23 T37N R01E CLEARWATER County
Source GROUND WATER

Use: MUNICIPAL 01/01 To 12/31 0.07 CFS
Total Diversion: 0.07 CFS

Date Filed: 07/03/2001

Remark: Place of use is within the service area of the applicant.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 08/06/2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in Clearwater Tribune on July 19 and 26, 2001

MICROFILMED
JUL 19 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

July 11, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Legal Notice Department
CLEARWATER TRIBUNE
PO BOX 71
OROFINO ID 83544


RE: Application for Permit No. 83-11931

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 08/06/2001. Your cooperation is appreciated.

Sincerely



Dianne Ball
Administrative Assistant

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

July 11, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

LAKEVIEW RECREATIONAL WATER DISTRICT
4115 EUREKA RIDGE RD
OROFINO ID 83544

RE: Application for Permit No 83-11931

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Clearwater Tribune on July 19 and 26, 2001.. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

A handwritten signature in cursive script, reading 'Al Beardslee'.

Al Beardslee
Senior Water Resource Agent

Enclosure - Receipt No. N0114511

MAILED 11/11/01

2001

Fax

LAKEVIEW ESTATES SUBDIVISION

4115 Eureka Ridge OROFINO, IDAHO 83544

Office (208) 476-5051

Fax (208) 476-3634

Name: Al Beardsley
Organization: Idaho Department of Water Resources
Phone: 208-769-1450
Fax: 208-769-1454

From: Larry Annen
Date: 7-10-01
Subject: Well #5 well drilling application
Pages: 2

Lakeview Recreational Water District Public Water System #2180020.

Lakeview Recreational Water District is governed by a board of Directors as follows:

Board President

Larry Annen	4115 Eureka Ridge Road	Orofino, Idaho	83544
-------------	------------------------	----------------	-------

Board Members

Gary Tragesser	4121 Eureka Ridge Road	Orofino, Idaho	83544
David Bowser	4122 Eureka Ridge Road	Orofino, Idaho	83544
Shirley Glaze	4126 Eureka Ridge Road	Orofino, Idaho	83544
Larry Hayes	4129 Eureka Ridge Road	Orofino, Idaho	83544

Should you require any further information please contact me.

Larry Annen

Board President

MICRO

2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 26, 2001

LARRY ANNEN, PRESIDENT
LAKEVIEW WATER DISTRICT
4115 EUREKA RIDGE ROAD
OROFINO ID 83544

Re: Water Right Application Fee

Dear Mr. Annen:

We are in receipt of your Application for Permit to appropriate the public water of the State of Idaho, together with Application for Drilling Permit, and your check No. 0897 in the amount of \$250.00.

This is to inform you that the current fee for your Water Right Application is \$100.00, rather than the \$50.00 that you sent for that purpose. The fee structure changed last July. Please send an additional \$50.00 to cover the balance of the required fee.

Enclosed is receipt No. N014492 for the fees received.

Also enclosed for future reference and use is an updated application form together with the new instructions for completing the application. The new fee schedule is on the back page of the instructions.

We will begin the processing of your application, and will expect the balance of the fee by return mail.

Should you have any questions, please call.

Sincerely,

Dianne Ball
Administrative Assistant

cc: Terry W. Nab, P.E, Progressive Engineering Group, Inc., 1208 Idaho Street, Lewiston ID 83501

MICROFILMED
JUL 11 1992

WD Tag No. _____
Drilling Perm. o. _____
Water Right Permit No. _____
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)

COPY

RECEIVED
JUN 25 2001
IDWR/North

1. Applicant (property owner): LAKEVIEW WATER DISTRICT
(PLEASE PRINT)
2. Mailing Address: 4115 EUREKA RIDGE ROAD
City & State OROFINO, IDAHO Zip Code 83544 Telephone (208) 476-5556
☒ Well Owner ☐ Well Operator ☐ Contractor or Other, specify: _____
3. Proposed Well Location: Twp. T37N, Rge. R01E, Sec. 23, S.E. 1/4 S.E. 1/4 N.E. 1/4;
Gov't Lot No. _____ County CLEARWATER Lat. 46° 32' 10" Long. 116° 17' 03"
Street Address of Well Site EUREKA RIDGE ROAD
Give at least name of road + distance to road or landmark
- Lot, block and subdivision WELL SITE LOCATED IN EASEMENT OWNED BY DISTRICT
4. Proposed Use of Well:
- ☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- Domestic does not include water for multiple ownership subdivision, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- NON-DOMESTIC: ☐ Irrigation ☐ Municipal ☐ Industrial
☐ Stock ☐ Test ☒ Other WATER DISTRICT
(Over 1,000 head) (Describe)
- ☐ INJECTION
- ☐ MONITORING: A well bore schematic and map is required for each blanket permit.
No. of proposed wells: _____

5. Well Construction Information:

- A. ☒ New well ☐ Modify ☐ Replace
- B. Proposed Casing Diameter 8 INCH Proposed Maximum Depth 1,200 ft.

C. Anticipated bottom hole temperature:

- ☒ 85°F or less ☐ 85°F to 212°F ☐ 212°F or more
(Cold Water Well) (Low Temp. Geo. Well) (Geothermal Well)

6. Construction Start Date: SEPTEMBER 01, 2001

7. Anticipated Well Driller (Firm): UHLENKOTT WELL DRILLING Driller's Lic. No. 125

NOTE: The actual well drilling firm must be identified prior to drilling.

8. Applicant's Signature: [Signature] Date 6-19-01

Title PRESIDENT, LAKEVIEW WATER DISTRICT
(Applicant, Firm Representative, Driller, Other)

MILWAUKEE
JUN 27 2001

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is _____ Date _____

If approved, this permit authorizes the construction or modification of a well subject to the following conditions.
READ CAREFULLY!

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

Signature of Authorized Department Representative

Title

Receipt No. NO14492 Received by db Fee \$ 200⁰⁰ Date 6/25/01

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____

MICHAEL

PROGRESSIVE ENGINEERING GROUP, INC.

1208 Idaho Street
Lewiston, Idaho 83501

Phone (206) 746-5406
FAX (208) 746-9732

June 15, 2001

Mr. Kenneth Knoblock
Idaho Department of Water Resources
1910 Northwest Blvd., Suite 210
Coeur d'Alene, ID 83814

RECEIVED
JUN 25 2001
IDWR/North

RE: Lakeview Water District
Orofino, Idaho

Dear Ken:


Please find the following items for the above referenced project:

1. Application for Drilling Permit
2. Application for Permit to Appropriate the public waters of the State of Idaho
3. Check for \$250.00 (\$200.00 for Drilling Permit and \$50.00 for Application for Permit to Appropriate waters of the State of Idaho.

If you have any questions, or need any additional information to process either of these permit applications, please do not hesitate to contact me. Thanks for your time and efforts concerning this matter. I look forward to talking with you again in the near future.

Sincerely,

PROGRESSIVE ENGINEERING GROUP, INC.



Terry W. Nab, P.E.
Principal Engineer

cc: Lakeview Water District
File No. 99-061