



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A • Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 • Fax: (208) 525-7177 • Web Site: www.idwr.idaho.gov

EASTERN REGION

June 20, 2007

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

KERRY F BEYELER
PO BOX 953
SALMON, ID 83467

RE: Application for Permit

Dear Applicant(s):

The Department of Water Resources has received your water right application. Preliminary review of the application indicates that it is incomplete and cannot be accepted for processing. We are returning your application to allow you to complete the necessary items. The required information is described below.

The Quantity was not provided correctly. Our system will only accept to the .00 in cfs. We have changed it to .03 cfs on the computer-generated form (see enclosed).

The Period of Use was not provided correctly. The period of use in the Salmon area is from 4/1 to 10/31. It is also been changed on the computer-generated form (see enclosed).

The Place of Use or acres irrigated was not provided correctly. After doing the Arcview, we show that you have reversed the legal on the ¼ ¼ 's. Please again see the computer-generated form (see enclosed).

Please verify the computer-generated form and if the information is not correct, please correct it, initial the correction, re-sign the signature page and return.

Please feel free to contact this office if you have any questions.

Sincerely,

Dave Carlson
Water Resource Supervisor

Enclosures

DC:sc