



State of Idaho

DEPARTMENT OF WATER RESOURCES

2735 Airport Way • Boise, Idaho 83705-5082

Phone: (208) 334-2190 • Fax: (208) 334-2348 • Web Site: www.idwr.idaho.gov

WESTERN REGION

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Interim Director

June 20, 2007

JAMES AND JEANNE CAMPBELL
PO BOX 1978
MC CALL ID 83638

RE: CORRECTIONS TO 77-7161

Dear Mr. and Ms. Cambell:

Per our telephone call on 6/19/2007, I am returning your application for permit for correction. Once again I want to apologize for the inconvenience of this process, but as I stated earlier, your application is the first one that we have had to work through under the new processing procedures after the Salmon River Moratorium was lifted. Please bear with us as we try to get this application processed.

In our telephone conversation, we discussed that in order to keep the irrigation component on this right the priority date will need to be advanced and the application will need to be re-advertised. You stated in our telephone conversation that you would prefer to just remove the irrigation component, and re-file a second application for the irrigation use. Taking this into account, I am returning the application for you to make the following corrections:

- 1.) Change the diversion rate for domestic use in Section 4 back to 0.04 cfs. This will allow you in-house use and ½ acre of irrigation.
- 2.) Remove the irrigation use in Section 4. You can do this by simply drawing a single line through that use.
- 3.) Add "and ½ acre of yard irrigation" in Section 8d.

Please initial and date each change.

Once you have made these changes and initialed and dated each change, please return the application back to my office. I am hoping this will resolve all of the issues in connection with this application.

Page 2
Campbell
6/20/2007

I have also included a new application for permit form. This application will be completed almost exactly like the amended application, except it will only have the irrigation use listed in Section 4, and nothing entered into Section 8. In the remarks will need to let us know that the 0.20 cfs will be inclusive with the 2.00 cfs listed under permit 77-7161. Unfortunately, there will be a \$100.00 fee for the new application for permit.

I would like to apologize once again for the inconvenience of processing this application. Hopefully, this will resolve all of the issues. If you have any questions or concerns please contact me at the above address.

Respectfully,

A handwritten signature in black ink, appearing to read "Daniel A. Nelson", with a long horizontal flourish extending to the right.

Daniel A. Nelson
Sr. Water Right Agent