

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 35-13611

Priority: January 09, 2007

Maximum Diversion Rate: 0.11 CFS

This is to certify, that JOURNEYS END WATER SYSTEM LLC
PO BOX 436
SHELLEY ID 83274

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.11 CFS
COMMERCIAL	01/01 to 12/31	0.04 CFS

LOCATION OF POINTS OF DIVERSION:

GROUND WATER L4 (SW¼ NW¼ SW¼) Sec. 19, Twp 01N, Rge 37E, B.M. BINGHAM County
GROUND WATER L5 (NW¼ SW¼ SW¼) Sec. 19, Twp 01N, Rge 37E, B.M. BINGHAM County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N 37E 19							X		X	X	X	X					
							L3		L4	L4	L5	L6					

PLACE OF USE: COMMERCIAL

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N 37E 19												X					
												L6					

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **April 01, 2008**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
4. Domestic use is for 64 homes and does not include lawn, garden, landscape, or other types of irrigation.
5. The domestic use authorized under this right when combined with all other domestic rights shall not exceed 13,000 gallons per day per home

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 35-13611

6. Commercial use is for a meeting hall and does not include lawn, garden, landscape, or other types of irrigation.
7. The daily diversion volume for the commercial use authorized under this right shall not exceed 2,500 gallons per day.
8. Place of use is located within Lots 1-14, 18, Blk. 1; Lots 1-12, Blk. 2; Lots 2-5, 7-18, 21-35, Blk. 3; and Lots 1-10, Blk. 4; Mountain Ridge Subdivision.
9. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 120.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 24th day of April, 2007.


for DAVID R. TUTHILL, JR., Director