

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Carol Hodge

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular *Times* issue of said newspaper for *2* consecutive *weeks*, commencing on the *14* day of *May*, 19 *81*, and ending on the *21* day of *May*, 19 *81*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carol Hodge

Subscribed and sworn to before me this

21

day of

May

19 *81*

Roberta Stanley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources
Northern District Office

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8090

KOSTY, JON A.
P. O. BOX 74, POST FALLS, ID
83854

Source: SPOKANE RIVER tribu-
tary to COLUMBIA RIVER

Date Filed: 05/05/1981

Amount: 0.14 CFS

Diversion Point: NENW Sec 08 T
50N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.04 CFS)
from 04/01 to 10/31; FIRE PRO-
TECTION (0.10 CFS) from 04/01
to 10/31

Place of Use: NENW Sec 08 T 50N
R 05W FOR 2 ACRES

Diversion Means: PUMP AND
PIPELINE.

95-8091

TANNER, MARVIN D. &/or
CYNDI J.

RT. 3 BOX 419A, RATHDRUM,
ID 83858

Source: GROUNDWATER

Date Filed: 05/04/1981

Amount: 0.04 CFS

Diversion Point: SWNE Sec 33 T
52N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.02 CFS)
from 04/01 to 10/15; DOMESTIC
(0.02 CFS) from 01/01 to 12/31

Place of Use: SWNE Sec 33 T 52N
R 04W FOR 5 ACRES

Diversion Means: PUMP AND
PIPELINE.

95-8092

WOERZ, RICHARD &/or SUSAN
2780 W. JELLUM RD., COEUR
D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 04/28/1981

Amount: 0.20 CFS

Diversion Point: NESW Sec 15 T
50N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.12 CFS)
from 01/01 to 12/31

Place of Use: NESW Sec 15 T 50N
R 04W FOR 5 ACRES

Diversion Means: WELL AND
PUMP.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4065 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before JUNE 1, 1981.

C. STEPHEN ALLRED
Director

K
5/29/81

LEADER

30.24

MAY 27 1981

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECEIVED
JUN 26 1989

Yes No
() (☒) B/U Acknowledgement Letter Sent JK (INITIAL & DATE)
(☒) () Quad Sheet
() (☒) Aerial Photo Date Requested _____ by _____
() (☒) GL Plat
() (☒) Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Other (list) _____

EXAM COMPLETED BY Sam King DATE 1/88
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW pyt DATE 6/89
ENTERED ON COMPUTER BY pyt DATE 6/13/89
PRELIMINARY OVERLAP REVIEW BY Sam King DATE 9/87
(☒) NO OVERLAP FOUND



INDEXED
MAR 23 1990

95-8092



MICROFILMED

MAR 23 1990

1. Name of applicant RICHARD WOERZ &/or SUSAN WOERZ Phone 667-7583

Post office address 2780 W. JELLUM RD., COEUR D'ALENE, ID 83814

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 15 Township 50N

Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____

95-8092

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08092

Priority: May 1, 1982

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume:¹ 2.4 AF

This is to certify, that RICHARD WOERZ
SUSAN WOERZ

2780 W. JELLUM RD.
COEUR D'ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 28, 1981; and has submitted Proof of Beneficial Use on May 23, 1986. An examination indicates that the works have a diversion capacity of .060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.06 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION: NESW, Sec. 15, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 04W 15 NESW

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6TH day of DECEMBER, 1989.

MICROFILMED

MAR 23 1990

R. Keith Higginson, Director



**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO**

IN THE MATTER OF PERMIT	)	
	)	
NO. 95-8092 IN THE NAME OF	)	ORDER OF REINSTATEMENT
	)	
RICHARD &/OR SUSAN WOERZ	)	

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 95-8092 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 95-8092 to appropriate the public waters of the State of Idaho with a proposed priority of APRIL 28, 1981.
2. On JUNE 19, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on AUGUST 18, 1986.
3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

MICROFILMED

MAR 23 1990

4. The license examination fee was received on
AUGUST 20, 1987, 367 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 95-8092 should be advanced 367 day(s).

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 95-8092 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 95-8092 is advanced to MAY 01, 1982.

Dated this 7th day of November, 1989.

J. Glen Saylor
Chief, Water Allocation Bureau

MICROFILMED

MAR 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant RICHARD WOERZ &/OR SUSAN WOERZ Phone _____

Post office address 2780 W. JELLUM RD., COEUR D'ALENE, ID 83814

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 15 Township 50N

Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.10 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 15 Township 50N
Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 10 HEAD

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 3.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

CONFIDENTIAL

Total number of acres to be irrigated

None

Applicant


11

applicant to make this filing

10. Remarks

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Susan Flueger
(Applicant)

MICROFILMED

Proposed Priority 4/28/81

Received by KK Date 4/28/81 Time 1:00 P
Preliminary check by JR Fee \$ 30.00
Received by KLC Date 4/28/81 # 18096
Publication prepared by Mr. [Signature] Date 5/7/81
Published in Grand [Signature]
Publication dates 5/14 + 21/81
Publication approved Mr. [Signature] Date 5/29/81
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8092, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 86.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 23rd day of June, 1981.

J. Allen Gayton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.
Carac Hedge

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular *Times* issue of said newspaper for *2* consecutive *Weeks*, commencing on the *14* day of *May*, 19*81*, and ending on the *21* day of *May*, 19*81*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Carac Hedge

Subscribed and sworn to before me this *21* day of *May*, 19*81*.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

OK
5/29/81
LEADER
30.24

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT
Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:
05-3090
ROSTY, JON A.
P. O. BOX 74, POST FALLS, ID 83854
Source: SPOKANE RIVER tributary to COLUMBIA RIVER
Date Filed: 05/05/1981
Amount: 0.14 CFS
Diversion Point: NENW Sec 08 T 50N R 05W, KOOTENAI Co.
Use: IRRIGATION (0.04 CFS) from 04/01 to 10/31; FIRE PROTECTION (0.10 CFS) from 04/01 to 10/31
Place of Use: NENW Sec 08 T 50N R 05W FOR 2 ACRES
Diversion Means: PUMP AND PIPELINE.
05-3091
TANNER, MARVIN D. &/or CYNTHIA J.
RT 3 BOX 419A, RATHDRUM, ID 83858
Source: GROUNDWATER
Date Filed: 05/04/1981
Amount: 0.04 CFS
Diversion Point: SWNE Sec 33 T 52N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.02 CFS) from 04/01 to 10/31; DOMESTIC (0.02 CFS) from 01/01 to 12/31
Place of Use: SWNE Sec 33 T 52N R 04W FOR 5 ACRES
Diversion Means: PUMP AND PIPELINE.
05-3092
WOERZ, RICHARD &/or SUSAN
290 W. JELUM RD., COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 04/28/1981
Amount: 0.20 CFS
Diversion Point: NESW Sec 15 T 50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS) from 08/15 to 11/15; STOCKWATER (0.02 CFS) from 01/01 to 12/31; DOMESTIC (0.08 CFS) from 01/01 to 12/31
Place of Use: NESW Sec 15 T 50N R 04W FOR 5 ACRES
Diversion Means: WELL AND PUMP.
If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the director of the Idaho Department of Water Resources, 4855 Gov't Way, Coeur d'Alene, Id, 83814 on or before JUNE 1, 1981.
C. STEPHEN ALLRED
Director
Legal 104
May 14, 21, 1981

December 8, 1989

RICHARD WOERZ
SUSAN WOERZ
2780 W. JELLUM RD.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08092

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 23 1990

November 7, 1989

RICHARD WOERZ
SUSAN WOERZ
2780 W. JELLUM RD.
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-08092

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

Also enclosed is an order advancing the date of priority of this right due to late submittal of the examination fee.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 23 1990

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 95-8092

FROM: JIM JOHNSON

RE: PRIORITY ADVANCE REVIEW

DATE: 13-JUL-1989

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	APRIL 28 1981	118
EXAM FEE NOTICE		
Exam Fee Notice Date:	JUNE 19 1986	170
Exam Fee/Info Sheet Received Date:	AUGUST 20 1987	597
Exam Fee or Info Due Date:	AUGUST 18 1986	230
Days Late:		367 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	APRIL 28 1981	118
Total Days Late:		367 DAY(S)
New Priority Date:	MAY 01 1982	120

MicroFILMED

MAR 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

PERMIT 95-8092

Yes No
() (☒) B/U Acknowledgement Letter Sent JK (INITIAL & DATE)
(☒) () Quad Sheet
() (☒) Aerial Photo Date Requested _____ by _____
() (☒) GL Plat _____
() (☒) Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Other (list) _____

EXAM COMPLETED BY Sam King DATE 1/88
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW PAH DATE 6/81
ENTERED ON COMPUTER BY PAH DATE 6/13/89
PRELIMINARY OVERLAP REVIEW BY Sam King DATE 9/87
(☒) NO OVERLAP FOUND



UNCLASSIFIED
DATE 1/90

95-8092

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-8092

1. Owner: RICHARD OR SUSAN WOERTZ Phone No. 667-7583

Current Address: 2780 JELLYUM RD COEURD'ALENE, ID 83814

2. Accompanied by: SUSAN WOERTZ EXAM. DATE: 1-28-88

Address: SAME Phone No. _____

Relationship to Permit Holder: SAME

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAR 23 1990

RECEIVED
JUN 26 1989

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

Department of Water Resource

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" x 300 FT. W/ PIPE TO TOP HORIZ. & STOP SHEDS

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERS		UNK			

5. Point(s) of Diversion:

*Code to correspond with No. on map and aerial photo

[illegible]

6. Place(s) of Use:


Indicate Method of Determination *MHT*

[illegible]

Do not use this space

MAR 23 1950

UNITED STATES



1. Name of applicant RICHARD WOERZ &/OR SUSAN WOERZ Phone 667-7583 1990
 Post office address 2780 W. JELLUM RD., COEUR D'ALENE, ID 83814
 2. Source of water supply GROUNDWATER which is a tributary of _____
 3. Location of point of diversion is NE ¼ of SW ¼ of Section 15 Township 50N
 Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____

75-8092

Do not use this space

D. FLOW MEASUREMENTS *None*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

*to measure 1.5 inch GPM 104
4.4145 & Sample No 102
170 310
105*

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses.

MICROFILMED

MAR 23 1990

*SD = 2.4 JK
105 = 4
end AF*

✓✓✓✓✓

1. Recommended Amounts

120-210-116

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

125

2000

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

Field Examiner's Name _____

Signature

Certification Date


Field Report Preparation Date

2. 5. 1997

68/87/2 wot

MEMORANDUM

MAR 23 1960



POINT OF DIVERSION OVERLAP REVIEW

| WR-NUMBER | TWP | RNG | SC | TRACT
1\4 1\4 1\4 | LT | #SOURCE | #NAME |
|-----------|-----|-----|----|----------------------|----|-------------|------------------|
| 9508092 | 50N | 04W | 15 | NE | SW | GROUNDWATER | WOERZ, RICHARD |
| 9507548 | | | | | | GROUNDWATER | KOHLI, DAVID |
| 9508104 | | | | | | GROUNDWATER | MILLS, RONALD K. |

MicroFILMED

MAR 23 1990

4/86

RECEIVED
AUG 24 1987

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$50.00
Date 8/19/87
Receipt # 41665
Receipt by mm
Sent to S.O. 8/20/87

1. Permit No. 95-8092

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: RICHARD WOERZ & SUSAN WOERZ

3. Post Office Address: 2780 W. TELLUM RD COEUR D'ALENE

Telephone No. (208) 667-7583

4. Source of Water: GROUND

5. Extent of Use:

Domestic 3 (No. of households)

Irrigation 2 (acres)

Must be and type of stock)
re-installed

6. Total rate &/or volume for which proof _____ s _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1980

8. Person to contact to accompany the department representative during the field examination:

RICHARD OR SUSAN WOERZ
(Name)

2780 W. TELLUM RD COEUR D'ALENE 667-7583
(Address) (Telephone Number)


☒ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

8-17-87
Date

Richard Woerz
Signature of Permit Holder (and title, if appropriate)

MAR 23 1990

4/86



Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$50.00
Date 8/19/87
Receipt # 4166-5
Receipt by [Signature]
Sent to S.O. 5205

1. Permit No. 95-8092

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: RICHARD WOERZ & SUSAN WOERZ

3. Post Office Address: 2780 W. TELLUM RD COEUR D'ALENE

Telephone No. (208) 667-7583

4. Source of Water: GROUND

5. Extent of Use:

Domestic 3 (No. of households) Stockwater 3 (No. and type of stock)

Irrigation 2 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .20 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1980

8. Person to contact to accompany the department representative during the field examination:

RICHARD OR SUSAN WOERZ

(Name)

2780 W. TELLUM RD COEUR D'ALENE

(Address)

667-7583
(Telephone Number)

☒ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

8-17-87
Date

[Signature]
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
Ac = acre feet)

| cfs | AF | Fee |
|--------------|-------------|---------|
| 0 - 0.04 | 0 - 4 | \$ 0 — |
| .05 - 0.20 | 5 - 20 | 50.00 — |
| .21 - 1.0 | 21 - 100 | 100.00 |
| 1.01 - 2.0 | 101 - 200 | 125.00 |
| 2.01 - 3.0 | 201 - 300 | 150.00 |
| 3.01 - 4.0 | 301 - 400 | 175.00 |
| 4.01 - 5.0 | 401 - 500 | 200.00 |
| 5.01 - 6.0 | 501 - 600 | 225.00 |
| 6.01 - 7.0 | 601 - 700 | 250.00 |
| 7.01 - 8.0 | 701 - 800 | 275.00 |
| 8.01 - 9.0 | 801 - 900 | 300.00 |
| 9.01 - 10.0 | 901 - 1000 | 325.00 |
| 10.01 - 11.0 | 1001 - 1100 | 350.00 |
| 11.01 - 12.0 | 1101 - 1200 | 375.00 |
| 12.01 - 13.0 | 1201 - 1300 | 400.00 |
| 13.01 - 14.0 | 1301 - 1400 | 425.00 |
| 14.01 - 15.0 | 1401 - 1500 | 450.00 |
| 15.01 - 16.0 | 1501 - 1600 | 475.00 |
| 16.01 - 17.0 | 1601 - 1700 | 500.00 |
| 17.01 - 18.0 | 1701 - 1800 | 525.00 |
| 18.01 - 19.0 | 1801 - 1900 | 550.00 |
| 19.01 - 20.0 | 1901 - 2000 | 575.00 |
| 20.01 & over | 2001 & over | 600.00 |

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

95-8092
WOERZ, RICHARD
WOERZ, SUSAN
2780 W. JELUM RD.
COEUR D'ALENE, ID 83814

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 19, 1987

Dear Permit Holder:

LAPSE NOTICE License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on August 19, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on June 19, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before October 19, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton **PROFILMED**

L. GLEN SAXTON, Chief
Operations Bureau

MAR 23 1990

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Richard and Susan Woerz
2780 W. Jellum Rd.
Coeur d'Alene, ID 83814

95-8092

June 19, 1986

138813
CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers or geologists certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water

MICROFILMED

right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,


L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

UNRECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
MAY 23 1986

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 95-8092

Name(s) of Permit Holder: RICHARD ~~W~~ & SUSAN WOERZ

Post Office Address: 2700 W. JELLYUM RD COBUR D' ALENE ID 83814

Telephone No. (208) 667-7583

Source of Water: WELL

Extent of Use:

Domestic 3 (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

RICHARD WOERZ
(Name)

2700 W. JELLYUM RD CDA ID (Address) (208) 667-7583 (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed

5-19-86
Date

[Signature]
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

6-18-84
[Signature]

RICHARD WARR

2780 W. TELLUM RD

CDA ID 83014



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
MARCH 31, 1986

138117

WOERZ, RICHARD & SUSAN
2780 W. JELLUM RD.
COEUR D'ALENE, ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-8092

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WOERZ, RICHARD & SUSAN
2780 W. JELLUM RD.
COEUR D'ALENE, ID 83814

JUNE 30, 1981

RE: PERMIT NO. 95-8092

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8092

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 6/1/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/27/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 4/20/81 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Rest Date: 4/2/81

STATE OFFICE REVIEW:

Shw cord

- ☐ See attached sheet for more information.
By: Keup Date: 4/10/81

95-8092

WOERZ, RICHARD &/or SUSAN

2780 W. JELLUM RD., COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 04/28/1981

Amount: 0.20 CFS

Diversion Point: NESW Sec 15 T 50N R 04W, KOOTENAI Co.

| | | |
|-----------------|------------|---------------------|
| Use: IRRIGATION | (0.10 CFS) | from 03/15 to 11/15 |
| STOCKWATER | (0.02 CFS) | from 01/01 to 12/31 |
| DOMESTIC | (0.12 CFS) | from 01/01 to 12/31 |

Place of Use: NESW Sec 15 T 50N R 04W FOR 5 ACRES

Diversion Means: WELL AND PUMP.

MICROFILMED