

State of Idaho  
Department of Water Resources  
**Permit to Appropriate Water**

NO. 75-14311

Priority: July 21, 2006

Maximum Diversion Rate: 0.09 CFS

This is to certify, that THOMAS W TOWNSEND And/Or  
PATRICIA A TOWNSEND  
3900 25TH AVE CT SE  
PUYALLUP WA 98374

has applied for a permit to appropriate water from:

**Source:** NORTH FORK**Tributary:** SALMON RIVER

and a permit is APPROVED for development of water as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> |
|-----------------------|----------------------|--------------------------|
| IRRIGATION            | 04/01 to 10/31       | 0.09 CFS                 |

**LOCATION OF POINT(S) OF DIVERSION:**

|            |                                        |              |
|------------|----------------------------------------|--------------|
| NORTH FORK | SW¼SW¼ Sec. 36, Twp 26N, Rge 21E, B.M. | LEMHI County |
| NORTH FORK | SW¼SW¼ Sec. 36, Twp 26N, Rge 21E, B.M. | LEMHI County |

**PLACE OF USE:** IRRIGATION

| Twp Rge Sec | NE |    |    |    | NW |    |    |    | SW |    |    |     | SE |    |    |    | Totals |
|-------------|----|----|----|----|----|----|----|----|----|----|----|-----|----|----|----|----|--------|
|             | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE  | NE | NW | SW | SE |        |
| 26N 21E 36  |    |    |    |    |    |    |    |    |    |    |    | 3.0 |    |    |    |    | 3.0    |

Total Acres: 3

**CONDITIONS OF APPROVAL**


1. Proof of application of water to beneficial use shall be submitted on or before **February 01, 2008**.
2. Subject to all prior water rights.
3. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
4. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
5. As part of the diversion works, the right holder shall install a straight length of conduit that will accommodate a device for measuring the entire flow of water being diverted in connection with this right. The straight length of conduit shall be at least ten times the diameter of the conduit and shall be above ground or otherwise easily accessible.
6. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.

State of Idaho  
Department of Water Resources  
**Permit to Appropriate Water**  
NO. 75-14311

**CONDITIONS OF APPROVAL (CONTINUED)**

7. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.
8. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 27<sup>th</sup> day of April, 2007.

  
for DAVID R. LUTHILL, JR., Director