

State of Idaho  
Department of Water Resources  
**Permit to Appropriate Water**  
NO. 75-14335

Priority: September 7, 2006

Maximum Diversion Rate: 0.04 CFS

This is to certify, that US DEPT OF AGRICULTURE  
FOREST SERVICE  
SALMON-CHALLIS NATIONAL FOREST  
1206 S CHALLIS ST  
SALMON ID 83467

has applied for a permit to appropriate water from:

**Source:** GROUND WATER

and a permit is APPROVED for development of water as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> |
|-----------------------|----------------------|--------------------------|
| DOMESTIC              | 01/01 to 12/31       | 0.04 CFS                 |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER L9 (NE1/4NE1/4SE1/4) Sec. 17, Twp 24N, Rge 21E, B.M. LEMHI County

**PLACE OF USE:** DOMESTIC

| Twp Rge Sec | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|             | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 24N 21E 17  |    |    |    |    |    |    |    |    |    |    |    |    | X  |    |    |    | L 9    |

**CONDITIONS OF APPROVAL**


1. Proof of application of water to beneficial use shall be submitted on or before **May 1, 2008**.
2. Subject to all prior water rights.
3. Domestic use is for 2 homes and a Forest Service District Office and does not include lawn, garden, landscape, or other types of irrigation.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
5. As part of the diversion works, the right holder shall install a straight length of conduit that will accommodate a device for measuring the entire flow of water being diverted in connection with this right. The straight length of conduit shall be at least ten times the diameter of the conduit and shall be above ground or otherwise easily accessible.
6. Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.

State of Idaho  
Department of Water Resources  
**Permit to Appropriate Water**  
NO. 75-14335

CONDITIONS OF APPROVAL CONTINUED

7. Upon specific notification by the Department, the right holder shall install and maintain acceptable measuring device(s), including data logger(s), at the authorized point(s) of diversion, in accordance with Department specifications.
8. When notified by the Department or by a watermaster with regulatory authority over this right, the right holder shall report the amount of water diverted in connection with this right. The report shall be submitted in the manner and frequency specified by the Department or the watermaster.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 30<sup>th</sup> day of April, 2007.

  
for DAVID R. TUTHILL, JR., Director