


RONALD BLICKENSTAFF'S PROPERTY NOT COVERED BY A
WATER RIGHT, BUT MAY COVERED BY CANAL RIGHTS.

67 ACRES TOTAL
BY DANIEL A. NELSON




0.4 0 0.4 0.8 Miles

NO GOV'T LOTS
DAN 1-17-02

-  PLACE OF USE
-  POINT OF DIVERSION
-  SECTION LINES
-  1/4 1/4 LINES

MICROFILMED
SEP 23 2002



USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

*Received
6-30-72
D 28*

1. WELL OWNER

Name Carl Agenbroad

Address Nampa, Idaho 83651

Owner's Permit No. _____

7. WATER LEVEL

Static water level 95 feet below land surface

Flowing? ☐ Yes ☐ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☒ Pump ☐ Bailor ☐ Other

Discharge G.P.M. 2500 Draw Down 100' Hours Pumped 5

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☐ Cable ☒ Reverse ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 27 inches Total depth 482 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
.250 inches	16 inches	+18 feet	232 feet
.250 inches	16 inches	232 feet	286 feet
.250 inches	16 inches	301 feet	328 feet
.250 inches	16 inches	328 feet	343 feet
.250 inches	16 inches	363 feet	388 feet

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☒ Yes ☐ No

How perforated? ☒ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
perforations	232 feet	286 feet
perforations	286 feet	301 feet
perforations	301 feet	328 feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name Rosco Moss FreeFlo

Type _____ Model No. _____

Diameter 6 Slot size _____ Set from 232 feet to 253 feet

Diameter _____ Slot size _____ Set from 286 feet to 301 feet

Gravel packed? ☒ Yes ☐ No Size of gravel 3/8


Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 19 feet

Material used in seal ☒ Cement grout ☒ Pudding clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County Blaine

SE 1/4 Sec 22, T. 2 N. R. 24 W.

10.

Work started 6/10/72 finished 6/23/72

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.

Fate Cope Drilling Co.

Driller's or Firm's Name

P.O. Box 561 - Meridian, Idaho 83642

Address

Signed By Fate Cope

Date 6-28-72

Number 213

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

MICROFILMED


SEP 22 2000

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER Name <u>Carl Agnew</u> Address _____ Owner's Permit No. _____		7. WATER LEVEL Static water level _____ feet below land surface Flowing? ☐ Yes ☐ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																																																																																																																															
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Other <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Draw Down</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																																																																																																																											
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																																																																																																																															
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td> </td><td>213</td><td>217</td><td>gray blue clay</td><td> </td><td> </td></tr><tr><td> </td><td>217</td><td>218</td><td>fine gray sand</td><td> </td><td> </td></tr><tr><td> </td><td>218</td><td>223</td><td>blue clay</td><td> </td><td> </td></tr><tr><td> </td><td>225</td><td>226</td><td>fine sand</td><td> </td><td> </td></tr><tr><td> </td><td>226</td><td>230</td><td>blue clay</td><td> </td><td> </td></tr><tr><td> </td><td>230</td><td>251</td><td>fine blue gray sand</td><td> </td><td> </td></tr><tr><td> </td><td>251</td><td>253</td><td>clay</td><td> </td><td> </td></tr><tr><td> </td><td>253</td><td>256</td><td>gray sand - fine</td><td> </td><td> </td></tr><tr><td> </td><td>256</td><td>263</td><td>clay</td><td> </td><td> </td></tr><tr><td> </td><td>263</td><td>266</td><td>fine gray sand</td><td> </td><td> </td></tr><tr><td> </td><td>266</td><td>275</td><td>blue clay</td><td> </td><td> </td></tr><tr><td> </td><td>275</td><td>276</td><td>gray mix sand</td><td> </td><td> </td></tr><tr><td> </td><td>276</td><td>286</td><td>blue clay</td><td> </td><td> </td></tr><tr><td> </td><td>286</td><td>287</td><td>sand</td><td> </td><td> </td></tr><tr><td> </td><td>287</td><td>289</td><td>blue clay</td><td> </td><td> </td></tr><tr><td> </td><td>289</td><td>303</td><td>gray sand</td><td> </td><td> </td></tr><tr><td> </td><td>303</td><td>312</td><td>blue clay</td><td> </td><td> </td></tr><tr><td> </td><td>312</td><td>313</td><td>extra fine gray sand</td><td> </td><td> </td></tr><tr><td> </td><td>313</td><td>316</td><td>blue clay</td><td> </td><td> </td></tr><tr><td> </td><td>316</td><td>318</td><td>fine gray sand</td><td> </td><td> </td></tr><tr><td> </td><td>318</td><td>320</td><td>blue clay</td><td> </td><td> </td></tr><tr><td> </td><td>320</td><td>321</td><td>sand</td><td> </td><td> </td></tr><tr><td> </td><td>321</td><td>323</td><td>clay</td><td> </td><td> </td></tr><tr><td> </td><td>323</td><td>324</td><td>sand</td><td> </td><td> </td></tr><tr><td> </td><td>324</td><td>328</td><td>clay</td><td> </td><td> </td></tr><tr><td> </td><td>328</td><td>338</td><td>sand</td><td> </td><td> </td></tr><tr><td> </td><td>338</td><td>343</td><td>clay</td><td> </td><td> </td></tr><tr><td> </td><td>343</td><td>346</td><td>sandy silty clay</td><td> </td><td> </td></tr><tr><td> </td><td>346</td><td>353</td><td>gray mix sand</td><td> </td><td> </td></tr><tr><td> </td><td>353</td><td>374</td><td>blue clay</td><td> </td><td> </td></tr><tr><td> </td><td>374</td><td>386</td><td>fine gray sand</td><td> </td><td> </td></tr><tr><td> </td><td>386</td><td>387</td><td>clay</td><td> </td><td> </td></tr><tr><td> </td><td>387</td><td>388</td><td>alternate sand & clay</td><td> </td><td> </td></tr><tr><td> </td><td>388</td><td>398</td><td>med. sand</td><td> </td><td> </td></tr><tr><td> </td><td>398</td><td>401</td><td>clay</td><td> </td><td> </td></tr><tr><td> </td><td>401</td><td>403</td><td>sand</td><td> </td><td> </td></tr><tr><td> </td><td>403</td><td>406</td><td>clay</td><td> </td><td> </td></tr><tr><td> </td><td>406</td><td>407</td><td>fine gray sand</td><td> </td><td> </td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No		213	217	gray blue clay				217	218	fine gray sand				218	223	blue clay				225	226	fine sand				226	230	blue clay				230	251	fine blue gray sand				251	253	clay				253	256	gray sand - fine				256	263	clay				263	266	fine gray sand				266	275	blue clay				275	276	gray mix sand				276	286	blue clay				286	287	sand				287	289	blue clay				289	303	gray sand				303	312	blue clay				312	313	extra fine gray sand				313	316	blue clay				316	318	fine gray sand				318	320	blue clay				320	321	sand				321	323	clay				323	324	sand				324	328	clay				328	338	sand				338	343	clay				343	346	sandy silty clay				346	353	gray mix sand				353	374	blue clay				374	386	fine gray sand				386	387	clay				387	388	alternate sand & clay				388	398	med. sand				398	401	clay				401	403	sand				403	406	clay				406	407	fine gray sand		
Hole Diam.	Depth		Material		Water																																																																																																																																																																																																																																												
	From	To		Yes	No																																																																																																																																																																																																																																												
	213	217	gray blue clay																																																																																																																																																																																																																																														
	217	218	fine gray sand																																																																																																																																																																																																																																														
	218	223	blue clay																																																																																																																																																																																																																																														
	225	226	fine sand																																																																																																																																																																																																																																														
	226	230	blue clay																																																																																																																																																																																																																																														
	230	251	fine blue gray sand																																																																																																																																																																																																																																														
	251	253	clay																																																																																																																																																																																																																																														
	253	256	gray sand - fine																																																																																																																																																																																																																																														
	256	263	clay																																																																																																																																																																																																																																														
	263	266	fine gray sand																																																																																																																																																																																																																																														
	266	275	blue clay																																																																																																																																																																																																																																														
	275	276	gray mix sand																																																																																																																																																																																																																																														
	276	286	blue clay																																																																																																																																																																																																																																														
	286	287	sand																																																																																																																																																																																																																																														
	287	289	blue clay																																																																																																																																																																																																																																														
	289	303	gray sand																																																																																																																																																																																																																																														
	303	312	blue clay																																																																																																																																																																																																																																														
	312	313	extra fine gray sand																																																																																																																																																																																																																																														
	313	316	blue clay																																																																																																																																																																																																																																														
	316	318	fine gray sand																																																																																																																																																																																																																																														
	318	320	blue clay																																																																																																																																																																																																																																														
	320	321	sand																																																																																																																																																																																																																																														
	321	323	clay																																																																																																																																																																																																																																														
	323	324	sand																																																																																																																																																																																																																																														
	324	328	clay																																																																																																																																																																																																																																														
	328	338	sand																																																																																																																																																																																																																																														
	338	343	clay																																																																																																																																																																																																																																														
	343	346	sandy silty clay																																																																																																																																																																																																																																														
	346	353	gray mix sand																																																																																																																																																																																																																																														
	353	374	blue clay																																																																																																																																																																																																																																														
	374	386	fine gray sand																																																																																																																																																																																																																																														
	386	387	clay																																																																																																																																																																																																																																														
	387	388	alternate sand & clay																																																																																																																																																																																																																																														
	388	398	med. sand																																																																																																																																																																																																																																														
	398	401	clay																																																																																																																																																																																																																																														
	401	403	sand																																																																																																																																																																																																																																														
	403	406	clay																																																																																																																																																																																																																																														
	406	407	fine gray sand																																																																																																																																																																																																																																														
4. METHOD DRILLED ☐ Cable ☐ Rotary ☐ Dug ☐ Other		10. Work started _____ finished _____																																																																																																																																																																																																																																															
5. WELL CONSTRUCTION Diameter of hole _____ inches Total depth _____ feet Casing schedule: ☐ Steel ☐ Concrete Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter 1 1/2 Slot size _____ Set from 343 feet to 363 feet Diameter _____ Slot size _____ Set from 388 feet to 398 feet 459 479 Gravel packed? ☐ Yes ☐ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal? ☐ Yes ☐ No To what depth _____ feet Material used in seal ☐ Cement grout ☐ Puddling clay		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. Driller's or Firm's Name _____ Number _____ Address _____ Signed By <u>Carl Agnew</u> Date <u>6-28-72</u>																																																																																																																																																																																																																																															
6. LOCATION OF WELL Sketch map location must agree with written location.  County <u>Blaine</u> <u>Blaine</u> 1/4 Sec. <u>22</u> T. <u>2</u> N. R. <u>24</u> W.																																																																																																																																																																																																																																																	

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

MICROFILMED


SEP 23 2002

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER Name <u>Carl T. Jensen</u> Address _____ Owner's Permit No. _____		7. WATER LEVEL Static water level _____ feet below land surface Flowing? ☐ Yes ☐ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																							
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Other Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____																																																																																																																							
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>407</td><td>411</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>411</td><td>412</td><td></td><td>sand</td><td></td><td></td></tr><tr><td>412</td><td>415</td><td></td><td>alternate clay & sand</td><td></td><td></td></tr><tr><td>415</td><td>418</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>418</td><td>421</td><td></td><td>fine gray sand</td><td></td><td></td></tr><tr><td>421</td><td>424</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>424</td><td>427</td><td></td><td>fine silty sand</td><td></td><td></td></tr><tr><td>427</td><td>436</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>436</td><td>438</td><td></td><td>silty sand</td><td></td><td></td></tr><tr><td>438</td><td>457</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>457</td><td>458</td><td></td><td>fine sand</td><td></td><td></td></tr><tr><td>458</td><td>459</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>459</td><td>460</td><td></td><td>fine sand</td><td></td><td></td></tr><tr><td>460</td><td>461</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>461</td><td>463</td><td></td><td>sand</td><td></td><td></td></tr><tr><td>463</td><td>466</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>466</td><td>481</td><td></td><td>sand</td><td></td><td></td></tr><tr><td>481</td><td>482</td><td></td><td>clay</td><td></td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	407	411		clay			411	412		sand			412	415		alternate clay & sand			415	418		clay			418	421		fine gray sand			421	424		clay			424	427		fine silty sand			427	436		clay			436	438		silty sand			438	457		clay			457	458		fine sand			458	459		clay			459	460		fine sand			460	461		clay			461	463		sand			463	466		clay			466	481		sand			481	482		clay		
Hole Diam.	Depth		Material		Water																																																																																																																				
	From	To		Yes	No																																																																																																																				
407	411		clay																																																																																																																						
411	412		sand																																																																																																																						
412	415		alternate clay & sand																																																																																																																						
415	418		clay																																																																																																																						
418	421		fine gray sand																																																																																																																						
421	424		clay																																																																																																																						
424	427		fine silty sand																																																																																																																						
427	436		clay																																																																																																																						
436	438		silty sand																																																																																																																						
438	457		clay																																																																																																																						
457	458		fine sand																																																																																																																						
458	459		clay																																																																																																																						
459	460		fine sand																																																																																																																						
460	461		clay																																																																																																																						
461	463		sand																																																																																																																						
463	466		clay																																																																																																																						
466	481		sand																																																																																																																						
481	482		clay																																																																																																																						
4. METHOD DRILLED ☐ Cable ☐ Rotary ☐ Dug ☐ Other																																																																																																																									
5. WELL CONSTRUCTION Diameter of hole _____ inches Total depth _____ feet Casing schedule: ☐ Steel ☐ Concrete Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ feet To _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal? ☐ Yes ☐ No To what depth _____ feet Material used in seal ☐ Cement grout ☐ Pudding clay																																																																																																																									
6. LOCATION OF WELL Sketch map location must agree with written location.  County <u>Camden</u> <u>25 SE 1/4 Sec 2 T. 2 S. R. 24 E. NW</u>		10. Work started _____ finished _____																																																																																																																							
		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. Driller's or Firm's Name _____ Number <u>213</u> Address _____ Signed By <u>John C. Pope</u> Date <u>6-28-72</u>																																																																																																																							

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

MICROFILMED

SEP 23 2002

SECTION 22 T2N R2W==>

SWSW	SESW	SWSE	SESE
	40	40	40
			40

NWNW	NENW	NWNE	NENE
20	40	40	40
	40	40	40
			11
			2
			10

63-2724A CLAIM

63-2724B CLAIM

63-7610A CLAIM

63-7610C CLAIM

63-10064 WR

63-2724 WR

63-7610A WR

63-7610C WR

SECTION 27 T2N R2W ==>

WELL FOR WATER RIGHT 63-2724

- 2 WELLS FOR WATER RIGHT 63-7610 AND SPLITS.
(PLEASE NOTE THAT 63-7610 AND 63-2724 SHARE THE SAME WELL IN THE NWNE S27)

SENW	SWNE	SENE
		40
		40
	NWSE	NESE
		40
		40
		SESE
		35
		40
		35
		5

MICROFILMED

SEP 23 2002

SECTION 22 T2N R2W==>

SWSW

SESW

SWSE

SESE

40

40

40

40

40

NWNW

NENW

NWNE

NENE

40

40

40

40

11

2

SECTION 27 T2N R2W ==>

WELL FOR WATER RIGHT 63-2724

- 2 WELLS FOR WATER RIGHT 63-7610 AND SPLITS.
(PLEASE NOTE THAT 63-7610 AND 63-2724 SHARE THE SAME WELL IN THE NWNE S27

SESW

SWNE

SENE

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

40

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

DEC 26 2002

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 63-31394 Telephone No. 208 4663828
 2. Name of Permit Holder(s): Ronald Blickenstett
 3. Mailing Address: 7488 Lynwood Rd.
City Nampa State Idaho Zip 83686
 4. Source of Water: well If GROUNDWATER (well), Date Drilled: mo. 6 yr. 1972
Well Driller: Cope Drilling Permit Number: _____
 5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 67 Other: _____
 6. Total rate of diversion and/or volume for which proof is submitted: 1340 cfs OR _____ acre-feet
 7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes _____ or No ✓
Has the measuring device been installed? Yes _____ or No ✓
 8. Fee Enclosed: \$ 125.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
 9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Ronald Blickenstett Telephone Number: 208 466-3828
Address: 7488 Lynwood Rd. Nampa Idaho
 10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.
- Signature of permit holder: Ronald Blickenstett Date: 12-23-02
(include your title, if on behalf of company or organization)

MICROFILMED

MAR 11 2003

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 63-31394

Priority: 01/04/2002

Maximum Diversion Rate: 1.34 CFS

This is to certify, that RONALD BLICKENSTAFF
7488 LYNWOOD RD
NAMPA ID 83686

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/01 to 11/15	1.34 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 27, Twp 02N, Rge 02W, B.M. CANYON County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
02N	02W	27				26.0				20.0								21.0	67.0

Total Acres: 67


CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **January 1, 2003**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. This permit does not authorize the construction of any new well or the deepening or enlargement of any existing well.
5. This right does not authorize the irrigation of land not previously irrigated.
6. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with ground water diverted under this right.
7. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used for irrigation purposes without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
8. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
9. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
10. Water bearing zone to be appropriated is 101 to 482 feet.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 6th day of September, 2002.

MICROFILMED

SEP 23 2002


for KARL J DREHER, Director

Ident. No. 63-31394

RECEIVED

APR 12 2002

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant RONALD BLICKENSTAFF Phone (208) 466-3828
Mailing address 8422 BENNETT RD, NAMPA ID 83686

2. Source of water supply GROUND WATER which is a tributary of N/A

3. Location of point of diversion is Township 2N Range 2W Sec. 27, in the NE $\frac{1}{4}$, SE $\frac{1}{4}$, Govt. Lot , B.M., CANYON County;

additional points of diversion if any:

4. Water will be used for the following purposes:

Amount 1.34 CFS for IRRIGATION purposes from 3/1 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.34 CFS and/or (b)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source WELL TO SMALL POND UNDER 1/2 ACRE TO RE-LIFT PUMP TO SPRINKLER SYSTEMS (PIVOTS AND WHEEL LINES).

b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet

c. Proposed well diameter is 16 inches; proposed depth of well is 482 feet

d. Is ground water with a temperature of greater than 85°F being sought? NO

e. If well is already drilled, when? 1972; Drilling firm PETE COPE WELL DRILLING;
Well was drilled for (well owner) CARL AGENBROAD; Drilling Permit No. UNKNOWN

7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW.
- b. Stockwatering; list number and kind of livestock.
- c. Municipal; show name of municipality.
- d. Domestic; show number of households.
- e. Other; describe fully.

MICROFILMED

SEP 23 2002

3. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	2W	27			26					20							21		67

Total number of acres to be irrigated 67

10. Describe any other water rights used for the same purposes as described above. BOISE-KUNA IRRIGATION DISTRICT CANAL SHARES ALSO USED ON SOME OF THE PROPERTY.

- Who owns the property at the point of diversion? APPLICANT
- Who owns the land to be irrigated or place of use? APPLICANT
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: This property has been irrigated by this well since I have owned the property and the previous owner Carl Agenbroad. I filed adjudication claim 63-7610A with the believe that this land was covered by this claim. It was not until I filed a transfer that I discovered that this property was not covered by well water. The well water has been used on this property since the early 1980's or late 1970's. I assumed it was covered by water right 63-7610.

101 - 482 ft water bearing zone.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Rald Blinkestoff
Signature of Applicant (and title, if applicable)

Received by DAN Date 1-4-02 Time 2:00 Preliminary check by DAN
Fee \$ \$290.00 Received by DAN # W028605 Date 1-4-2002
Publication prepared by JF Date 2-2-14-02 Published in PRESS TRIBUNE
Publication approved JF Date 3/5/02

MICROFILMED
SEP 23 2002

RONALD BLICKENSTAFF'S PROPERTY NOT COVERED BY A
WATER RIGHT, BUT MAY COVERED BY CANAL RIGHTS.

67 ACRES TOTAL
BY DANIEL A. NELSON




0.4 0 0.4 0.8 Miles

NO GOV'T LOTS
DAN 1-17-02

-  PLACE OF USE
-  POINT OF DIVERSION
-  SECTION LINES
- 1/4 1/4 LINES

MICROFILMED
SEP 23 2002





Water Resources
State Office
1301 N Orchard
Boise, Id. 83706
March 22, 2002

RECEIVED

APR - 2 2002

Department of Water Resources

Dan Nelson

Prior to 1987, the well in question irrigated all the land on the hill. Including but not limited to the land West of the large pivot. This information is for the water split for Ron Blickenstaff, 7488 Lynwood Rd. Nampa, Id. 83683 466-3828

Thank you

Gary Briggs
6753 Sunrise Ave
Nampa, Id. 83686



MICROFILMED

SEP 23 2002

RECEIVED

APR 03 2002

WATER RESOURCES
WESTERN REGION



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 31, 2002

RONALD BLICKENSTAFF
7488 LYNWOOD RD
NAMPA ID 83686

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-31394

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Western** Regional Office of the department in Boise (208) 334-2190.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office (w/encl.)

MICROFILMED

MAR 11 2003

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 63-31394

Reviewed By: dgibson

Date: December 30, 2002

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?	X	
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		W028605, C066534	Well driller's report filed?	X	
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received	12/26/2002
Date proof due	- 01/01/2003
Lapse notice sent	-
No. of days late	= 0
Holiday allowance	+
Priority date	+ 01/04/2002
New priority date	= 01/04/2002

Deficiencies of Actions Items

Acknowledge proof.

October 31, 2002

RONALD BLICKENSTAFF
7488 LYNWOOD RD
NAMPA, ID 83686

PROOF DUE NOTICE

RE: PERMIT NO. 63-31394

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 01, 2003. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson, Admin. Assistant
Water Allocation Bureau

Enclosures

MICROFILMED

MAR 5 9 2003





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

September 10, 2002

RONALD BLICKENSTAFF
7488 LYNWOOD RD
NAMPA ID 83686

RE: Permit No. 63-31394

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.


Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

MICROFILMED

SEP 23 2002

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, appearing to read "Shelley W. Keen".

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

SEP 23 2002


CERTIFICATE OF SERVICE

I hereby certify that on September 10, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO.

63-31394

**RONALD BLICKENSTAFF
7488 LYNWOOD RD
NAMPA ID 83686**



**Kari Lynn Townsend
Secretary**

MICROFILMED

SEP 23 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
SEP 23 2002

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
SEP 23 2002

MEMORANDUM

To: File 63-31394

From: Sharla

Date: September 4, 2002

Re: Proof of Pre-1987 Development

On this date, Mr. Blickenstaff came to my office in response to my recent letter. He had gone to the Canyon County CFSA office and they allowed him to borrow their 1986 slide (marked L-12, July 1986) which covered the property in question. I looked at the slide and determined that all of the acres listed in the application had been farmed that year; I could easily see the cultivation lines. It appeared that the crop had been wheat or grain and Mr. Blickenstaff confirmed that the crop grown was grain.

Because it was not possible to "print" the slide and because Mr. Blickenstaff had to return the slide to the CFSA office, this memo will have to suffice as confirmation of pre-1987 development.

MICROFILMED

SEP 23 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

August 14, 2002

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

RONALD BLICKENSTAFF
7488 LYNWOOD RD
NAMPA ID 83686

RE: Application for Permit No. 63-31394

Dear Mr. Blickenstaff:

We are reviewing your application for permit and find that the documentation you submitted as evidence of pre-1987 development of groundwater for irrigation of the 67 acres listed in the application is not quite sufficient for permit approval.

I have located a well log which confirms the drilling of the well in 1972. However, 1986/1987 aerial photos of the acres in question clearly show the E $\frac{1}{2}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ not irrigated. I am enclosing the 1986/1987 aerial photo for your review. In order for us to be able to issue the permit for the entire 67 acres, we need to have solid proof that all 67 acres were irrigated in a single irrigation season prior to or in 1987. Perhaps your local CFSA office would have other aerial photos prior to 1987 which show the acres irrigated.

I will hold the application in my office for 30 days to allow you time to gather and submit whatever evidence you can find to document your development and use of water for all 67 acres. If you have any questions, please give me a call.

Sincerely,

SHARLA CURTIS
Sr. Water Resource Agent

Enclosure

MICROFILMED

SEP 23 2002


USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

*Received
6-30-72
P 288*

1. WELL OWNER Name <u>Carl Agenbroad</u> Address <u>Nampa, Idaho 83651</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>95</u> feet below land surface Flowing? ☐ Yes ☐ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																																																																																																																									
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (Describe method of abandoning) _____		8. WELL TEST DATA ☒ Pump ☐ Bailer ☐ Other Discharge G.P.M. <u>2500</u> Draw Down <u>100'</u> Hours Pumped <u>5</u>																																																																																																																																																																																																																																									
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td></td><td>0</td><td>5</td><td>Topsoil</td><td></td><td></td></tr><tr><td></td><td>5</td><td>20</td><td>Cemented Gravel</td><td></td><td></td></tr><tr><td></td><td>20</td><td>26</td><td>Sand & Large Gravel</td><td></td><td></td></tr><tr><td></td><td>26</td><td>37</td><td>Clay</td><td></td><td></td></tr><tr><td></td><td>37</td><td>44</td><td>fine brown sand</td><td></td><td></td></tr><tr><td></td><td>44</td><td>50</td><td>light colored clay</td><td></td><td></td></tr><tr><td></td><td>50</td><td>59</td><td>fine brown sand</td><td></td><td></td></tr><tr><td></td><td>59</td><td>62</td><td>clay</td><td></td><td></td></tr><tr><td></td><td>62</td><td>64</td><td>fine brown sand</td><td></td><td></td></tr><tr><td></td><td>64</td><td>67</td><td>sandy textured clay</td><td></td><td></td></tr><tr><td></td><td>67</td><td>78</td><td>fine brown sand</td><td></td><td></td></tr><tr><td></td><td>78</td><td>87</td><td>clay</td><td></td><td></td></tr><tr><td></td><td>87</td><td>88</td><td>fine brown sand</td><td></td><td></td></tr><tr><td></td><td>88</td><td>94</td><td>clay</td><td></td><td></td></tr><tr><td></td><td>94</td><td>99</td><td>fine brown sand</td><td></td><td></td></tr><tr><td></td><td>99</td><td>101</td><td>tan clay</td><td></td><td></td></tr><tr><td></td><td>101</td><td>103</td><td>fine brown sand</td><td></td><td></td></tr><tr><td></td><td>103</td><td>109</td><td>tan clay</td><td></td><td></td></tr><tr><td></td><td>109</td><td>112</td><td>alternate clay & sand</td><td></td><td></td></tr><tr><td></td><td>112</td><td>116</td><td>sandy textured clay</td><td></td><td></td></tr><tr><td></td><td>116</td><td>117</td><td>green granular clay</td><td></td><td></td></tr><tr><td></td><td>117</td><td>125</td><td>brown sand</td><td></td><td></td></tr><tr><td></td><td>125</td><td>129</td><td>tan clay</td><td></td><td></td></tr><tr><td></td><td>129</td><td>136</td><td>sandy clay</td><td></td><td></td></tr><tr><td></td><td>136</td><td>138</td><td>brown sand</td><td></td><td></td></tr><tr><td></td><td>138</td><td>140</td><td>extra fine brown sand</td><td></td><td></td></tr><tr><td></td><td>140</td><td>142</td><td>silty sand</td><td></td><td></td></tr><tr><td></td><td>142</td><td>144</td><td>silty clay</td><td></td><td></td></tr><tr><td></td><td>144</td><td>145</td><td>sand</td><td></td><td></td></tr><tr><td></td><td>145</td><td>149</td><td>clay</td><td></td><td></td></tr><tr><td></td><td>149</td><td>158</td><td>sand</td><td></td><td></td></tr><tr><td></td><td>158</td><td>163</td><td>clay</td><td></td><td></td></tr><tr><td></td><td>163</td><td>167</td><td>fine brown sand</td><td></td><td></td></tr><tr><td></td><td>167</td><td>183</td><td>clay</td><td></td><td></td></tr><tr><td></td><td>183</td><td>206</td><td>fine brown sand</td><td></td><td></td></tr><tr><td></td><td>206</td><td>208</td><td>tan clay</td><td></td><td></td></tr><tr><td></td><td>208</td><td>213</td><td>fine gray sand</td><td></td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No		0	5	Topsoil				5	20	Cemented Gravel				20	26	Sand & Large Gravel				26	37	Clay				37	44	fine brown sand				44	50	light colored clay				50	59	fine brown sand				59	62	clay				62	64	fine brown sand				64	67	sandy textured clay				67	78	fine brown sand				78	87	clay				87	88	fine brown sand				88	94	clay				94	99	fine brown sand				99	101	tan clay				101	103	fine brown sand				103	109	tan clay				109	112	alternate clay & sand				112	116	sandy textured clay				116	117	green granular clay				117	125	brown sand				125	129	tan clay				129	136	sandy clay				136	138	brown sand				138	140	extra fine brown sand				140	142	silty sand				142	144	silty clay				144	145	sand				145	149	clay				149	158	sand				158	163	clay				163	167	fine brown sand				167	183	clay				183	206	fine brown sand				206	208	tan clay				208	213	fine gray sand		
Hole Diam.	Depth		Material		Water																																																																																																																																																																																																																																						
	From	To		Yes	No																																																																																																																																																																																																																																						
	0	5	Topsoil																																																																																																																																																																																																																																								
	5	20	Cemented Gravel																																																																																																																																																																																																																																								
	20	26	Sand & Large Gravel																																																																																																																																																																																																																																								
	26	37	Clay																																																																																																																																																																																																																																								
	37	44	fine brown sand																																																																																																																																																																																																																																								
	44	50	light colored clay																																																																																																																																																																																																																																								
	50	59	fine brown sand																																																																																																																																																																																																																																								
	59	62	clay																																																																																																																																																																																																																																								
	62	64	fine brown sand																																																																																																																																																																																																																																								
	64	67	sandy textured clay																																																																																																																																																																																																																																								
	67	78	fine brown sand																																																																																																																																																																																																																																								
	78	87	clay																																																																																																																																																																																																																																								
	87	88	fine brown sand																																																																																																																																																																																																																																								
	88	94	clay																																																																																																																																																																																																																																								
	94	99	fine brown sand																																																																																																																																																																																																																																								
	99	101	tan clay																																																																																																																																																																																																																																								
	101	103	fine brown sand																																																																																																																																																																																																																																								
	103	109	tan clay																																																																																																																																																																																																																																								
	109	112	alternate clay & sand																																																																																																																																																																																																																																								
	112	116	sandy textured clay																																																																																																																																																																																																																																								
	116	117	green granular clay																																																																																																																																																																																																																																								
	117	125	brown sand																																																																																																																																																																																																																																								
	125	129	tan clay																																																																																																																																																																																																																																								
	129	136	sandy clay																																																																																																																																																																																																																																								
	136	138	brown sand																																																																																																																																																																																																																																								
	138	140	extra fine brown sand																																																																																																																																																																																																																																								
	140	142	silty sand																																																																																																																																																																																																																																								
	142	144	silty clay																																																																																																																																																																																																																																								
	144	145	sand																																																																																																																																																																																																																																								
	145	149	clay																																																																																																																																																																																																																																								
	149	158	sand																																																																																																																																																																																																																																								
	158	163	clay																																																																																																																																																																																																																																								
	163	167	fine brown sand																																																																																																																																																																																																																																								
	167	183	clay																																																																																																																																																																																																																																								
	183	206	fine brown sand																																																																																																																																																																																																																																								
	206	208	tan clay																																																																																																																																																																																																																																								
	208	213	fine gray sand																																																																																																																																																																																																																																								
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dig ☐ Other																																																																																																																																																																																																																																											
5. WELL CONSTRUCTION Diameter of hole <u>27</u> inches Total depth <u>482</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness Diameter From feet To feet <u>250</u> inches <u>16</u> inches <u>+18</u> feet <u>232</u> feet <u>250</u> inches <u>16</u> inches <u>232</u> feet <u>286</u> feet <u>250</u> inches <u>16</u> inches <u>301</u> feet <u>328</u> feet <u>250</u> inches <u>16</u> inches <u>328</u> feet <u>363</u> feet <u>250</u> inches <u>16</u> inches <u>363</u> feet <u>389</u> feet Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☒ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number From To _____ perforations <u>XXX</u> <u>252</u> <u>XXX</u> feet _____ perforations <u>XXX</u> feet <u>XXX</u> feet _____ perforations <u>XXX</u> feet <u>XXX</u> feet Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Rosco Moss Freeflo</u> Type _____ Model No. _____ Diameter, 1/2" Shot size Set from <u>232</u> feet to <u>253</u> feet Diameter _____ Shot size Set from <u>256</u> feet to <u>301</u> feet _____ _____ Set from <u>328</u> feet to <u>338</u> feet Gravel packed? ☒ Yes ☐ No Size of gravel <u>XXX 1/8</u> Placed from _____ feet to _____ feet Surface seal? ☒ Yes ☐ No To what depth <u>19'</u> feet Material used in seal ☒ Cement grout ☐ Pudding clay																																																																																																																																																																																																																																											
6. LOCATION OF WELL Sketch map location must agree with written location:  County <u>Blaine</u> <u>20 E 45 N 4 Sec 22 T. 2 N. R. 24 W</u>		10. Work started <u>6/10/72</u> finished <u>6/23/72</u>																																																																																																																																																																																																																																									
		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. <u>Fate Cape Drilling Co.</u> <u>213</u> Driller's or Firm's Name Number <u>P.O. Box 361 - Meridian, Idaho 83642</u> <u>Fate Cape</u> <u>6-28-72</u> Signed By Date																																																																																																																																																																																																																																									

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT


MICROFILMED

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER Name <u>Carl Jensen</u> Address _____ Owner's Permit No. _____		7. WATER LEVEL Static water level _____ feet below land surface Flowing? ☐ Yes ☐ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																																																																																																																															
2. NATURE OF WORK ☐ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Other Discharge G.P.M. Draw Down Hours Pumped																																																																																																																																																																																																																																															
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		9. LITHOLOGIC LOG																																																																																																																																																																																																																																															
4. METHOD DRILLED ☐ Cable ☐ Rotary ☐ Dug ☐ Other		<table border="1"><thead><tr><th rowspan="2">Hole Depth</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>213</td><td>217</td><td></td><td>gray blue clay</td><td></td><td></td></tr><tr><td>217</td><td>218</td><td></td><td>fine gray sand</td><td></td><td></td></tr><tr><td>218</td><td>223</td><td></td><td>blue clay</td><td></td><td></td></tr><tr><td>225</td><td>226</td><td></td><td>fine sand</td><td></td><td></td></tr><tr><td>226</td><td>230</td><td></td><td>blue clay</td><td></td><td></td></tr><tr><td>230</td><td>251</td><td></td><td>fine blue gray sand</td><td></td><td></td></tr><tr><td>251</td><td>253</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>253</td><td>256</td><td></td><td>gray sand - fine</td><td></td><td></td></tr><tr><td>256</td><td>263</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>263</td><td>266</td><td></td><td>fine gray sand</td><td></td><td></td></tr><tr><td>266</td><td>275</td><td></td><td>blue clay</td><td></td><td></td></tr><tr><td>275</td><td>276</td><td></td><td>gray sand</td><td></td><td></td></tr><tr><td>276</td><td>286</td><td></td><td>blue clay</td><td></td><td></td></tr><tr><td>286</td><td>287</td><td></td><td>sand</td><td></td><td></td></tr><tr><td>287</td><td>289</td><td></td><td>blue clay</td><td></td><td></td></tr><tr><td>289</td><td>303</td><td></td><td>gray sand</td><td></td><td></td></tr><tr><td>303</td><td>312</td><td></td><td>blue clay</td><td></td><td></td></tr><tr><td>312</td><td>313</td><td></td><td>extra fine gray sand</td><td></td><td></td></tr><tr><td>313</td><td>316</td><td></td><td>blue clay</td><td></td><td></td></tr><tr><td>316</td><td>318</td><td></td><td>fine gray sand</td><td></td><td></td></tr><tr><td>318</td><td>320</td><td></td><td>blue clay</td><td></td><td></td></tr><tr><td>320</td><td>321</td><td></td><td>sand</td><td></td><td></td></tr><tr><td>321</td><td>323</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>323</td><td>324</td><td></td><td>sand</td><td></td><td></td></tr><tr><td>324</td><td>328</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>328</td><td>338</td><td></td><td>sand</td><td></td><td></td></tr><tr><td>338</td><td>343</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>343</td><td>346</td><td></td><td>sandy silty clay</td><td></td><td></td></tr><tr><td>346</td><td>388</td><td></td><td>coarsest fine gray sand</td><td></td><td></td></tr><tr><td>383</td><td>374</td><td></td><td>blue clay</td><td></td><td></td></tr><tr><td>374</td><td>386</td><td></td><td>fine gray sand</td><td></td><td></td></tr><tr><td>386</td><td>387</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>387</td><td>388</td><td></td><td>alternate sand & clay</td><td></td><td></td></tr><tr><td>388</td><td>398</td><td></td><td>med. sand</td><td></td><td></td></tr><tr><td>398</td><td>401</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>401</td><td>403</td><td></td><td>sand</td><td></td><td></td></tr><tr><td>403</td><td>406</td><td></td><td>clay</td><td></td><td></td></tr><tr><td>406</td><td>407</td><td></td><td>fine gray sand</td><td></td><td></td></tr></tbody></table>		Hole Depth	Depth		Material	Water		From	To	Yes	No	213	217		gray blue clay			217	218		fine gray sand			218	223		blue clay			225	226		fine sand			226	230		blue clay			230	251		fine blue gray sand			251	253		clay			253	256		gray sand - fine			256	263		clay			263	266		fine gray sand			266	275		blue clay			275	276		gray sand			276	286		blue clay			286	287		sand			287	289		blue clay			289	303		gray sand			303	312		blue clay			312	313		extra fine gray sand			313	316		blue clay			316	318		fine gray sand			318	320		blue clay			320	321		sand			321	323		clay			323	324		sand			324	328		clay			328	338		sand			338	343		clay			343	346		sandy silty clay			346	388		coarsest fine gray sand			383	374		blue clay			374	386		fine gray sand			386	387		clay			387	388		alternate sand & clay			388	398		med. sand			398	401		clay			401	403		sand			403	406		clay			406	407		fine gray sand		
Hole Depth	Depth		Material		Water																																																																																																																																																																																																																																												
	From	To		Yes	No																																																																																																																																																																																																																																												
213	217		gray blue clay																																																																																																																																																																																																																																														
217	218		fine gray sand																																																																																																																																																																																																																																														
218	223		blue clay																																																																																																																																																																																																																																														
225	226		fine sand																																																																																																																																																																																																																																														
226	230		blue clay																																																																																																																																																																																																																																														
230	251		fine blue gray sand																																																																																																																																																																																																																																														
251	253		clay																																																																																																																																																																																																																																														
253	256		gray sand - fine																																																																																																																																																																																																																																														
256	263		clay																																																																																																																																																																																																																																														
263	266		fine gray sand																																																																																																																																																																																																																																														
266	275		blue clay																																																																																																																																																																																																																																														
275	276		gray sand																																																																																																																																																																																																																																														
276	286		blue clay																																																																																																																																																																																																																																														
286	287		sand																																																																																																																																																																																																																																														
287	289		blue clay																																																																																																																																																																																																																																														
289	303		gray sand																																																																																																																																																																																																																																														
303	312		blue clay																																																																																																																																																																																																																																														
312	313		extra fine gray sand																																																																																																																																																																																																																																														
313	316		blue clay																																																																																																																																																																																																																																														
316	318		fine gray sand																																																																																																																																																																																																																																														
318	320		blue clay																																																																																																																																																																																																																																														
320	321		sand																																																																																																																																																																																																																																														
321	323		clay																																																																																																																																																																																																																																														
323	324		sand																																																																																																																																																																																																																																														
324	328		clay																																																																																																																																																																																																																																														
328	338		sand																																																																																																																																																																																																																																														
338	343		clay																																																																																																																																																																																																																																														
343	346		sandy silty clay																																																																																																																																																																																																																																														
346	388		coarsest fine gray sand																																																																																																																																																																																																																																														
383	374		blue clay																																																																																																																																																																																																																																														
374	386		fine gray sand																																																																																																																																																																																																																																														
386	387		clay																																																																																																																																																																																																																																														
387	388		alternate sand & clay																																																																																																																																																																																																																																														
388	398		med. sand																																																																																																																																																																																																																																														
398	401		clay																																																																																																																																																																																																																																														
401	403		sand																																																																																																																																																																																																																																														
403	406		clay																																																																																																																																																																																																																																														
406	407		fine gray sand																																																																																																																																																																																																																																														
5. WELL CONSTRUCTION Diameter of hole _____ inches Total depth _____ feet Casing schedule: ☐ Steel ☐ Concrete Thickness _____ Diameter _____ From _____ To _____ _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was a pecker or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter 1/8 Slot size _____ Set from 343 feet to 363 feet Diameter _____ Slot size _____ Set from 388 feet to 398 feet 459 479 Gravel pecked? ☐ Yes ☐ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal? ☐ Yes ☐ No To what depth _____ feet Material used in seal ☐ Cement grout ☐ Pudding clay		10. Work started _____ finished _____																																																																																																																																																																																																																																															
6. LOCATION OF WELL Sketch map location must agree with written location.  County _____ T. _____ Sec. _____ N. _____ E. _____ _____		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. Driller's or Firm's Name _____ Number _____ Address _____ Signed By _____ Date <u>6-28-72</u>																																																																																																																																																																																																																																															

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

MICROFILMED

SEP 2 1972

State of Idaho
Department of Water Administration

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

MICROFILMED

SEP 23 2002

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**
Reviewed by Sharla Curtis on 4/15/02

No. 63-31394 Name: Blickenstaff Corp. Officers N/A Ad ok / Govt Lots

AREA OF CONCERN: No/Yes TV Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046
Basin 34 - 084 (if necessary)
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067
~~WMD~~ *not full supply*
Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121

Trust - 051 (consumptive uses)
Non-Trust - 048 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18C-01H-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/FS)-111 (instream stock)
MINING - 054-106
HEAT/COOL - R07 (injection well)
FIRE PROT - 077
COMMERCIAL/
INDUSTRIAL - 106-R07
DAIRY - 082-WD8
POWER - 17H or 17K (+uses)-17G (under FERC)
or 17M (not FERC regulated)
025-027-R22-08A *2003*

BENEFICIAL USE DUE: 7/01/2003

MISC CONDITIONS/REMARKS:

Protected - 020-W19
Development Period
> 1 yr - 26A
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response
In/Above MSF - WB9

PLANNING REVIEW/RESPONSE

WD - R04 (WD#)
≤ 0.20 cfs/others - 01H, 01P or No MD
> 0.20 cfs - 01J

SPRINGS/SINK, INACTIVE WD or WB

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W23, N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - W23, 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

MUNICIPAL

Restricted area - 022,075
Irr., GW supp to SW - 102
Future needs - 007,109
FISH PROP - 029 (70's only)-007-122-106

FISH PROP

DOMESTIC

Surface water - WB5 (Big Wood/Boise above Star Bridge)
- 27A (Payette R)
> 1 in restricted area - 070-071-075 (no parks/common areas)
Irr separate or none allowed - WB5
GW w/irrigation from SW evident - 065-104
Moratorium approvable - W03 (2500 gpd - meets domestic def
i.e. D/convenience store)

Multiple pd's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON 3/1 - 11/15 (Per updated map)

IRR VOLUME/ACRE 4.5

OTHER CONDITIONS/REMARKS

COMMENTS

WB zone 101-482 ft.
NO overlaps except partial SW

Blickenstaff Farms Inc.

Ronald Blickenstaff
7488 Lynwood Rd
Nampa, Id. 83686
466-3828 / 869-1994

← CORRECT
MAILING
ADDRESS
DAN. 4-4-2002



SEP 2 2002

MICROFILMED

Water Resources
State Office
1301 N. Orchard
Boise Id. 83706

83706/2237

Att: Dan Nelson.

January 2001

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEETINITIAL REVIEW BY: DAN DATE: 1-17-02 APPLICATION: 63-31394REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:

NO P/DNO P/UYES ADVERTISE REMARK(S)

(Reviewer identify which remarks)

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on next page.) Boise/Kuna Irrigation Rights Overlap P/U.
- ☒ Overlapping point of diversion. Water Right 63-7610A ~~63-7610A~~ uses the same well.
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ 1992 moratorium: Pre 1987 Development
- ☒ Surface water source, IDFG letter needed.
- ☒ Protected river or minimum flow reach, notify water planning bureau.
- ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ Mitigation plan: Check any that apply.
- ☐ immediate = acceptable plan required and submitted.
- ☒ future = open areas, acceptance of condition of approval is in file.
- ☒ Send power requirement letter &/or fish farm requirement letter.
- ☒ Power residency affidavit:
- ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Need PROOF OF Pre-1987 DevelopmentC Affidavit.

Date Requested _____ Date Response Received _____

PROCESSING

APP. NO. _____

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. # _____
☐ ☒ Water Planning Bureau
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:
☐ ☐ Final date for protest 2-25-02
☐ ☒ Protests received.
☐ ☒ Recommendations attached:
☐ ☒ Measuring device required:
☐ ☒ Water delivered by water master? District # _____
☒ ☐ Special conditions of approval or cover letter: 121

See below for additional information

Recommended Date or Priority 1/4/02

Recommended by: Gray Date: 4/11/02

ADDITIONAL INFORMATION:

SECTION 22 T2N R2W==>

SWSW	SESW	SWSE	SESE
	40	40	40
		40	40

SECTION 27 T2N R2W ==>

NWNW	NENW	NWNE	NENE
20	40	40	40
	40	40	40 11
			2
			10
SESW	SENE	SWNE	SESE
	40	40	40
		NESE	40
		40	40
		SESE	35 40 35
			5
SWSW	SESW	SWSE	

WELL FOR WATER RIGHT 63-2724

- **2 WELLS FOR WATER RIGHT 63-7610 AND SPLITS.
(PLEASE NOTE THAT 63-7610
AND 63-2724 SHARE THE SAME
WELL IN THE NWNE S27**

63-2724A CLAIM
63-2724B CLAIM
63-7610A CLAIM
63-7610C CLAIM
63-10064 WR
63-2724 WR
63-7610A WR
63-7610C WR

MICROFILMED

SEP 23 2002

SES

SE

SESE

40

40

40

40

NWNE

40

40

40

40

11

2

10

SENE

SWNE

SENE

40 40

NESE

40 40

SESE

35 40 35

SWSW

SEP 2



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

March 18, 2002

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

RONALD BLICKENSTAFF
8422 BENNETT RD
NAMPA ID 83686

RE: APPLICATION FOR PERMIT 63-31394

Dear Mr. Blickenstaff:

The application that you filed on 1/4/2002 has completed advertising is ready to be sent to our State Office for approval/denial. Unfortunately, we can not finish the processing this application without the affidavit that you told me you supply that would provide proof that you have irrigated the ground west of the canal with groundwater before 1987. I have spoken to you several times on the telephone concerning this letter and have yet to receive it in my office. You will need to send this letter as soon as possible to avoid the voiding of your application for permit

In order to process all of the applications in our office as efficiently as possible, I am required by Idaho Code § 42-204 to ask that this information be returned to my office within 30 days. Our office will be required to void the application for permit if this information is not returned. **Therefore, if the above information is not received by 4/19/2002 your applications for permit will be voided.** You will be able to re-file this application, but it will have a later priority date.

If you have any questions or concerns please contact Dan Nelson at the above address.

Respectfully,

Daniel A. Nelson
Sr. Water Right Agent

PLEASE NOTE:

THIS LETTER WAS SENT TO THE
ADDRESS ON THE PERMIT AND RETURNED.
I FOUND ANOTHER ADDRESS AND SENT IT TO
THE FOLLOWING. RT. 7 BOX 7133, NAMPA, ID
AND A COPY TO 7488 LYNNWOOD RD
83651



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

March 18, 2002

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

RONALD BLICKENSTAFF
8422 BENNETT RD
NAMPA ID 83686

RE: APPLICATION FOR PERMIT 63-31394

Dear Mr. Blickenstaff:

The application that you filed on 1/4/2002 has completed advertising is ready to be sent to our State Office for approval/denial. Unfortunately, we can not finish the processing this application without the affidavit that you told me you supply that would provide proof that you have irrigated the ground west of the canal with groundwater before 1987. I have spoken to you several times on the telephone concerning this letter and have yet to receive it in my office. You will need to send this letter as soon as possible to avoid the voiding of your application for permit

In order to process all of the applications in our office as efficiently as possible, I am required by Idaho Code § 42-204 to ask that this information be returned to my office within 30 days. Our office will be required to void the application for permit if this information is not returned. **Therefore, if the above information is not received by 4/19/2002 your applications for permit will be voided.** You will be able to re-file this application, but it will have a later priority date.

If you have any questions or concerns please contact Dan Nelson at the above address.

Respectfully,

Daniel A. Nelson
Sr. Water Right Agent

MICROFILMED

SEP 23 2002

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Traci L. Griffin
of Nampa, Canyon County, Idaho, being
first duly sworn, deposes and says:

e0100285 04506278
1 Idaho Dept. of Water Resource
2735 Airport Way
BOISE ID 83705

1. That I am a citizen of the United States, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of this notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper 2 time(s) in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.
4. That said notice was published the following:
02/07/2002, 02/14/2002

RECEIVED

FEB 15 2002

WATER RESOURCES
WESTERN REGION

LEGAL NOTICE
The following application(s) have been filed to appropriate the public waters of the State of Idaho:
63-31394
RONALD BLICKENSTAFF
8422 BENNETT RD
NAMPA ID 83686
Point(s) of Diversion
NESE S27 T02N R02W
CANYON County
Source GROUND WATER
Use: IRRIGATION
03/01 To 11/15
1.34 CFS
Total Diversion: 1.34 CFS
Date Filed: 01/04/2002
Place Of Use: IRRIGATION
T02N R02W S27
SWNE SENW NWSE
Number of Acres 67
Remark: Applicant agrees to mitigate consumptive use in the future as needed. Water bearing zone to be appropriated is from 101 to 482 feet.
Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.
Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 02/25/2002. The protestant must also send a copy of the protest to the applicant.
KARL J DREHER, Director
February 7, 14, 2002
04506278


STATE OF IDAHO)
County of Canyon)

On the 14th day of February in the year of 2002
before me, a Notary Public, personally appeared.
Traci L. Griffin,
known or identified to me to be the person
whose name is subscribed to the within
instrument, and being by me first duly sworn,
declared that the statements therein are true, and
acknowledge to me that he/she executed the same.

Janice Seider
Notary Public for Idaho
Residing at Nampa
My commission expires June 21, 2003

MICROFILMED

FEB 23 2002



January 30, 2002

Legal Notice Department

Press-Tribune

PO Box 9399

Nampa ID 83652

RE: Applications for Advertising

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find legal notices which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 02/25/2002. Your cooperation is appreciated.

Sincerely

Sue Taylor
Senior Secretary

MAIL ROOM

JAN 31 2002

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-31394

RONALD BLICKENSTAFF
8422 BENNETT RD
Nampa ID 83686

Point(s) of Diversion NESE S27 T02N R02W CANYON County Source GROUND WATER

Use: IRRIGATION 03/01 To 11/15 1.34 CFS

Total Diversion: 1.34 CFS

Date Filed: 01/04/2002

Place Of Use: IRRIGATION

T02N R02W S27 SWNE SENW NWSE

Number of Acres 67

Remark: Applicant agrees to mitigate consumptive use in the future as needed.
Water bearing zone to be appropriated is from 101 to 482 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 02/25/2002. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in the Press Tribune on February 7 and 14, 2002

MICROFILMED

FEB 21 2002

REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED USING ONE OF THE
THREE ALTERNATIVES BELOW

Name of Applicant RONALD BLICKENSTAFF
Mailing Address 8422 BENNETT RD
NAMPA, IDAHO 83686
Application No. NOT KNOWN YET
(if known)

IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

XXXX WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

Rd Blickenstaff

Date

1-4-02

Please return this form to:

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

MICHAEL

SEP 23 2002