




NESE
T4N
R-3W
S-22
NO GOUT
LOTS
DAN

MICROFILMED
SEP 23 2002

Steelman
Well

Amt. of Fee \$: 50.00
Receipt No. 2067023
Receipt By: [Signature]
Date Received: 1-27-03

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JAN 27 2003

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 63-12555 Telephone No. 208-459-0049

2. Name of Permit Holder(s): FIRST Assembly of GOD Church

3. Mailing Address: 821 N. 16 Ave.

City Caldwell State ID Zip 83605

4. Source of Water: Ground-Well If GROUNDWATER (well), Date Drilled: mo. 5 / yr. 99

Well Driller: Doty Drilling License 42 Drilling Permit Number: 102892

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 4.5 ? Other: Church Lawn Irrigation

6. Total rate of diversion and/or volume for which proof is submitted: 12 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ✓

Has the measuring device been installed?

Yes _____ or No ✓

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: GERALD CROWNOVER Telephone Number: 459-0049

Address: 821 N. 16 Ave Caldwell, ID. 83605

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: PASTOR Gerald Crowover
(include your title, if on behalf of company or organization)

Date: 1/23/03

Pro. 6 Corp.
Tag No. 12193

MICROFILMED

MAR 11 2003

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 63-12555

Priority: 11/15/1999

Maximum Diversion Rate: 0.12 CFS

This is to certify, that CALDWELL FIRST ASSEMBLY OF GOD CHURCH
821 N 16TH AVE
CALDWELL ID 83605

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/01 to 11/15	0.12 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER NE 1/4 SE 1/4 Sec. 22, Twp 04N, Rge 03W, B.M. CANYON County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N 03W 22													6.0				6.0

Total Acres: 6

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **March 1, 2003**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
5. As mitigation for the consumptive use of water under this right, the right holder shall annually lease 18.0 acre feet of storage water within Boise River storage facilities for release into the Boise River by the watermaster of Water District 63 throughout the irrigation season. The right holder is not authorized to divert water under this right each irrigation season until storage water is leased.
6. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
7. Water bearing zone to be appropriated is 52 to 212 feet.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 18th day of March, 2002

MICROFILMED

SEP 23 2002

Karl J Dreher
KARL J DREHER, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

FEB 25 2002

Department of Water Resources

1. Name of Applicant Caldwell FIRST Assembly OF GOD Phone 459-0049
Post Office address 821 N 16 Ave, Caldwell, ID 83605
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NE 1/4 of SE 1/4, Govt. Lot _____
Sec. 22 Township 4N Range 3W B.M. CANYON County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 12 CFS for IRRIGATION purposes from 3/1 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 12 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELL/PUMP TO SPRINKLER SYSTEM

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 200 feet.
d. Is ground water with a temperature of greater than 85° F being sought? NO
e. If well is already drilled, when? 3-11-92; Drilling firm BILL DOTT DRILLING
Well was drilled for (well owner) FIRST ASSEMBLY OF GOD
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (If irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity if KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. _____
e. Other; describe fully. _____

MICROFILMED

SEP 23 2002

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	03W	22													6				6

Total number of acres to be irrigated 6

10. Describe any other water rights used for the same purposes as described above. CITY WATER FOR INSIDE USE FOR CHURCH

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Same

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: well was drilled in 1992 prior to moratorium we thought DOTY drilling filed the permits for 451 53 TO 212' WATER BEARING ZONE

13. MAP OF PROPOSED PROJECT ATTACHED ☒ Show clearly the proposed point of diversion, place of use, section number, township and range number.


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clint Wilson Floyd Gordon - s.c. (Applicant) Ellie Fullmer
Del Froger Jeff Ferguson Don McKernig

Received by K.L. Date 11-15-99 Time 11:43 Preliminary check by DAN
 Fee \$ 50.00 Received by DAN # W025977 Date 12-10-99
 Publication prepared by MT Date 12-20-99 Published in PRESS TRIBUNE
 Publication approved MT Date 1-22-02

MICROFILMED

SEP 23 2002



WEST
T4N
R34W
S22
120600
LOTS
DAN

MICROFILMED
SEP 28 2002

Steelman

CROSS
WALK




14TH ST.



O Well here

I-84 AT CARDELL



MICROFILMED
SEP 23 2002

Comments: Date: 12/13/1999 User-ID: DNELSON

Subject: PROCESSING DELAY

PROCESSING DELAYED PENDING BACKLOG REDUCTION OR MITIGATION.

APPLICANT: The well was drilled in 1992, prior to moratorium.

Applicant thought the well driller, Bill Doty, had filed for the needed permits. The church owned canal water prior to the well, but the canal water was sold because the church was at the end of the ditch and water never made it to the church.

IDWR REVIEW: Caldwell Irrigation District and Pioneer Irrigation District overlap place of use. No P/d overlap.

MICROFILMED

SEP 23 2002

CONSUMPTIVE USE ESTIMATION USING AGRIMET FROM AGRICULTURE CROP WATER USE SUMMARY 1988-1994 US BUREAU OF RECLAMATION PACIFIC NORTHWEST REGION FEBRUARY 1995

EVALUATION FOR TRANSFER : CHURCH

BY: Daniel A. Nelson

DATE: 4/18/00

AGRIMET REPORTING SITE Parma, Idaho

1980 IRRIGATION YEAR

Crop	Acres	Method	Application EFF. %	IR for Crop in/season	Crop Div. Vol AF/Ann	Crop CU AF/Ann
LAWN	5.00	SPRINKLER	75	33.90	18.83	14.13
						0.00
						0.00
						0.00
						0.00
TOTALS	5.00				18.83	14.13

SUMMARY OF CONSUMPTIVE USE PER AGRIMET STATION

NUMBER OF ACRES IRRIGATED: 5.00
 ACRE FEET VOLUME DIVERTED PER ANNUM 18.83
 ACRE FEET VOLUME CONSUMED PER ANNUM 14.13

14 2FA

AVERAGE ACRE FEET VOL DIVERTED PER ACRE: 3.77
 AVERAGE ACRE FEET VOL CONSUMED PER ACRE: 2.83

CONSUMPTIVE USE ESTIMATION USING AGRIMET

FROM AGRICULTURE CROP WATER USE SUMMARY 1988-1994
US BUREAU OF RECLAMATION PACIFIC NORTHWEST REGION FEBRUARY 1995

EVALUATION FOR TRANSFER : CHURCH

BY: Daniel A. Nelson

DATE: 4/18/00

AGRIMET REPORTING SITE Parma, Idaho

1980 IRRIGATION YEAR

Crop	Acres	Method	Application EFF. %	IR for Crop in/season	Crop Div. Vol AF/Ann	Crop CU AF/Ann
LAWN	3.00	SPRINKLER	75	33.90	11.30	8.48
						0.00
						0.00
						0.00
						0.00
TOTALS	3.00				11.30	8.48

MICROFILMED
SEP 23 2002

SUMMARY OF CONSUMPTIVE USE PER AGRIMET STATION

NUMBER OF ACRES IRRIGATED:

ACRE FEET VOLUME DIVERTED PER ANNUM

ACRE FEET VOLUME CONSUMED PER ANNUM

3.00

11.30

8.48

→ 8.5 afa

AVERAGE ACRE FEET VOL DIVERTED PER ACRE:

3.77

AVERAGE ACRE FEET VOL CONSUMED PER ACRE:

2.83



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 4, 2003

FIRST ASSEMBLY OF GOD CHURCH
821 N 16TH AVE
CALDWELL ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12555

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Western** Regional Office of the department in Boise (208) 334-2190.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office (w/encl.)

MICROFILMED

FEB 11 2003

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 63-12555

Reviewed By: dgibson

Date: February 3, 2003

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?	X	
License examination fee required?	X		Drilling permit No.:		63-92-W-090
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		W025977, C067073	Well driller's report filed?	X	
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received	01/27/2003
Date proof due	- 03/01/2003
Lapse notice sent	-
No. of days late	= 0
Holiday allowance	+
Priority date	+ 11/15/1999
New priority date	= 11/15/1999

Deficiencies of Actions Items

Acknowledge proof.

December 31, 2002

CALDWELL FIRST ASSEMBLY OF GOD CHURCH
821 N 16TH AVE
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-12555

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 01, 2003. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures

MICROFILMED

MAR 1 1 2003





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 18, 2002

CALDWELL FIRST ASSEMBLY OF GOD CHURCH
821 N 16TH AVE
CALDWELL ID 83605

RE: Permit No. 63-12555

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.


Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

MICROFILMED

MAR 23 2002

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)


MICROFILMED
SEP 23 2002

CERTIFICATE OF SERVICE

I hereby certify that on March 18, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 63-12555

CALDWELL FIRST ASSEMBLY OF GOD CHURCH
821 N 16TH AVE
CALDWELL ID 83605

A handwritten signature in cursive script, reading "Kari Lynn Townsend", is written over a horizontal line.

Kari Lynn Townsend
Secretary

MICROFILMED

SEP 23 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
SEP 23 2002

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
SEP 23 2002

MEMORANDUM

To: File 63-12555

From: Sharla

Date: 3/13/2002

Re: Mitigation

At the time of reviewing this file for permitting purposes, I contacted Lee Sisco (watermaster of WD 63, Boise River). He confirmed that the applicant rented 18 af of storage water in 2001, but as of this date, he has not received a request for 2002.

The regional manager made no recommendation regarding approval or denial of this application, apparently on the basis that there are no guarantees of rental water being available in the future. This is no different than any other right holder that proposes renting water or using surface water shares as mitigation for the pumping of groundwater; there is always the chance that the mitigation source will not be available each year. The permit will be properly conditioned so that there is no doubt on the part of the right holder as to their ability to pump ground water being directly related to the availability of the mitigation source.

MICROFILMED

SEP 23 2002

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS
Reviewed by Sharla Curtis on 2/26/02

No. 13-12555 Name: 1st Assem. of Bod Corp. Officers ☒ Ad ok ☒ Govt Lots

AREA OF CONCERN: No/Yes TV&W Moratorium Study area GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046
Basin 34 - 084 (if necessary)
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067
~~WMD~~
Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
Trust - 051 (consumptive uses)
Non-Trust - 048 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18C-01H-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/FS)-111 (instream stock)
MINING - 054-106
HEAT/COOL - R07 (injection well)
FIRE PROT - 077
COMMERCIAL/
INDUSTRIAL - 106-R07
DAIRY - 082-WD8
POWER - 17H or 17K (+uses)-17G (under FERC)
or 17M (not FERC regulated)
025-027-R22-08A

BENEFICIAL USE DUE: 3/1/2003

MISC CONDITIONS/REMARKS:

Protested - 020-W19
Development Period
> 1 yr - 26A
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

IRRIGATION SEASON 3/1 - 11/15 (Per updated map)

IRR VOLUME/ACRE 4.5

OTHER CONDITIONS/REMARKS WB zone = 52-212 ft.

COMMENTS per telecon w/ Lee Sisco 3/11/02, needed in 2001, hasn't need anything yet for this yr.

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response
In/Above MSF - WB9
PLANNING REVIEW/RESPONSE
WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H, 01P or No MD
> 0.20 cfs - 01J

SPRINGS/SINK, INACTIVE WD or WD

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W23, N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - W23, 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
Future needs - 007,109
FISH PROP - 029 (70's only)-007-042-106
DOMESTIC
Surface water - WB5 (Big Wood/Boise above Star Bridge)
- 27A (Payette R)
> 1/in restricted area - 070-071-075 (no parks/common areas)
Irr separate or none allowed - WB5
GW w/irrigation from SW evident - 065-104
Moratorium approvable - W03 (2500 gpd - meets domestic def
i.e. D/convenience store)

January 2001

RECEIVED

FEB 25 2002

IDAHO DEPARTMENT OF WATER RESOURCES APPROPRIATION APPLICATION ANALYSIS SHEET

Department of Water Resources

INITIAL REVIEW BY: DAN DATE: 12-7-99 APPLICATION: 63-12555**REQUIRED INFORMATION**

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:

NO P/DNO P/U**ADDITIONAL INFORMATION**yes ADVERTISE REMARK(S)

(Reviewer identify which remarks)

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ Overlapping point of diversion.
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ 1992 moratorium: Mitigation has been proposed
- ☒ Surface water source, IDFG letter needed.
- ☒ Protected river or minimum flow reach, notify water planning bureau.
- ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ Mitigation plan: Check any that apply.
- ☒ immediate = acceptable plan required and submitted.
- ☐ future = open areas, acceptance of condition of approval is in file.
- ☒ Send power requirement letter &/or fish farm requirement letter.
- ☒ Power residency affidavit:
- ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____ Date Response Received _____

PROCESSING

APP. NO.

63-1255

YES NO

☒ In form for advertising:
☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐ I.D. Health & Welfare
☒ I.D. District Health
☒ I.D. Fish & Game
☒ I.D. Lands

YES NO

☒ U.S. BLM
☒ U.S. Forest Service
☒ Water Dist. #
☒ Water Planning Bureau
☒ Other

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:
☐ Final date for protest 1-7-02
☒ Protests received.
☒ Recommendations attached:
☒ Measuring device required:
☒ Water delivered by water master? District #
☒ Special conditions of approval or cover letter: 12d

I make no recommendation regarding approval or denial of this water right application. First Assembly of God only rented water in 2001, and there are no guarantees of rental in the future.

See below for additional information

Recommended Date or Priority 11/15/99

Recommended by: Gary S Date: 2/20/02

ADDITIONAL INFORMATION:

See comments from original on PROOF REPORT.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Traci L. Griffin
of Nampa, Canyon County, Idaho, being
first duly sworn, deposes and says:

1. That I am a citizen of the United States, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of this notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper 2 time(s) in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.
4. That said notice was published the following:

12/20/2001, 12/27/2001

STATE OF IDAHO)
County of Canyon)

On the 27th day of December in the year of 2001
before me, a Notary Public, personally appeared
Traci L. Griffin,
known or identified to me to be the person
whose name is subscribed to the within
instrument, and being by me first duly sworn,
declared that the statements therein are true, and
acknowledge to me that he/she executed the same.

James Lusk
Notary Public for Idaho
Residing at Nampa
My commission expires June 21, 2003

e0100285 04505775
1 Idaho Dept. of Water Resource
2735 Airport Way
BOISE ID 83705

LEGAL NOTICE

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

63-12555
CALDWELL FIRST
ASSEMBLY OF GOD
CHURCH
821 N 16TH AVE
CALDWELL ID 83605

Point(s) of Diversion

NESE
S22 T04N R03W
CANYON County

Source

Use: IRRIGATION

3/01 To 11/15

0.12 CFS

Total Diversion: 0.12 CFS

Date Filed: 11/15/1999

Place Of Use: IRRIGATION

T04N R03W S22

NESE

Number of Acres 6

Permits will be subject to all prior
water rights. Protests may be sub-
mitted based on the criteria of Sec
42-203A, Idaho Code.

Any protest against the approval of
this application must be filed with the
Director, Dept. of Water Resource,
Western Region, 2735 Airport Wy,
Boise ID 83705 together with a pro-
test fee of \$25.00 for each applica-
tion on or before 01/07/2002. The
protestant must also send a copy of
the protest to the applicant.

KARL J DREHER, Director

December 20, 27, 2001.

04505775

RECEIVED

DEC 28 2001

WATER RESOURCES
WESTERN REGION

DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

BS. 63 Delay
Do NOT Advertise

INITIAL REVIEW BY: DAN DATE: 12-7-99 APPLICATION: 63-12555

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:

NO P/D
NO P/U

ADDITIONAL INFORMATION

- ADVERTISE REMARK(S)
(Reviewer identify which remarks)
- T FLAG CHANGED TO P FLAG
- YES NO
- Processing
Delayed Pending
Backlog
Reduction → YES COMMENT added
- Overlapping place of use: (Describe source & relationship to present application on next page.)
- Overlapping point of diversion.
- Critical groundwater area:
- Groundwater management area:
- 1992 moratorium: ← DELAY LETTER SENT DATE _____
- Surface water source, IDFG letter needed.
- Protected river or minimum flow reach, notify water planning bureau.
- E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- E-mail to Dam Safety staff: (for any storage)
- Mitigation plan: Check any that apply.
- _____ immediate = acceptable plan required and submitted. ← needs mitigation plan.
- _____ future = open areas, acceptance of condition of approval is in file.
- Send power requirement letter &/or fish farm requirement letter.
- Power residency affidavit:
- Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Needs mitigation plan.

Date Requested _____ Date Response Received _____

PROCESSING

APP. NO.

103-12555

YES NO

☐ ☒ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED. *Do NOT send UNLESS Advertising occurs*

YES NO

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. # _____
☐ ☒ Water Planning Bureau
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☐ ☐ Affidavit of publication received:
☐ ☐ Application published correctly: If not, record action taken.

☐ ☐ Publication dates and paper recorded on application:
☐ ☐ Final date for protest _____
☐ ☐ Protests received.
☐ ☐ Recommendations attached:
☐ ☐ Measuring device required:
☐ ☐ Water delivered by water master? District # _____
☐ ☐ Special conditions of approval or cover letter: _____

See below for additional information

Recommended Date or Priority _____

Recommended by: _____

Date: _____

ADDITIONAL INFORMATION:

Caldwell Irrigation District; Pioneer Irrigation
 District over lappg place of use. There
 are NO overlaps for the P10.
 This well drilled in 1992, applicant thought
 Fee was NOT received until 12-10-99 so
 PRIORITY Date should be 12-10-99.

50/AUG 17

07/27/2001 11:17

37812744

NYID

PAGE 02

WATER BANK WATER LEASE AGREEMENT
FOR 2001

The Committee of Water District 63 being authorized pursuant to Idaho Code Section 42-1765 to lease stored water which has been provided to the Water Supply Bank by water users who own reservoir space and have excess supplies for the current year, does agree to sell First Assembly Church (entity), 18 A.F. of water requested for

18 (use). This agreement is subject to the adopted Rules and Regulations of the Water Supply Bank and execution of same by the party herein named.

Upon receipt of \$117.00 and the information requested below, the Boise River Watermaster will release to you from storage, at the rate you specify 18 A.F. of stored water between 6/1 and 10/31 of 2001

Description of point of diversion: First Assembly Church of

Located in 1/4 1/4, Sec. 600, T. 600, R. 600

Other:

On source

Pump H.P.

Lift

Headgate

(canal name if appropriate)

Description of place of use: First Assembly Church of God

Legal Description:

Total number of acres irrigated: 4-5-7

Dated this 26 day of June, 2001

First Assembly Church of God
(name)

821 N. 16th Ave
(address)


Caldwell, Id. 83605

State of Idaho)

County of Mayon)

On this 26 day of June, 2001, before me the undersigned Notary Public in and for said county and state, personally appeared Donald Brown, known to me to be the person whose name is subscribed to within instrument and acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, the day and year in this certificate first written.



Patricia A. Hurley
Notary Public in and for Idaho
Residing at: Caldwell, Idaho
My Commission expires March 8, 2004

I have accepted the request of First Assembly Church to purchase water from the Water Supply Bank this 26 day of June, 2001

Lee MICROFILMED
Watermaster, Water District No. 63 SEP 23 2002
Agent for the Committee of Water

CORRESPONDENCE HISTORY FOR PERMIT 63-12555

- 1.) **March 1992** - Well drilled for Caldwell First Assembly of God Church by Bill Doty using a domestic well drilling permit (start card) for irrigation purposes.
- 2.) **September 1999** - Bill Doty applied for a domestic well drilling permit (start card) to deepen this well.
- 3.) **November 4, 1999** - A letter was sent to Bill Doty suspending his Start Card priveleges.
- 4.) **November 15, 1999** - A response was received from Bill Doty claiming that at the time the well was drilled it was a domestic well.
- 5.) **November 15, 1999** - The Caldwell First Assembly of God church applied for an application for permit (application was taken in office by Dan Nelson).
- 6.) **December 7, 1999** - Dan Nelson of Idaho Department of Water Resources (IDWR) began the review of the application for permit for Caldwell First Assembly of God Church. (several telephone calls and a meeting with the applicant's were included with the review)
- 7.) **December 15, 1999** - Dan Nelson wrote a letter informing the applicant that they would need to supply a mitigation plan to allow IDWR to process their application. Mr. Nelson also suggested that the applicant respond to the letters sent to IDWR by Bill Doty. No response was received.
- 8.) **Feburary 25, 1999** - Rev. Gerald Crownover wrote a letter to the Director of IDWR requesting a hearing on their application for permit.
- 9.) **March 9, 2000** - Gary Spackman was asked to respond to the Rev. Crownover letter and Mr. Spackman requested the applicant meet to discuss the situation.
- 10.) **April 26, 2000** - Gary Spackman met with Rev. Crownover and went over what was needed to process the application. Mr. Spackman suggested that the church rent water from the Boise River rental pool and stated that would probably suffice as a mitigation plan due the circumstances of involved in this application.
- 11.) **September 21, 2000** - Gary Spackman sent a letter to Rev. Crownover inquiring on the progress of the church in renting water from the Boise River rental pool. Mr. Spackman had not received any response from the church since the April 26, meeting.
- 12.) **January 16, 2001** - Gary Spackman sent a letter to Rev. Crownover informing the church that IDWR had still not received confirmation of the rental of Boise River rental pool water and that the application would be put on hold until such time as the church supplies the agreement.
- 13.) **April 27, 2001** - The Caldwell Assembly of God Church sent in a new application for permit for the same use. The application was not properly completed and there still was no mitigation plan attached to the application.
- 14.) **May 11, 2001** - Dan Nelson contacted the applicant about the new application for permit. Rev. Crownover stated he applied for the new application for the rental water for the mitigation for the old application. Dan Nelson referred him to Lee Sisco.
- 15.) **May 14, 20001** - Dan Nelson sent a letter to Rev. Crownover withdrawing is second application and giving him the information needed to contact Lee Sisco to purchase some rental pool water for mitigation of the original application. Mr. Nelson also sent a request to the State Office to refund the application fee for the second application.

MICROFILMED

SEP 23 2002

- 16.) **July 27, 2001** – Dan Nelson called Rev. Crownover to inquire about previous letter. Rev. Crownover stated that he had taken care of the mitigation plan and sent everything to us. I informed him we had not received any information concerning the permit and that we could not hold the permit much longer. Rev. Crownover claimed that he had done everything that we have asked and did not understand the delay. I spoke with Gary Spackman and we agreed to send him a letter that would give him 30 days to supply the information or we would void the application.

MICROFILMED

SEP 23 2002

ROUTING SLIP

DISTRIBUTION	PROVIDED FOR YOUR:	
DATE: 12/8/99	INFORMATION	
TO: FISCAL DEBBIE ALLEN	COMMENTS	
FROM: DANIEL A. NELSON WESTERN REGION	APPROVAL	YES
	SIGNATURE	
SPECIAL NOTES: Debbie could you please refund the money for this receipt. The applicants filed the same application for permit twice. They only need one application. Thank you Dan Nelson Western		

MICROFILMED

SEP 23 2007

MEMORANDUM

TO: IDWR FISCAL DEPT. - ATTN: DEBBIE ALLEN

FROM: DANIEL A. NELSON - WATER RIGHT AGENT

DATE: 5/15/2001

SUBJECT: REFUND OF APPLICATION FOR PERMIT FEE

Please refund \$ 320.00 received for receipt number W027655 paid by Assembly of God Church for an application for permit. The application for permit was withdrawn.

The following is the necessary information.


RECEIPT -- # W027655 (Copy of receipt included)

AMOUNT OF REFUND -- \$ 320.00

ADDRESS -- CALDWELL FIRST ASSEMBLY OF GOD CHURCH
ATTN: PASTOR GERALD CROWNOVER
821 N 16 AVE
CALDWELL ID 83605

Thank you for your time and effort. If you have any questions please contact me at the Western Office of IDWR.

Sincerely,



Daniel A. Nelson
Senior Agent

DATE 5-15-01

MICROFILMED

SEP 23 2002

Receipt Details for ID W027655

Status	Adjustment Type	Version
		1

General Information:

Date Received	Date Deposited	Region	Total Amount	Payment Type
4/27/2001 10:49:31 AM	4/27/2001 4:12:54 PM	WESTERN	\$320.00	Check
Payer		ASSEMBLY OF GOD CHURCH		

Account Information:

Check #	Account #	Credit Card Name	Authorization #
19028			
Card Expiration Date	Credit Card Transaction #		

Comment APPLICATION FOR PERMIT

Fee Detail:

Amount	Description	PCA	Fund	Fund Detail	Subsidiary	Object
\$320.00	PERMITS	62103	0229	21		1155

Refund(s):

Amount	Payee	Date	Document Number
--------	-------	------	-----------------

MICROFILMED

SEP 23 2001

5/15/2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

May 14, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

CALDWELL FIRST ASSEMBLY OF GOD
ATTN: PASTOR GERALD CROWNOVER
821 N 16 AVE
CALDWELL ID 83605

COPY

RE: APPLICATION FOR PERMIT FOR ASSEMBLY OF GOD CHURCH

Dear Pastor Crownover:

Enclosed you will find the second application for permit that you filed for the Assembly of God Church. I have withdrawn this permit from our records per our telephone conversation on 5/11/2001. I have sent a refund request for the fee that you submitted for this second application to our State Office. You should be receiving your fee refund in a few weeks under a different letterhead.

I understood through our telephone conversation that you sent in this second application for permit to apply for Boise River Rental Pool water for mitigation for your original application for permit, 63-12555. In our telephone conversation I informed you that the rental pool water is acquired through Lee Sisco, the Boise River watermaster. Mr. Sisco's address is 6616 Overland Road, Boise, Idaho, 83709. His telephone number is 378-0246.

If you have any questions please contact me at the above address.

Respectfully,

Daniel A. Nelson
Sr. Water Right Agent

MICROFILMED

SEP 23 2002

RECEIVED

APR 27 2001

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

WITHDRAWN

1. Name of Applicant FIRST Assembly OF GOD Phone 459-0049
Post Office address 821 N. 16 Ave
2. Source of water supply GROUND WATER which is a tributary of ?
3. Location of point of diversion is 1/4 of 1/4 of 1/4 of Govt. Lot ?
Sec. ? Township ? Range ? B.M. CANYON County, additional points of diversion if any: ?
4. Water will be used for the following purposes:
Amount ? for ? purposes from ? to ? (both dates inclusive)
(cfs or acre-feet per annum)
Amount ? for ? purposes from ? to ? (both dates inclusive)
(cfs or acre-feet per annum)
Amount ? for ? purposes from ? to ? (both dates inclusive)
(cfs or acre-feet per annum)
Amount ? for ? purposes from ? to ? (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) ? and/or (b) ?
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. pump
- b. Height of storage dam ? feet; active reservoir capacity ? acre-feet; total reservoir capacity ? acre-feet; period of year when water will be diverted to storage: ? to ? inclusive.
- c. Proposed well diameter is ? inches; proposed depth of well is ? feet.
- d. Is ground water with a temperature of greater than 85° F being sought? NO
- e. If well is already drilled, when? yes 92; Drilling firm BILL DOTY DRILLING CO. INC.
Well was drilled for (well owner) FIRST Assembly OF GOD CHURCH
7. Time required for completion of works and application of water to proposed beneficial use is ? years (minimum 1 year)
8. Description of proposed uses (If irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity if KW. ?
b. Stockwatering; list number and kind of livestock. ?
c. Municipal; show name of municipality. ?
d. Domestic; show number of households. ?
e. Other; describe fully. ?

We have 3-4 Acres of grain to irrigate with a
line in well. "Please" call for any questions,
Thanks.

459-0049

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			1/4	2/4	3/4	4/4	1/4	2/4	3/4	4/4	1/4	2/4	3/4	4/4	1/4	2/4	3/4	4/4	

Total number of acres to be irrigated 2-3-4-7

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? _____

b. Who owns the land to be irrigated or place of use? SAME - Church

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: We thought this had been taken care of before, most of these questions are Greek to us.

13. MAP OF PROPOSED PROJECT ATTACHED _____ Show clearly the proposed point of diversion, place of use, section number, township and range number.

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Merald Crownover - Pastor
(Applicant)
President of Church

Received by KH Date 4/27/01 Time 10:49 Preliminary check by _____
Fee \$ 3200 Received by KH # W027655 Date 4/27/01
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

MICROFILMED

SEP 23 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

2735 Airport Way, Boise, Idaho 83705

Phone: (208) 334-2190 FAX: (208) 334-2348 www.idwr.state.id.us/idwr/idwrhome.htm

DIRK KEMPTHORNE
Governor

January 16, 2001

KARL J. DREHER
Director

PASTOR GERALD CROWNOVER
CALDWELL FIRST ASSEMBLY OF GOD
821 N 16TH AVE
CALDWELL ID 83605

Re: Irrigation of Grounds at the First Assembly of God Church

Dear Pastor Crownover:

I sent you a letter on September 21, 2000, asking you to submit information regarding rental of storage water from the Boise River water supply bank. The rental of water was to be the mitigation plan that would allow the Idaho Department of Water Resources (IDWR) to process your water right application no. 63-12555. I have not received a response to my letter.

This letter is a notice that the application for irrigation filed by Caldwell First Assembly of God will be placed in our hold files in its order of priority unless an adequate mitigation plan is submitted. Irrigation of six acres sought by the application for water right is illegal until a water right is approved by IDWR.

Sincerely,

Gary Spackman

GS:st

CC: Norm Young

MICROFILMED

SEP 23 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

September 21, 2000

REV GERALD CROWNOVER
CALDWELL FIRST ASSEMBLY OF GOD
821 N 16TH AVE
CALDWELL ID 83605

Re: Irrigation of Grounds at the Caldwell First Assembly of God

Dear Reverend Crownover:

I met with you on April 26, 2000, to discuss options for authorizing diversion of ground water for irrigation of church grounds at the First Assembly of God in Caldwell. I believe we resolved that you would rent storage water from the Boise River water supply bank operated by water district no. 63 advisory committee. I understood that you would contact Lee Sisco, watermaster for water district no. 63, and rent approximately 18 acre feet of storage water from the water supply bank. Upon confirmation of the rental, and an agreement from the First Assembly of God that storage water will be rented every year, we will process application for water right no. 63-12555 now pending with IDWR.

I have heard nothing further from you since our discussion. Would you please update me regarding your efforts to acquire water.

Sincerely,

A handwritten signature in cursive script, reading 'Gary Spackman', is written over a horizontal line.

Gary Spackman

GS:st

MICROFILMED

SEP 23 2002

MEMORANDUM

To: File No. 63-12555 in the Name of Caldwell First Assembly of God Church

From: Gary Spackman *Gary*

Re: Proposed Plan of Mitigation

Date: April 26, 2000

I met today with Gerald Crownover and someone named Clint from the Caldwell Assembly of God. We discussed options for a plan of mitigation. Crownover stated that it gave up its surface water rights several years ago. Crownover also stated there is no way for the surface water to reach the church property. In fact, Crownover stated that the surface water had not been delivered before the church put in the ground water well to irrigate the property. I discussed with them the possibility of acquiring water by purchasing shares or other water rights. They felt this was not a possibility. I finally suggested that they annually rent water from the Boise River water supply bank operated by Water District No. 63 advisory committee. Lee Sisco confirmed that there is storage water available for rental in the year 2000. The church is currently determining how many acres they actually irrigate, and may amend their application to reduce the number of acres. I propose rental of approximately three acre feet per acre, which is the approximate consumptive use of grass. Although it is hard to determine what is being mitigated, the proposed plan is probably as good as other plans that have been submitted to IDWR in the past.

MICROFILMED

SEP 23 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

March 29, 2000

Pastor Gerald Crownover
Caldwell First Assembly of God
821 N. 16th Ave
Caldwell ID 83605

Re: Application for Water Right No. 63-12555

Dear Pastor Crownover:

You wrote a letter to Karl J. Dreher, Director of the Idaho Department of Water Resources (IDWR), on February 25, 2000. I was asked to respond to your letter.

You state in your letter that the church was "not aware that Dotz (Doty) had applied for a domestic well permit back in March '95." The records of IDWR show that Doty drilled a domestic well for the Caldwell First Assembly of God in March of 1992. You are correct that the well was drilled prior to the moratorium. Nonetheless, a water right is required before it can be used for irrigation purposes.

IDWR recognizes there is landscaping that requires irrigation. You have stated that the church feels it is "being denied water unfairly." You have also requested a hearing regarding your irrigation well. Because the application has not yet been processed, there is not presently a contested case before IDWR that would prompt a formal hearing. Nonetheless, I am happy to visit with you or your staff to try to find solutions. Please call me at 334-2190 for an appointment.

Sincerely,

Gary Spackman
Regional Manager

GS:st

CC: Norm Young

MICROFILMED

SEP 23 2002

February 25, 2000

RECEIVED

FEB 29 2000

WATER RESOURCES
WESTERN REGION

Idaho Department of Water Resources
Western Region
2735 Airport Way
Boise, ID 83705-5082

Attn: Karl J. Dreher, Director

Dear Sir:

We would like to request a hearing in regard to our irrigation well. We feel we are being denied water unfairly.

We were not aware that Dotz had applied for a domestic well permit back in March '95. He know our facility was on city water and we only needed an irrigation well (Please note date. This was before the mountain on irrigation wells was passed.)

This is very important to us since all of our landscaping hinges on us having irrigation water.

We would like to discuss this matter real soon and hope we can come up with a satisfactory solution.

Thanks,



Pastor Gerald Crowover
& Board of First Assembly of God

MICROFILMED

SEP 23 2002



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

12/15/99

FIRST ASSEMBLY OF GOD
ATTN: REVEREND GERALD CROWNOVER
821 N 16TH AVE
CALDWELL, ID 83605

COPY

RE: APPLICATION FOR PERMIT NO. 63-12555

Dear Applicant,

Your application for permit to appropriate ground water for a consumptive use was received 11/15/1999 and the application fee was paid during our meeting on 12/10/1999. Currently there is a processing hold on all new consumptive applications in your area. Due to the circumstances involved with this application we are exploring ways to process this application in a fair and consistent manner with other applicants. This process could take some time and your application will be placed on hold until a decision has been made. If this is unacceptable, you may want to try alternative methods.

Due to continued drought and to protect existing water rights and water supplies, the Director of this agency declared a moratorium on May 15, 1992 concerning water right applications proposing new consumptive uses of public water, regardless of source. The moratorium was lifted in May 1995, but application processing was subsequently suspended until technical data was available from the Treasure Valley Hydrologic Study. This study has been completed and we are currently awaiting instruction on how to proceed with processing applications.

As we discussed in our meeting on 12/10/1999, we can process applications for permit for consumptive use if you file a mitigation plan. Filing a mitigation plan can be complicated depending on the circumstances, so I have included a list of consultants that have worked on these plans in the past.

Until our office receives an acceptable mitigation plan for your irrigation proposal we will hold your application. Applications received will be processed in priority order. Delays related to department actions do not affect the date of priority or seniority of an application.

MICROFILMED
SEP 23 2002


Page 2

Assembly of God Church

You also stated in our meeting that your organization was under the assumption that Bill Doty Drilling Company was going to obtain the permits for you. I have enclosed copies of the letters that we sent to Mr. Doty and his response to our office. You may want to response to these letters to allow our managers the opportunity to hear your side of the story.

Please contact me at 334-2190 if you have any questions.

Sincerely,



Daniel A. Nelson
Water Rights Agent

Cc Gary Spackman

MICROFILMED
SEP 23 2002

BILL DOTY DRILLING CO. INC.

106 Calloway
Caldwell, ID 83605
208-459-9627
Fax 208-459-0169

RECEIVED

NOV 18 1999

WATER RESOURCES
WESTERN REGION

November 15, 1999

Gary Spackman
Western Region Manager
Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082

Dear Mr. Spackman;

This is in response to your letter dated November 4, 1999 RE: Suspension of Start Card Privileges. I am concerned that this action was taken without providing me an opportunity to discuss the situation with you. I have never knowingly abused my Start Card privileges.


I did not misrepresent the use of the First Assembly of God church well in 1992. At the time the well was drilled it fit the criteria for a "Domestic" well. As I recall, there was discussion between the Church and the Department of Water Resources about transferring a water right from the irrigation ditch to the well after it was drilled. If the well was subsequently used to irrigate several acres without proper water rights, this was not of my doing. Also, in 1992 I did not put in the pump system. I had no knowledge of what was put in place. Until we came back in 1999 and filed a permit to repair the well (deepen it), I was not aware of whether or not the church had ever obtained their water right transfer.

In September of 1999, prior to deepening the well, I did find out that the water rights had not been transferred. Before we started drilling, the church pastor, Gerald Crownover, and Rob Whitney, from your office, worked out an agreement and Rob gave us the permit to deepen the existing well. I was not a party in those negotiations so I do not know what agreement was reached.

If you think that you need to impose sanctions on me, then I would expect a hearing. This is the first problem I have ever had with Start Cards, and I am confident that this situation is a misunderstanding.

Thank you for your consideration in this urgent matter.

Respectfully,



Bill Doty, Jr., President

MICROFILMED

SEP 23 2002

Cc: Gerald Crownover, Mark Slifka, Rob Whitney



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

November 4, 1999

DIRK KEMPTHORNE
GOVERNOR

William H. Doty, Jr.
Bill Doty Drilling Co. Inc
106 Calloway
Caldwell, Id 83605

KARL J. DREHER
DIRECTOR

RE: Suspension of Start Card Privileges

Dear Mr. Doty:

The purpose of this letter is to notify you that the department will suspend your privileges for use of start cards to obtain approval to construct wells effective November 15, 1999 for a period of six (6) months. This suspension results from your firm's failure to comply with the proper procedures for use of the start card system. As you are aware, a start card may only be used to obtain approval to construct 6" single house domestic wells.

In March of 1992, your firm drilled a well for the First Assembly of God Church in Caldwell, Idaho. Your firm stated the use of the well on both the drilling permit application and the well log as "Domestic", when in fact the well has been used to irrigate several acres. Additionally, your firm submitted a start card to deepen this well in September of 1999, misrepresenting the use of the well. Your actions have left the well owner in a position of exceeding the authorized use from this well without a valid water right. Currently, the well owner is not authorized to use more than 18 gallons per minute and 2500 gallons per day.

If it is determined that your firm has intentionally submitted false information on a well driller's report, the department will issue a Notice of Violation and seek suspension, revocation or refuse to renew your driller's license.

After the term of the suspension the department will consider reinstating your start card privileges at your written request and upon determining that your firm has complied fully with all applicable rules and statutes related to the construction of wells. Please address any questions you have regarding this matter to myself or Rob Whitney of this office.

Respectfully,

GARY SPACKMAN
Western Region Manager

Cc: Gerald Crownover, Mark Slifka, Driller file

MICROFILMED

SEP 23 2002

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only			
Inspected by <u>[Signature]</u>			
Twp	Rge	Sec	
1/4	1/4	1/4	
Lat:	:	Long:	:
☒ Air ☐ Flowing Artesian			

1. WELL TAG NO. D 0012193

DRILLING PERMIT NO. 63-99-W-821 - 100

Other IDWR No. _____

2. OWNER:

Name First Assembly of God ChurchAddress 821 N. 16thCity Caldwell State ID Zip 83605

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N W E S		Twp. <u>4</u>	North ☒ or South ☐
		Rge. <u>3</u>	East ☐ or West ☒
		Sec. <u>22</u>	1/4 NE 1/4 SE 1/4
		Gov't Lot _____	County <u>Canyon</u>
Lat: _____ Long: _____		Address of Well Site <u>Same As Above</u>	
		City <u>Caldwell</u>	

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

☐ New Well ☐ Modify ☐ Abandonment ☒ Other Deepening

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT		METHOD
Material	From	To	Sacks or Pounds		
Bentonite	108'	118'	250 lbs		Dry Pour
Steel Ring Welded Between 5" & 8"					

Was drive shoe used? ☒ N Shoe Depth(s) 195'Was drive shoe seal tested? ☒ N How? No Blow By

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	2.5'	195'	.250	Steel	☒	☐	☒	☐
5"	180'	197'	.250	STEEL	☐	☒	☐	☐

Length of Headpipe 16' Length of Tailpipe 0'

9. PERFORATIONS/SCREENS

Perforations Method Blow Down☒ Screens Screen Type Stainless Steel

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
197'	207'	15	1-10'	5"	S.S.	☐	☒
207'	212'	10	1-5'	5"	S.S.	☐	☒

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

53 ft. below ground Artesian pressure _____ lb.

Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

☐ Pump ☐ Bailor☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
50 G.P.M.	N/A	180'	Three Hours

Water Temp. _____

Bottom hole temp. _____

Water Quality test or comments: _____

Depth first Water Encounter _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment) Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
8"	0'	118'	Old Well		
6"	118'	150'	Fine Sand	XXX	
6"	150'	158'	Brown Clay		XX
6"	158'	170'	Fine Sand	XXX	
6"	170'	173'	Brown Clay		XX
6"	173'	177'	Fine Sand	XXX	
6"	177'	179'	Brown Clay		XX
6"	179'	183'	Fine Sand	XXX	
6"	183'	196'	Brown Clay		XX
6"	196'	205'	Brown Sand	XXX	
6"	205'	207'	Brown Clay		
6"	207'	211'	Brown Sand		
6"	211'	212'	Brown Clay		

R.D.
differ
show
you
to be
or m
T

RECEIVED

OCT 18 1999

WATER RESOURCES
WESTERN REGIONCompleted Depth 212' (Measurable)
Date: Started 10/1/99 Completed 10/7/99

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Bill Doty Drilling Co., Inc. Firm No. 42Firm Official [Signature] Date 10-11-99

and

Driller or Operator [Signature] Date 10-11-99

(Sign once if Firm Official & Operator)

Sent App for
WR. to Pastor
Gerald Crowhove
along with app
for DP. PD-1-99.

MICROFILMED

SEP 23 2002

Form 235-1 (LDT)
9/25/95Drilling Permit No. 3 99 W 821 100
Water Right Permit No. _____
Injection Permit No. _____WELL DRILLER: PLEASE COMPLETE FOR VERBAL
IDWR Employee Issuing Verbal: _____
Verbal Issued Date: _____ Time: _____

Tag # 12193

State of Idaho
Department of Water ResourcesAPPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)

1. Applicant (please print): FIRST ASSEMBLY OF GOD CHURCH
2. Mailing Address: 821 N. 16TH
City & State CALDWELL, ID Zip Code 83605 Telephone (208) 459-0040
☒ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____
3. Proposed Well Location: Twp. 4 N Rge. 3 W Sec. 22 1/4 NE 1/4 SE 1/4
Gov't Lot No. _____ County CANYON Lat. _____ Long. _____
Street Address of Well Site SAME AS ABOVE City CALDWELL
Give at least name of road + Distance to Road or Landmark
Lot, block and subdivision _____

4. Proposed Use of Well:

- ☒
- DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- NON-DOMESTIC:
- ☐
- Irrigation
- ☐
- Municipal
- ☐
- Industrial
-
- ☐
- Stock
- ☐
- Test
- ☐
- Other _____
-
- (Over 1,000 Head) (Describe)

☐ INJECTION

- ☐
- MONITORING: A well bore schematic and map is required for each blanket permit.
-
- No. of proposed wells: _____

5. Well Construction Information:

- A. ☐ New well ☐ Modify ☐ Replace
☒ DEEPING - OLD WELL LOG # 26-92-W-090
- B. Proposed Casing Diameter 6" Proposed Maximum Depth 190'
- C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold Water Well) ☐ 85°F to 212°F (Low Temp. Geo. Well) ☐ 212°F or more (Geothermal Well) MICROFILMED

6. Construction Start Date: SEPTEMBER 30, 1999 SEP 23 2002
7. Anticipated Well Driller: BILL DOTY DRILLING CO., INC. Driller's Lic. No. 42
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's Signature [Signature] Date SEPTEMBER 30, 1999
Title OFFICE MANAGER
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

9-30-99

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

Use From this well shall not exceed 18 gal/min and 2500 gal/day.

This well is NOT approved for use as a public Water Supply.

MICROFILMED

SEP 23 2002

MANAGER

WESTERN REGIONAL OFFICE

Signature of Authorized Department Representative

Title

Receipt No.

Well T99

Received by

QD

Fee

75

Date

9-7-99EXTENSION OF DRILLING PERMIT

Extension approved by

Approval Date

This extension expires:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
DRILLING PERMIT APPROVAL CONDITIONS

1. Name: FIRST ASSEMBLY OF GOD CHURCH O 208-459-0040
Address: 821 N 16TH
CALDWELL ID 83605

2. Proposed Well Location: Township 04N, Range 03W, Sec. 22, NESE
CANYON County

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This permit is APPROVED

Date: 9/30/1999

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

CONDITIONS OF APPROVAL:

1. This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank. Public Water Supply wells must not be drilled closer than 100' from any drainfield or septic tank.
3. The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85 Degrees F (29.44 oC) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
8. Idaho Code, S 55-2201 - 55-2210 requires the applicant and/or his contractors to contact "Digline" (DigLine is a one-call center for utility notification) not less than 2 working days prior to the start of any excavation for this project. The "Dig Line " Number for your area is 1-800-342-1585.

MICROFILMED (Continued)

SEP 23 2002

W003 691.

PWS?

Gerald Crownover
Pastor

Faxed from Doty 9-29-99

Form 235-2, 1/97

Back of Card is Pre Addressed

63-99-W-0821-100

Idaho Department of Water Resources
1301 North Orchard Boise ID 83706-2237Write Tag Number Here
00012193

Start Card/Permit for a Domestic Well

(Cold Water 85 degrees or less)

From Hand

(Not Valid Without Tag Number)

1. Well Owner (please print): First Assembly of God Church
2. Owner's Address: 821 N. 16th
 City Caldwell State ID Zip 83605 Phone (208) 459-0049
3. Well Location: Twp: 4 N Rge: 3 W Sec. 22 1/4 1/4 NE 1/4 SE
 Gov't Lot No. County Canyon Lat Long
 Street Address of Well Site Same As Above
 City Caldwell Lot Block Sub

4. Well Construction Information:

[] New Construction, [X] Deepen, [] Modify, [] Replace Existing Well (Previous #)5. Construction Start Date: 9/30/99 6. Well Driller Bill Doty Drilling license # 427. Signature of Driller or Owner: [Signature] Co., Inc. Date 9/29/99

Submit White Copy to Department of Water Resources

Applicant agrees to comply with the Underground Facilities Damage Prevention Act I.C. 35-2201 et seq. and contact the locator service telephone number Dialline 1-800-342-1585 prior to commencing excavation.

250-9119

MICROFILMED

SEP 23 2002

MICROFILMED

SEP 23 2002

m 238-7
11/91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name FIRST ASSEMBLY OF GOD CHURCH
Address 821 N. 16th CALDWELL, ID 83605
Drilling Permit No. 63-92-W-090
Water Right Permit No. _____

7. WATER LEVEL

Static water level 52 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

8. WELL TEST DATA

- USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

Form 230-7
11/91USE TYPEWRITER OR
BALLPOINT PEN

State law

Water Resources

1. WELL OWNER Name <u>FIRST ASSEMBLY</u> Address <u>221 N. 74th St. Apt. 101</u> Drilling Permit No. <u>43-93</u> Water Right Permit No. <u>1100</u>		2. WATER LEVEL Static water level <u>110</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian pressure _____ p.s.i. Controlled by ☐ Cap ☐ Plug Temperature _____ Direction of flow _____																																																							
3. NATURE OF WORK ☒ New well ☐ Deepen ☐ Recondition ☐ Well diameter increase ☐ _____ ☐ Abandoned (describe abandonment procedure such as liners, screen, materials, plug, etc. in lithologic log, section 9.)		4. WELL TEST DATA ☒ Pump ☐ Baber ☐ Air ☐ Other _____ <table border="1"> <thead> <tr> <th>Pressure G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td>150</td> <td>110 FT.</td> <td>1 HR.</td> </tr> </tbody> </table>		Pressure G.P.M.	Pumping Level	Hours Pumped	150	110 FT.	1 HR.																																																
Pressure G.P.M.	Pumping Level	Hours Pumped																																																							
150	110 FT.	1 HR.																																																							
5. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		6. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th rowspan="2">Depth Feet</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>10-0</td><td>TOP SOIL</td><td></td><td>X</td></tr> <tr><td>10-2</td><td>SAND</td><td></td><td>X</td></tr> <tr><td>10-8</td><td>CLAY</td><td></td><td>X</td></tr> <tr><td>10-12</td><td>GRAVEL</td><td></td><td>X</td></tr> <tr><td>11-18</td><td>SAND & GRAVEL</td><td></td><td>X</td></tr> <tr><td>11-32</td><td>CLAY</td><td></td><td>X</td></tr> <tr><td>11-46</td><td>SAND</td><td></td><td>X</td></tr> <tr><td>11-48</td><td>CLAY</td><td></td><td>X</td></tr> <tr><td>11-57</td><td>SAND WITH CLAY</td><td></td><td>X</td></tr> <tr><td>11-80</td><td>SAND</td><td></td><td>X</td></tr> <tr><td>11-110</td><td>CLAY</td><td></td><td>X</td></tr> <tr><td>11-125</td><td>SAND</td><td></td><td>X</td></tr> </tbody> </table>		Depth Feet	Material	Water		Yes	No	10-0	TOP SOIL		X	10-2	SAND		X	10-8	CLAY		X	10-12	GRAVEL		X	11-18	SAND & GRAVEL		X	11-32	CLAY		X	11-46	SAND		X	11-48	CLAY		X	11-57	SAND WITH CLAY		X	11-80	SAND		X	11-110	CLAY		X	11-125	SAND		X
Depth Feet	Material	Water																																																							
		Yes	No																																																						
10-0	TOP SOIL		X																																																						
10-2	SAND		X																																																						
10-8	CLAY		X																																																						
10-12	GRAVEL		X																																																						
11-18	SAND & GRAVEL		X																																																						
11-32	CLAY		X																																																						
11-46	SAND		X																																																						
11-48	CLAY		X																																																						
11-57	SAND WITH CLAY		X																																																						
11-80	SAND		X																																																						
11-110	CLAY		X																																																						
11-125	SAND		X																																																						
7. METHOD DRILLED ☒ Rotary ☐ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)		8. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>2.50 inches</td> <td>8 inches</td> <td>2.6 feet</td> <td>11.8 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation? _____ inches by _____ inches <table border="1"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr> <tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr> <tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer _____ Type _____ Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe success port _____		Thickness	Diameter	From	To	2.50 inches	8 inches	2.6 feet	11.8 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																										
Thickness	Diameter	From	To																																																						
2.50 inches	8 inches	2.6 feet	11.8 feet																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																						
Number	From	To																																																							
_____ perforations	_____ feet	_____ feet																																																							
_____ perforations	_____ feet	_____ feet																																																							
_____ perforations	_____ feet	_____ feet																																																							
9. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name <u>MICROFILMED</u> Lot No. <u>2009</u> Block No. _____ Country <u>CANON</u> NE 1/4 SE 1/4 _____		10. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. BILL DOTY DRILLING Firm Name <u>IDA CALLAWAY</u> Firm No. <u>42</u> Address <u>11105</u> Date <u>1-16-92</u> Signed by <u>[Signature]</u> and _____ (Contractor/Supervisor)																																																							

December 12, 2001

Legal Notice Department

Press-Tribune

PO Box 9399

Nampa ID 83652

RE: Application for Permit No. 63-31307 and 63-12555

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find two legal notices which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 01/07/2002. Your cooperation is appreciated.

Sincerely

Sue Taylor
Senior Secretary

MICROFILMED

SEP 23 2002

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12555

CALDWELL FIRST ASSEMBLY OF GOD CHURCH
821 N 16TH AVE
CALDWELL ID 83605

Point(s) of Diversion NESE S22 T04N R03W CANYON County Source GROUND WATER

Use: IRRIGATION 3/01 To 11/15 0.12 CFS

Total Diversion: 0.12 CFS

Date Filed: 11/15/1999

Place Of Use: IRRIGATION

T04N R03W S22 NESE

Number of Acres 6

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 01/07/2002. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in the Press-Tribune on December 20 and 27, 2001.

MICROFILMED

SEP 23 2002

REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED USING ONE OF THE
THREE ALTERNATIVES BELOW

Name of Applicant

Mailing Address

Application No.
(if known)

First Assembly of Snake River
821 N. 16 Ave.
Caldwell, Id. 83605

☐ IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

☒ PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

☐ WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

Date

Bernd Cronmeyer - President

12/10/99

Please return this form to:

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

MICROFILMED

SEP 23 2002