








CANYON AREA, IDAHO NO. 24

Land division corners are approximately positioned on this map.

CANYON AREA, IDAHO NO. 24

MICROFILMED
DEC 10 1997

63-12406
T4N R5W S26
NWSW
(No Gov Lts)



0.1 0 0.1 0.2 Miles

- Place of use
- Buried storage tank
- Main line
- Spring
- Section line
- 1/41/4 lines





Fenced off
P/O : Buried
perforated
pipe

MICROFILMED

SEP 09 2003

spring
area





Buried storage
tank + control
valves

Heating / Cooling
System



MICROFILMED
SEP 09 2003



Faucet for
stockwater



Tank for
stockwater

MICROFILMED
SEP 09 2003

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-12406

Priority: July 14, 1997

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 14.6 AF

It is hereby certified that K MICHAEL BEAVERS
PO BOX 652
HOMEDALE ID 83628-0652 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated July 14, 1997; and has
submitted Proof of Beneficial Use on October 26, 2000. An examination indicates that the works have a
diversion capacity of 0.02 cfs of water from:

SOURCE

SPRING

Tributary: SNAKE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.1 AF
HEATING	01/01 to 12/31	0.02 CFS	8.4 AF
COOLING	01/01 to 12/31	0.02 CFS	6.1 AF

LOCATION OF POINT OF DIVERSION:

SPRING NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 26, Twp 04N, Rge 05W, B.M., CANYON County

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
04N 05W 26										X							

PLACE OF USE: HEATING – Same as Stockwater


PLACE OF USE: COOLING – Same as Stockwater

CONDITIONS OF APPROVAL

1. Heating and cooling uses are for 1 home.
2. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 63.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 23rd day of June, 2003.


for KARL J. DREHER
Director

MICROFILMED

SEP 09 2002

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT	)	ORDER GRANTING
NO. 63-12406 IN THE NAME	)	REQUEST TO REMOVE
OF K MICHAEL BEAVERS	)	LOCKABLE DEVICE REQUIREMENT
_____	)	

This matter having come before the Department of Water Resources (Department) as a request to remove a lockable device requirement, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On November 17, 1997, the Department issued Permit 63-12406 (permit) to K. Michael Beavers (permit holder) with a condition of approval requiring a lockable device be installed that would provide the watermaster suitable control of the diversion.
2. On January 12, 2002, the Department conducted a field examination of the beneficial use developed under the permit and found that a lockable device was not installed on the diversion works.
3. On June 16, 2003, the Department corresponded with the permit holder and requested information regarding compliance with the condition of approval on the permit.
4. On June 19, 2003, the Department received a request from the permit holder to remove the lockable device condition from the permit. The watermaster of Water District No. 63, Boise River, also submitted a note, which stated that a lockable device was not necessary for the system developed under the permit.

CONCLUSIONS OF LAW

1. Beneficial Use Examination Rule 35.02.d. (IDAPA 37.03.02.35.02.d.) provides for the waiver of measuring device requirements by the Department.

MICROFILMED

SEP 09 2003


2. The installation of the lockable device is not necessary for regulation of the system developed under the permit.

ORDER

IT IS THEREFORE HEREBY ORDERED as follows:

The condition of approval requiring the installation of a lockable device to provide the watermaster suitable control of the diversion under this permit is **WAIVED**.

Dated this 20th day of June, 2003.



L. GLEN SAXTON
Administrator
Water Management Division

MICRON, MCO

SEP 04 2003

RECEIVED

OCT 26 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 63-12406 Telephone No. 208 482-4345

2. Name of Permit Holder(s):
K MICHAEL BEAVERS

3. Mailing Address: PO BOX 652

City HOMEDALE State Id Zip 83628

4. Source of Water: SPRING If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): ONE Stockwater (No. and type of stock): 2 HORSES

Irrigation (No. of acres): _____ Other: TO HEAT AND COOL MY HOUSE

6. Total rate of diversion and/or volume for which proof is submitted: 0.03 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ✓

Has the measuring device been installed?

Yes _____ or No ✓

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: MIKE BEAVERS Telephone Number: 208 482-4345

Address: 19490 Highway 95 WILDER Id.

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: K Michael Beavers Date: 10-25-00
(include your title, if on behalf of company or organization)

OCT 27 2000

NO. 63-12406

0.03 CFS

DEC 10 1955

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-12406

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17 th day of November, 1997.

Karl J. Dreher
for Karl J. Dreher, Director



MICROFILMED

DEC 16 1997

Ident. No. 63-12406

RECEIVED
OCT 31 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED
JUL 14 1997

WATER RESOURCES
WESTERN REGION

Department of Water Resources

1. Name of Applicant K. MICHAEL BEAVERS Phone 208 337-4345

Mailing address P.O. 652 HOMEDALE IDAHO 83628

* 2. Source of water supply SPRING which is a tributary of N/A make K

* 3. Location of point of diversion is Township 4N Range 5W Sec. 26 in the NE NW 1/4, SW 1/4, SW 1/4, Govt. Lot BOSEMERMAN, B.M., CANYON County; additional points of diversion if any: _____

* 4. Water will be used for the following purposes:

Amount 0.01 cfs for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.01 cfs for STOCKWATERING purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.01 cfs for HEATING AND COOL purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .03 cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source _____

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____; Drilling Permit No. _____

* 7. Time required for completion of works and application of water to proposed beneficial use is 3 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. 2 TO 3 HORSES


c. Municipal; show name of municipality. _____


d. Domestic; show number of households. ONE Household

e. Other; describe fully. HEATING AND COOLING WITH A WATER TO AIR HEAT PUMP

MICROFILMED

* per telecon with applicant 5/8/97. DEC 10 1997 g. [unclear] [unclear]





CANYON AREA, IDAHO NO. 34

DEC 10 1967



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 23, 2003

K MICHAEL BEAVERS
PO BOX 652
HOMEDALE ID 83628-0652

RE: License No. 63-12406 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED
SEP 09 2003

CERTIFICATE OF SERVICE

I hereby certify that on June 23, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

63-12406

**K MICHAEL BEAVERS
PO BOX 652
HOMEDALE ID 83628-0652**



**Kari Lynn Townsend
Secretary**

**MICROFILMED
SEP 09 2003**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JUN 9 9 2003

LICENSE REVIEW CHECKLIST

Permit No 63-12406

Date: 10-20-03

Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44)

Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44)

Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.03 cfs

Fee Limit 0.20 cfs

Measured 0.02 cfs

Theoretical _____ cfs

Recommended Total Diversion Rate 0.02

Water Uses OK

Change (P46)

Season of Use per new Standards

Irrigation	cfs	af
Stockwater	<u>0.02</u>	<u>0.1</u>
Domestic	cfs	af
Heat	<u>0.02</u>	<u>8.4</u>
Cool	<u>0.02</u>	<u>6.1</u>
Total	<u>0.02</u>	<u>14.6</u>

Irrigation - overlap(R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Rayette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks: _____

Additional Conditions

_____ Watermaster Control

_____ GW Measurement/Measuring Device

_____ Other

Trust R55 - remove 051)

Non-trust (048)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim? NO -

Adjust memo _____

Amend Letters

P87, S06

Second Amendment Notice

S06

**A
FAX
FROM
Homedale's
Self
Directed
Work
Team**

CITIZENS
communications



RECEIVEDSM

JUN 19 2003

Department of Water Resources

Talk (208)337-5200 Fax (208)337-4545

To KAY WALKER

Fax 327 7866

From MIKE BEAVERS

Date 6-19-03

Comments: THANK you

*Homedale
Idaho

Sheet 1 of 2

MICROFILMED

JUN 19 2003

JUNE 19 2003

IDWR

RE. PERMIT NO. 63-12406

I K. MICHAEL BEAVERS REQUEST THAT
THE CONDITION TO INSTALL A LOCKABLE
DEVICE ON MY SPRING BE REMOVED.

THANK YOU

K Michael Beavers

MICROFILMED

SEP 29 2003

RECEIVED

JUN 19 2003

Department of Water Resources

STATE OF IDAHO
WATER DISTRICT #63
LEE SISCO
6616 OVERLAND RD., BOISE, IDAHO 83709
PHONE 378-0246 FAX 378-1274

FAX TRANSMITTAL MEMO

TO: *IDWR*

COMPANY/AGENCY NAME:

ATTENTION: *Kay Walker*

DATE:

TIME:

NO. OF PAGES:

/

MICROFILMED

SEP 05 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 18, 2003

K MICHAEL BEAVERS
PO BOX 652
HOMEDALE ID 83628-0652

RE: Permit No. 63-12406

Dear Permit Holder:

We are reviewing the above referenced permit so we can issue a license for the use developed. In a review of our files, we noticed that you have not complied with a condition of approval of the permit. The condition we are referring to is on the permit as follows:

Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.

Our field examiner found no lockable device on your system and we must resolve this issue before the license can be issued. Pursuant to Section 42-219(6), Idaho Code, "if the conditions of approval on a permit are not complied with, we may issue an order voiding the permit or issue a license for only a portion of the use developed under the permit".

There are a couple of options that you can take to resolve this problem. Submit documentation that you have complied with the condition, install the lockable device as required on the permit, or request removal of the condition. Since this permit is under the control of the watermaster of Water District No. 63, you may be able to discuss what type of lockable device would be acceptable to him. If the watermaster determines that a lockable device would not be necessary for your system, you could request removal of the condition along with a statement from the watermaster that he is in agreement with the request.

We will withhold further action on this permit for 30 days from the date of this letter in order to allow you time to respond. If we do not receive a response from you within this time period we will assume you are not interested in pursuing a water right license for this permit.

If you have any questions in regard to this matter, please do not hesitate to contact me.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

✓ ☒ Lee Sisco, Watermaster
Water District No 63
6616 Overland Rd
Boise ID 83709

Kay,

I spoke with Mr. Beavers regarding his lockable device. The lockable device requirement can be waived on his permit.

Lee Sisco
Watermaster
WD # 63

MICROFILMED

SEP 09 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 16, 2003

K MICHAEL BEAVERS
PO BOX 652
HOMEDALE ID 83628-0652

RE: Permit No. 63-12406

Dear Permit Holder:

We are reviewing the above referenced permit so we can issue a license for the use developed. In a review of our files, we noticed that you have not complied with a condition of approval of the permit. The condition we are referring to is on the permit as follows:

Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.

Our field examiner found no lockable device on your system and we must resolve this issue before the license can be issued. Pursuant to Section 42-219(6), Idaho Code, "if the conditions of approval on a permit are not complied with, we may issue an order voiding the permit or issue a license for only a portion of the use developed under the permit".

There are a couple of options that you can take to resolve this problem. Submit documentation that you have complied with the condition, install the lockable device as required on the permit, or request removal of the condition. Since this permit is under the control of the watermaster of Water District No. 63, you may be able to discuss what type of lockable device would be acceptable to him. If the watermaster determines that a lockable device would not be necessary for your system, you could request removal of the condition along with a statement from the watermaster that he is in agreement with the request.

We will withhold further action on this permit for 30 days from the date of this letter in order to allow you time to respond. If we do not receive a response from you within this time period we will assume you are not interested in pursuing a water right license for this permit.

If you have any questions in regard to this matter, please do not hesitate to contact me.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Cc: Lee Sisco, Watermaster
Water District No 63
6616 Overland Rd
Boise ID 83709

MICROFILMED

SEP 19 2003

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 19 2002

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-12406

1. Owner K Michael Beavers Phone No. 482-4345

Current Address: PO Box 652 Homedale ID 83628

2. Accompanied by: Mike EXAM DATE : 1/12/02

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Snake River

B. OVERLAP REVIEW

- Other water rights with the same place of use: None
- Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	SW	26	4N	5W	Canyon	Topo, GPS Reading

2. Place(s) of Use:

Indicate Method of Determination same as above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	5W	26										X							

MICROFILMED
SEP 09 2003

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

See Attached Arc View Map

Y Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Y Aerial Photo Attached (required for irrigation of 10+ acres).

Y Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 5 gpm per owner's measurements prior to development and system design. No measurement possible.

E. NARRATIVE/REMARKS/COMMENTS

Spring water is collected at the end of a natural draw via 10' of 2" buried perforated pipe, which is then diverted to a 1200 gallon buried storage tank via 2" buried PVC main line. Water from the storage tank is used for heating and cooling 1 home and stockwater for 2 horses via two control valves. The heating/cooling system consists of a water to air heat pump. Water from the heating/cooling system is discharged to a tiled drain area where it would have naturally flowed if not diverted. The area was tiled many years ago to prevent water from the spring area from flooding crops. The heating/cooling system requires 7 gpm, which is why a storage tank was installed, since the spring produces only 5 gpm of continuous flow year around (per applicant). A ¾" line delivers water from the storage tank to a small stock tank for the 2 horses. A well is used for internal/external domestic uses. Surface water is used for irrigation of the surrounding pasture. No other rights are used.

A measurement was not possible because of buried nature of the system. See attached photos for verification of developed system. Applicant stated that he measured the spring for 1 year prior to development to get an idea of the amount of water the spring continually produced so he could determine what type of heating/cooling system the spring could support.

Have conditions of permit approval been met? ___ yes ___X___ no (there is no lockable device...the system is buried.)

MICROFILMED
SEP 8 9 2003

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

5 gpm = .01 cfs (allow .02 cfs)

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

2. Volume Calculations for Other Uses:

2 horses x 12 gpd x 365 dys/325850 = .03 afa

Heating: .02 cfs x 212 x 1.9835 = 8.4 afa

Cooling: .02 cfs x 153 x 1.9835 = 6.1 afa

System Capacity: .02 cfs x 365 x 1.9835 = 14.5 afa

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period Of Use		Rate Of Diversion Q (CFS)	Annual Volume V (AFA)
	From	To		
Stockwater	1/1	12/31	.02	.03
Heating	1/1	12/31	.02	8.4
Cooling	1/1	12/31	.02	6.1
TOTAL			.02 cfs	14.5 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other**I. AUTHENTICATION**

Lori Graves -Senior Agent

Field Examiner's Name

Lori Graves

Date


1/17/02

Reviewer

Date

SEAL
MICROFILMED
SEP 24 2003


63-12406
T4N R5W S26
NWSW
(No Gov Lts)



0.1 0 0.1 0.2 Miles

- Place of use
- Buried storage tank
- Main line
- Spring
- Section line
- 1/41/4 lines







Fenced off
P/O : Buried
perforated
pipe

MICROFILMED

SEP 8 1993

spring
area






Buried storage
tank + control
valves

Heating/Cooling
System



MICROFILMED

SEP 29 2013



Faucet for
stockwater

Tank for
stockwater

MICROFILMED
SEP 8 9 2001





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 1, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

K MICHAEL BEAVERS
PO BOX 652
HOMEDALE ID 83628

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-12406

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **Western** Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

MICROFILMED
NOV 21 2000

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 63-12406 Reviewed by D. Gibson Date 10/31/00

GENERAL CONSIDERATIONS

Yes Name same as permit?
Yes Address same as permit?
Yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Stockwater, Heating
& Cooling home & Domestic
Correct Uses? Yes

SOURCE OF WATER

Yes Surface water source
No Ground water source
____ Drilling permit required?
____ Copy in the file? Drilling Permit No. ____
____ Amount paid for permit ____ Correct?
____ Well log in the file?

LICENSE EXAMINATION FEE

Yes Required?
\$50 Amount Submitted
Yes Correct?

MEASURING DEVICE

No Required?
No Installed?
____ Waiver requested?

PRIORITY CALCULATION

Date proof received 10/26/00
Date proof due 11/1/00 -
No. of days late _____ =
Priority Date _____ +
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Acknowledge proof.

DATA ENTRY

New Address No Proof Made 10/26/00

I utilize the spring
at the point where it comes
out of the ground. If this
is considered surface water,
I have enclosed my \$50.00 fee.
If it is considered ground water,
I was told my fee would be
refunded.

K Michael Beaman

RECEIVED

OCT 26 2000

Department of Water Resources

MICROFILMED

NOV 21 2000

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resources


Receipt No: 0050925

Date: 10/26/2000
Time: 14:44:20

Received
From: BEAVERS MICHAELORJEANNIE

Type of Payment	Program A cct	Amount
PROOF OF BENEFICIAL USE #63-12406	56104 229 21 1155	50.00
CHECK 3666		
	Total	\$ 50.00

Region: STATE

Signature: 

MICROFILMED

NOV 21 1980

August 31, 2000

K MICHAEL BEAVERS
PO BOX 652
HOMEDALE ID 836280652

PROOF DUE NOTICE

RE: PERMIT NO. 63-12406

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 2000.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

DEBORAH DREW-ELLIS
Administrative Assistant

Enclosures

MICROFILMED
SEP 21 2000





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 17, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

K MICHAEL BEAVERS
PO BOX 652
HOMEDALE ID 83628-0652

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-12406

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

MICROFILMED

DEC 10 1997


SK:klt
Enclosures

CERTIFICATE OF MAILING

I hereby certify that on the 17th day of November, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 63-12406

K MICHAEL BEAVERS
PO BOX 652
HOMEDALE ID 83628-0652


Kari Lynn Townsend
Secretary

14000ALME
DEC 18 1997

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by Cindy Lee

No.: 63-12406 Name: Beavers Date: 11/6/97 Ad OK? ☒ ☒ Gvmt Lts: ☒

AREA OF CONCERN:**PROTESTED:****SYSTEM COMPLETED:**

1 year/no proof
>1 year

- No Yes: ESRP Mor / _____ GWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

- P16
- 26A P17

GROUNDWATER: (✓ FLO-CH)**WMD (✓ MAP)**

>0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

WMD

>0.24 cfs
>5 a.
≤ 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)
- No MD
- 01M (report when notified)
- 01M; 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)
- No MD

DRILLING PERMIT:

Existing well
Included w/permit

No drilling permit?
irr. in WD

- NA (pre 7/1/87; ✓ WDQ3)
- Permit No. _____ - _____ - _____, P99
- 046-46B-P23 (post 7/1/87)
- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):**IN/ABOVE MIN. STR. FLOW (✓ MAP)****WD (✓ MAP & LISTING)**

Pumped >0.20 cfs

WMD (✓ MAP)

> 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

- *WB9 Snake R.
- R04 (WD # 63) - 01J P08 (MD)
- 01H-P01 (LD & MD) or No MD (in-stream stock)

- 067 or No MD (in-stream stock or power)
- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)
- No MD

RIVER BASINS: (*Surface water):

Snake R (01)
(02/03-irr)

Payette R (65)

Salmon R (70's)

- *W22 -P04, NA
- 007-P07 (w/ remark *WB9 if above Weiser), NA
- *W22 (regulated uses), 047-P04 (Payette Lake), NA
- 029 (fish screens), NA

USE:

Domestic surface
>1 in rest. area

Fish Propagation

Heating/Cooling

Irr ≤ 5 acres
> 5 acres

Mining

Muni (in restricted areas)

Power

Stock

Storage (✓ 3 compo.)

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- 071-070-P53
- 029-007-042(reg)-081-R07 (WQ)-P10; 044 (N of 1000 Springs)
- R07 (injection well) CD
- R49/R50/R51/R52 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- R29/R30/R31/R32 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- 054(reg)-081-R07-P10
- 022, 075, 004 (+memo?), NA (not in restricted area)
- 17H/17K(+uses)-08A-025-01N(P19)-028-081-R07(P10); 027 (if no other cons. use);
17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18
- R37 (BLM/USFS); NA
- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

42-248 area

Boise Front LoGeo

In-stream dev.

Irr Dist/Canal Co.

SWAN FALLS FLAG (See Code Chart)

Trust

Non-Trust (1)

- P84 (in 20/30/40/50/60/70/80 (87) basin)
- 058 (<85° GW temp only)
- P52 (stream channel alteration)
- 023 (Twin Falls area)

- 051-052-053-P74 (Consumptive Uses), NA
- 048-049 (Consumptive Uses), NA
- 004 (PD/PU)

OWNERSHIP:**OTHER CONDITIONS:****STANDARD REMARKS:**

- 081
- ① W02/3 + ② W01/1 ③ H4C/1 m.

BENEFICIAL USE DUE:**COMMENTS:**

- 11/1/2000

IDAHO DEPARTMENT OF WATER RESOURCES

Water Permit Report 63-12406

WATER RIGHT NUMBER: 63-12406

Owner Type

Current Owner

Name and Address

K MICHAEL BEAVERS ✓
 PO BOX 652 ✓
 HOMEDALE, ID 836280652 ✓
 (208) 397-4345 ✓

482-4345

Priority Date: 07/14/1997 ✓

Basis:

Status: Active

Source

SPRING ✓

Tributary

SNAKE RIVER ✓

Beneficial Use

STOCKWATER ✓

HEATING ✓

COOLING ✓

~~DOMESTIC~~

From To

1/01 to 12/31 ✓

1/01 to 12/31 ✓

1/01 to 12/31 ✓

~~1/01 to 12/31~~Diversion Rate

0.020 CFS ✓

~~0.030 CFS~~ 0.02~~0.030 CFS~~ 0.02~~0.030 CFS~~Annual Volume

0.1

8.4

6.1

14.6

Total Diversion: ~~0.030 CFS~~ 0.02Location of Point(s) of Diversion

SPRING

CANYON County

NE1/4NW1/4SW1/4 ✓

Sec. 26, ✓ Twp 04N, ✓ Rge 05W, ✓ B.M.

Place of Use

STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	05W	26	✓	✓	✓	✓													
													X	✓					

HEATING same as STOCKWATER

COOLING same as STOCKWATER

DOMESTIC same as STOCKWATER

Conditions of Approval

- 01H Prior to diversion of water under this right, the right holder shall install a lockable device, subject to the approval of the Department, in a manner that will provide the watermaster suitable control of the diversion.
- 081 Use of water under this approval shall comply with applicable water quality standards of the Division of Environmental Quality of the Idaho Department of Health and Welfare.
- 26A Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.

6616 Overland Rd., Boise 83709

Not
 compiled
 with.

IDAHO DEPARTMENT OF WATER RESOURCES

Water Permit Report 63-12406

4. ~~R04~~ ^{R05} Use of water under this water right will be regulated by the watermaster of State Water District No. & DISTRICT.

Remarks:

1. General ~~Stockwater use is for up to 3 horses.~~
Heating, cooling, and domestic uses are for 1 home.

Comments:

1. LGRAVES 8/11/1997 DIVERSION DESCRIPTION

Comment: Spring currently flows into a drain ditch and will continue to do so after beneficially used. The home is proposed at 1800 Sq ft and will be maintained at ~65 to 70 degrees. After heating/ cooling the home, the spring water will be discharge into a drain ditch, which is where it currently flows now. The drain is part of Wilder Irrigation District sytem which is tributary to the Snake River. "This is a small spring that flows at about 5 gals a min. I would like to use it to water my horses and domestic use. I also want to use it to heat and cool my house with a water to air heat pump. The spring is located at the far NE corner of my 7.9 acres. I will pipe the water 100 ft to my house." (Item 12)

2. VAULT 11/1/2000 Proof of Beneficial Use Rcvd

Comment: Proof of Beneficial Use Rcvd

Dates and Other Information:

Permit Proof Due Date: 11/1/2000 ✓
 Permit Proof Made Date: 10/26/2000 ✓
 Permit Approved Date: 11/17/1997 ✓
 Permit Moratorium Expiration Date:
 Enlargement Use Priority Date:
 Enlargement Statute Priority Date:
 Field Exam Date: 1/12/2002 ✓
 Date Sent to State Office: 2/20/2002 ✓
 Date Received at State Office: 2/19/2002 ✓
 State or Federal:
 Owner Name Connector: ~~0~~
 Water District Number: 63
 Generic Max Rate Per Acre:
 Generic Max Volume Per Acre:
 Swan Falls Trust or Nontrust: False
 Swan Falls Dismissed:
 DLE Act Number:
 Carey Act Number:
 Mitigation Plan:

app rec'd
1/14/97

send comment letter
to Wilder I RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

OCT 31 1997

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: lg DATE: 8/11/97 APPLICATION: 63-12406

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Fee:
- ☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
☒ P/D
☒ P/U

ADDITIONAL INFORMATION

☐ ADVERTISE REMARK(S)
(Reviewer identify which remarks)

☐ T FLAG CHANGED TO P FLAG

YES NO

- ☒ NA Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ Overlapping point of diversion.
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ 1992 moratorium: exempt
- ☒ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ Copy to Dam Safety staff: (for any storage)
- ☒ Mitigation plan: where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge
- ☒ Send power requirement letter:
- ☒ Send fish farm requirement letter:
- ☒ Power residency affidavit:
- ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT
OK from Wilder Irrig Dist via applicant
- DATE REQUESTED 8/11/97
- ☒ ADDITIONAL INFORMATION ON REVERSE SIDE:

applicant called 8/14/97 - stated that
watermaster, Bob Watkins, did not see
diversion as a problem.

PROCESSING

APP. NO.

63-12406

YES NO

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO:

YES NO

I.D. Health & Welfare

I.D. District Health

I.D. Fish & Game

I.D. Lands

Adjudication Bureau

YES NO

U.S. BLM

U.S. Forest Service

Water Dist. #

Other Wildes Ferry Dist

FINAL REGIONAL PROCESSING REVIEW:

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest 9-22-97

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter: Irrigation limited to 1/2 acre.Total diversion not to exceed 13,000 gal/day.

See below for additional information

Recommended Date or Priority

Recommended by: Gay 7/14/97Date: 10/30/97

STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION:

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-12406 ✓

BEAVERS, K MICHAEL
PO BOX 652
HOMEDALE, ID 83628

Source: SPRING

Tributary: SNAKE RIVER

Diversion Pt: NENWSW Sec 26 T 04N R 05W in CANYON County.

Use:	STOCKWATER	(0.020 CFS)
	HEATING	(0.030 CFS)
	COOLING	(0.030 CFS)
	DOMESTIC	(0.030 CFS)
	Total Diversion:	(0.030 CFS)

Date Filed: 7/14/1997

In: CANYON County
T04N R05W S26 NWSW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before SEPTEMBER 22, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

September 4, 11, 1997

5847

63-12406

SEP 11 1997

MICROFILMED

DEC 1 8 1997

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)

Carolyn Spath

of Nampa, Canyon County, Idaho, being first duly sworn, deposes and says:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.

2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa and Caldwell, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of the notice, a copy of which is hereto attached.

3. That the notice, of which the annexed is a printed copy, was published in said newspaper

Twice

— in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.

4. That said notice was published the following dates:
September 4, 11, 1997

Carolyn Spath

STATE OF IDAHO)
)
COUNTY OF CANYON)

On this 11th day of September
in the year of 1997, before me, a Notary
Public, personally appeared Carolyn Spath,
known or identified to me to be the person whose
name subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he/she
executed the same.

RECEIVED

SEP 12 1997

WATER RESOURCES
WESTERN REGION

MICROFILM

DEC 10 1997

Jane Lee
Notary Public for Idaho
Residing at Nampa

MY COMMISSION EXPIRES
JUNE 21ST, 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 27, 1997

WILDER IRRIGATION DIST
PO BOX 416
CALDWELL ID 83606

Re: Application for Permit No. 63-12406 in the Name of K. Michael Beavers

Dear Sir:

Enclosed is a copy of the above-referenced application for permit which may be of interest to you. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter. However, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by September 22, 1997, with the required \$25 protest fee per application being protested.

If you have any questions regarding the applications, please contact this office.

Sincerely,

Gary Spackman

GS/st

Enclosure(s):

RECEIVED

SEP 1 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

AUGUST 27, 1997

Legal Notices Department
Press-Tribune
P.O. Box 9399
Nampa, ID 83652

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 22, 1997.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

100-1111-111
100-1111-111

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

RECEIVED
DEC 10 1907

63-12406

BEAVERS, K MICHAEL
PO BOX 652
HOMEDALE, ID 83628

Source: SPRING

Tributary: SNAKE RIVER

Diversion Pt: NENWSW Sec 26 T 04N R 05W in CANYON County.

Use: STOCKWATER	(	0.020 CFS)
HEATING	(	0.030 CFS)
COOLING	(	0.030 CFS)
DOMESTIC	(	0.030 CFS)
Total Diversion:	(	0.030 CFS)

Date Filed: 7/14/1997

In: CANYON County
T04N R05W S26 NWSW

RECEIVED
DEC 10 1997

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before SEPTEMBER 22, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 9/ 4/1997 & 9/11/1997

RECEIVED
DEC 10 1997