

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 25-14189

Priority: October 26, 2006

Maximum Diversion Rate: 0.50 CFS

This is to certify, that MERRILL BLAKE
1149 E 1250 N
P O BOX 500
SHELLEY ID 83274

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.50 CFS

LOCATION OF POINT OF DIVERSION:

GROUND WATER NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 17, Twp 01N, Rge 38E, B.M. BONNEVILLE County


PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
01N 38E 17			X	X					X			X		X	X		

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **April 01, 2008**.
2. Subject to all prior water rights.
3. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
4. Domestic use is for 29 homes and does not include lawn, garden, landscape, or other types of irrigation.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 13th day of April, 2007.


for DAVID R. TUPHILL, JR., Interim Director