





10'



T 21 N
R22E

MICROFILMED

SEP 21 1990



T21N, R22E



POD + POU →

74-07299

MICROFILMED
JAN 09 1997

SALMON
AIRPORT

COUNTY FAIRGROUNDS
BM 3952

CEMETERY

LEMHI

14

DITCH

BM 4000

BM 4018

BM 4043

93

4278

28

3

2

10

11

17

16

15

16

21

22

21

22

23

20

4

5

33

34

35

4000

4200

4000

4200

4600

4200

4400

WYNN STOKES
DOMESTIC USE

15/1



VIEW OF
WELL HOUSE



VIEW INSIDE
OF WELL
HOUSE

MICROFILMED
JAN 09 1997

74-07299

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07299

Priority: May 1, 1990

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

4.2 AF

This is to certify, that WYNN STOKES
PATSY STOKES

322 N ST CHARLES

SALMON ID 83467

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 1, 1990; and has submitted Proof of Beneficial Use on August 8, 1991. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.05 CFS	4.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 15, Township 21N, Range 22E
LEMHI County

PLACE OF USE: DOMESTIC

TWN RGE SEC


21N 22E 15


NWNW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 7 homes.
6. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23RD day of OCTOBER, 1996.


KARL J. DREHER, Director



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

For Office Use Only
Amt. of Fee \$ N/A
Date _____
Receipt No. _____
Received _____

NOV 14 1991

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 74-07299 Telephone No 208-756-2666

2. Name(s) of Permit Holder(s): WYNN Stokes - Patsy Stokes

3. Post Office Address: 322 N ST Charles Salmon, Id. 83467

4. Source of Water: Well

a. If ground water, well driller's name: Dick Campbell Date drilled: 1969

b. Pump horsepower: 1/2 Pressure (psi): 50 LBS. Dynamic pumping level (ft.): 60'

5. Extent of Use:

Domestic 7 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted .025 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

WYNN Stokes 208-756-2666
Name Telephone No.

322
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

11 Nov 1991
Date

Patsy Stokes
Signature (and title if on behalf of a company or organization)

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 74-07299)
IN THE NAME OF WYNN AND PATSY STOKES)
_____)

ORDER OF
REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before September 1, 1991; and

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, the Department received an incomplete proof of beneficial use on August 09, 1991; and,


WHEREAS, the Department did not take action on the proof of beneficial use until November 6, 1991, more than two months after it was received; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on November 14, 1991;

IT IS, THEREFORE, HEREBY ORDERED that permit No. 74-7299 be REINSTATED with no advance in priority.

Dated this 21st day of November, 1991.


L. GLEN SAXTON
Chief, Water Allocation Bureau

DEC 9 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 74-07299

Proposed Priority: May 1, 1990

Maximum Diversion Rate:

0.15 CFS

This is to certify, that **WYNN STOKES**
PATSY STOKES
322 N. ST. CHARLES
SALMON, ID 83467

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.15 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNWNW

Sec. 15, Township 21N, Range 22E
LEMHI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

21N 22E 15

NWNW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for 10 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23

day of

August

, 19 90.


R. Keith Higginson

R. Keith Higginson, Director

for

RECORDED

SEP 21 1990



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho
Department of Water Resources

- Name of applicant WYNON OR PATSY STOKES Phone 756-2666
Post office address 322 N. ST. CHARLES, SALMON, ID. 83467
- Source of water supply GROUNDWATER which is a tributary of _____
- Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 15 Township 21N Range 22E B.M. LEWHI County; additional
points of diversion if any: _____
- Water will be used for the following purposes:
Amount 0.15 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Total quantity to be appropriated is (a) 0.15 cubic feet per second and/or (b) _____ acre feet per annum
- Proposed diverting works:
 - Description of ditches, flumes, pumps, headgates, etc. 60' X 6" WELL. B 3/4 HP
SUBMERSIBLE PUMP. PIPED TO 10 TRAILERS IN
MOBILE HOME PARK.
 - Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - Proposed well diameter is 6" inches; EXIST proposed depth of well is 60' feet.
 - Is ground water with a temperature of greater than 90°F being sought? No
- Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year)

SEP 21 1990

a. Hydropower; show total feet of head and proposed capacity in KW.

b. Stockwatering; list number and kind of livestock.

c. Municipal; show name of municipality.

d. Domestic; show number of households.

e. Other; describe fully.

10 - per item (a-fu)

8/22/90

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated.

Describe any other water rights used for the same purposes as described above.

Apple 1788

קולות צהר

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

has been in operation ~~by~~ since 1972



15


Flume

11

23

FACE OF ROCK

10'



T 21 N R 22 E

REPRODUCED FROM FILMED

SEP 21 1990

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. J. M. M. M.
(Applicant)

RECORDED
SEP 21 1990

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

_____, 19____.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	<i>CB</i>	Date	5-1-90	Preliminary check by		Time	1200
Fee \$	30.00	Received by	<i>CB</i>	#	M006827	Date	5-1-90
Publication prepared by	<i>RB</i>	Date	7-5-90	Published in	<i>Boise Herald</i>		
Publication approved	<i>RB</i>	Date	7-23-90				

1.9 ACRES TOTAL
74-07297
BOLTON RANCH INC.
RT. 1 Box 14
SALMON, ID 83467
Source: GROUNDWATER
Diversion Pt: SWNE Sec 9 T 21N
R 23E
Use: DOMESTIC (.060 CFS)
IRRIGATION (.060 CFS)
STOCKWATER (.090 CFS)
Total Diversion: (.200 CFS)
Date Filed: 5/8/1990
In: T21N R23E S09 SWNE
2.0 ACRES TOTAL
74-07298
SPENCER, WARNER
510 16TH ST.
SALMON, ID 83467
Source: SPRINGS
Tributary: SINKS
Diversion Pt: SWSWSE Sec 29 T
18N R 24E
Use: IRRIGATION (.080 CFS)
Total Diversion: (.080 CFS)
Date Filed: 5/14/1990
In: T18N R24E S29 SWSE
4.0 ACRES TOTAL
74-07299
STOKES, WYNN
STOKES, PATSY
322 N. ST. CHARLES
SALMON, ID 83467
Source: GROUNDWATER
Diversion Pt: NWNWNW Sec 15
T 21N R 22E
Use: DOMESTIC (.150 CFS)
Total Diversion: (.150 CFS)
Date Filed: 5/11/1990
In: T21N R22E S15 NWNW
75-07506
6T LIVING TRUST
C/O BILL TOWERY, TRUSTEE
1315 S.W. DOVER
MADRAS, OR 97741
Source: GROUNDWATER
Diversion Pt: LOT 3 (SWNE) Sec
33 T 18N R 21E
LOT 3 (SENE) Sec 33 T 18N R
21E
Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 5/9/1990
In: T18N R21E S33 Lot 3 (SWNE)
Lot 3 (SENE)
3.0 ACRES TOTAL
75-07511

RECORDED

SEP 21 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 23, 1996

WYNN STOKES
PATSY STOKES
322 N ST CHARLES
SALMON ID 83467

RE: WATER RIGHT NO. 74-07299

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MEMORANDUM

TO: File 74-07299

FROM: Sharla

DATE: October 21, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 74-07299 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Domestic	1/1 - 12/31	0.05 cfs	4.2 afa
----------	-------------	----------	---------

Two requests for information have been sent with no response. A license will be issued for the "capacity" estimated by the examiner and the number of homes shown as developed on the proof of beneficial use form. The volume has been adjusted accordingly.

Examiner: Don Simpkins
Exam date: March 1, 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 74-07299

DATE 7/9/96

REVIEWER: S H A R L A

NAME	Change	OK	Address Change
SOURCE	—	✓	Is change clarification of originally intended source? — If not, prepare Notice of Intent to Void —
POINT OF DIV	—	✓	Amendment required <u>No</u>
PLACE OF USE	—	✓	Amendment required <u>No</u>

Does map agree with written description? ☒ yes ☐ no

OVERLAPS ☐ P/D ☐ P/U

RATE OF DIV

Permitted Rate	<u>0.15</u> cfs	<u>NO FEE PD. - listed .03 cfs</u> <u>NO MEAS.</u> $6 = .05$ $10 = .04$ $1 \times 8.8 \times .7 / 50 + (2.31 \times 55) = .03$ <u>Recommended Total Div Rate</u> <u>.04</u> cfs
Fee limit	<u>.04</u> cfs	
Measured	— cfs	
Theoretical	<u>.05</u> cfs	

b/u 50 psi
60' + dh = .04

ANNUAL VOLUME/ NATURE OF USES

☒	Use <u>Domestic</u>	Volume Calculation
—	—	<u>7 x .6 = 4.2</u> af
—	—	— af
—	—	— af
—	—	— af
SUBTOTAL		<u>4.2</u> af

Flow rate .04 cfs X 365 days X 1.983 = 24.6 af

Total volume recommended 4.2 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1/7 homes - irrig not incl.

CONDITIONS

☐ Watermaster Control WD# _____

☐ GW Measurement/Measuring Device _____

☐ Overlap _____

☐ Use-specific conditions _____

Advancement of Priority Date Required ☐ yes ☒ no

SRBA Claim Filed N/A

Adjustment Memo _____

1st Amend Letter N/A

2nd Amend Letter _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 15, 1996

Rusty Hamilton
Salmon, ID 83467

RE: Permit No. 74-07299

Dear Mr. Hamilton:

We are trying to finish the licensing process for the above referenced permit currently in the name of Wynn and Patsy Stokes. Earlier this week I spoke to Mr. Stokes and he informed me that you recently purchased the mobile home park covered by this right. The application when it was filed indicated that 10 homes would be supplied water under this right. Mr. Stokes indicated that there are now only 3 homes in the park.

I am enclosing an assignment of permit form which can be used to change the ownership of the right to you as the new owner. The license can then be issued in your name.

When returning the assignment, please verify how many homes are in the park and whether this is a permanent arrangement or simply a fluctuation in the number of current residents.

One final piece of information that I need verified is the horsepower of the submersible pump used in this water delivery system.

As soon as we receive the information requested, our review can be finalized so that a license can be issued. If you have any questions, please give me a call at (208)327-5452.

Sincerely,

A handwritten signature in cursive script that reads 'Sharla Curtis'.

SHARLA CURTIS
Water Resource Agent

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 30 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 74-07299

Owner: WYNNE STOKES
PATSY STOKES

Phone No. (208) 756-2666

Current Address: 322 N. ST. CHARLES, SALMON, IDAHO 83467

Accompanied by: N/A

EXAM DATE: 3/1/95

Address: N/A

Phone No. N/A

Relationship to Permit Holder: N/A

3. Source: GROUND WATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: (DOMESTIC NONE) IRR. PORTION 74-00321B

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		DN	NW	NW	15 ST	21N	22E	LEMHI	H.S.G.S. TOPO MAP

2. Place(s) of Use:


Indicate Method of Determination ON SITE 105P

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N	22E	15					D												

MICROFILMED

MAR 30 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. SEE PHOTO



Scale: 1" =

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
DOMESTIC	JACUZZI	1	2801084915	FLADKLIN	1 1/2" A.I.D.E

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAGE		US6	C-100			

2. Measurements: PUMP 00 55 PSI / PUMP OFF 70 PSI

MEASUREMENTS

JAN 03 1993

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

$$Q = 0.0464 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$V_{TRAILERS} = .6 \times 10 = 6 \text{ AF}$$

$$V_{ELL} = \frac{3}{4} \text{ ACRE} \times 3.5 = 2.6 \text{ AF}$$

$$\underline{\hspace{1cm}} 8.6 \text{ AFA}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>1/1</u>	<u>12/31</u>	<u>0.046 0.05</u>	<u>8.6 6</u>
Totals:			<u>0.046 0.05 CFS</u>	<u>8.6 AFA 6 af</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name SIMPKINS Date 1/4/96

Reviewer D. C. Jones Date 3-1-96

SEAL

MAJOR TALL

146 5 2 817

E. NARRATIVE/REMARKS/COMMENTS

ON 3/1/95 A BEDFORD USE FIELD EXAM WAS
CONDUCTED FOR WYND STOKES ON PERMIT # 74-07299.

WATER TO BE APPROPRIATED IN THIS PERMIT IS FOR
10 DOMESTIC HOMES (TANKS) OFF ONE 6" WELL.


WELL: 6" DEPTH: 50'

STATIC WATER: VARIES 3' TO 5'

PERM: 1 HP SUBMERSIBLE

Have conditions of permit approval been met? ☒ yes ☐ no


UNRECORDED
100-4-100



T21N, R22E



POD + POU ->



74-07299

SALMON

County Fairgrounds
BM 3952

8 Cemetery

BM 3970

BM 4043

93

BM 4000

BM 4018

SALMON AIRPORT

BM

LEMHI

DITCH

4278

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp) (8.814) (Eff)] \div [Lift + (psi \times 2.308)]$$

$$Hp = \text{Horsepower} = \underline{\quad / \quad}$$

$$Eff = \text{Efficiency} = \underline{.70} \quad (\text{Usually } 70\%)$$

Lift: (Static Level + Assumed Drawdown)

$$\text{Static Water Level} = \underline{5} \text{ ft.}$$

$$\text{Assumed Drawdown} = + \underline{1} \text{ ft.}$$

$$\text{Lift} = \underline{6}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{55} \text{ psi}$$

$$Q_{cfs} = \left[\frac{1}{Hp} \times 8.814 \times \frac{.70}{Eff} \right] \div \left[\frac{6}{Lift} + \left(\frac{55}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{6.1698} \right] \div \left[\underline{132.94} \right]$$

$$Q_{cfs} = \underline{0.0464} \text{ cfs}$$

074-07299

1949 9 8 8857


WYNN STOKES
DOMESTIC USE

15/1

VIEW OF
WELL HOUSE



VIEW INSIDE
OF WELL
HOUSE



74-07299

November 22, 1991

WYNN STOKES
PATSY STOKES
322 N. ST. CHARLES
SALMON ID 83467

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 74-07299

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

DEC 30 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 74-7299

Date 11-5-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
1969 ☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
☐ Amount submitted?
☐ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

*needs signature - done
proof acceptable - received 8/9 - no response
from us until 11/6 - reinstate with
no advance in priority*

PRIORITY CALCULATION

Date proof received	<u>NA</u>	_____
Date proof due	<u>/</u>	- _____
No. of days late	<u>/</u>	= _____
Priority date	<u>/</u>	+ _____
NEW PRIORITY DATE	<u>/</u>	= _____

*11/22/91
K2g*



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 6, 1991

Wynn and Patsy Stokes
322 North St. Charles
Salmon, ID 83467

Re: Permit No. 74-7299

Dear Permit Holder:

Returned is your Proof of Beneficial Use submitted to this office
on August 9, 1991.

Please note that it is necessary for you to sign the permit.
Please do so within 15 days of the date of this mailing and return
to this office.

As soon as I receive the signed Proof of Beneficial Use, I can
complete my examination and begin the process to issue you a
license for this permit.

If you have any questions or if I can be of any further
assistance, please feel free to contact me.

Sincerely,

Karen Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECEIVED

DEC 30 1991

138850
June 30, 1991

WYNN STOKES
PATSY STOKES
322 N. ST. CHARLES
SALMON, ID 83467

PROOF DUE NOTICE

RE: PERMIT NO. 74-07299

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

DEC 30 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 23, 1990

WYNN STOKES
PATSY STOKES
322 N. ST. CHARLES
SALMON, ID 83467

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 74-07299

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

MICROFILMED

SEP 21 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 21 1990

15-8-90

Submitted for advertising 524-90Ord No. 202a
37STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DM DATE 5-11-90 APPLICATION NUMBER 74-7299 ^{PM}Wynn or Patsy Stokes
REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

-REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

Date Requested _____

RECEIVED
JUL 31 1990

Department of Water Resources

DO overlap: 74-00321B (SEE ADJ CLAIM A74-00321Q)

21-Jun-1990

WYNN OR PATSY STOKES
322 N. ST. CHARLES
SALMON, ID 83467

RE: Application for Permit No. 74-07299

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Recorder-Herald on JULY 5 & 12, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

MICROFILMED

HAROLD W. JONES
Water Rights Supervisor

SEP 21 1990

HWJ/rb

74-07299

STOKES, WYNN
STOKES, PATSY
322 N. ST. CHARLES
SALMON, ID 83467

Source: GROUNDWATER

Diversion Pt: NWNWNW Sec 15 T 21N R 22E

Use: DOMESTIC (.150 CFS)
Total Diversion: (.150 CFS)

Date Filed: 5/ 1/ 1990

In: T21N R22E S15 NWNW

RECEIVED
FBI - IDAHO

SEP 21 1990