


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Warner Spencer
(Applicant)

7.5 MINUTE SERIES (TOPOGRAPHIC)



0
9

20 21
29 28

T18N, R24E



POINT OF DIVERSION
PLACE OF USE

74-07298
MICROFILMED
JUN 19 1998

29 28

74-07298

TED ADAMS

IRRIGATION

143



POINT WHERE
SPRING WATER
ENTERS
PROPERTY

3-14-96



VIEW OF
NORTH
PORTION OF
PLACE OF
USE.

3-14-96

PERMIT
NUMBER
JUN 09 1998

74-07298

TED ADAMS

IRRIGATION

213



CENTER
PORTION
PLACE OF
USE.



CENTER + SOUTH
PORTION OF
PLACE OF USE.

PERMIT
NUMBER

74-07298

MICROFILMED
JUN 09 1998

TED ADAMS


IRRIGATION

313

PLACE OF
USE



POINT OF
DIVERGENCE
DISTRIBUTION
SYSTEM



MICROFILMED
JUN 09 1998

PERMIT
NUMBER

74-07298

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07298

Priority: May 14, 1990

Maximum Diversion Rate: 0.08 CFS
Maximum Diversion Volume: 14.0 AF

This is to certify, that TEDDY K ADAMS
PO BOX 65

LEADORE ID 83464-0065 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 14, 1990; and
has submitted Proof of Beneficial Use on July 1, 1991. An examination indicates
that the works have a diversion capacity of 0.100 cfs of water from:

UNNAMED STREAM tributary to LEMHI RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.08 CFS	14.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 29, Township 18N, Range 24E
LEMHI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
18N	24E	29	SWSE	4		4

Total number of acres irrigated: 4

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 74.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for irrigation of the lands above.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 74-07298

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 31ST
day of DECEMBER, 1997.


Acting for KARL J. DREHER, Director

RECEIVED
JUL 01 1991

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 74-07298 Telephone No. 256 3683 756 2861 WORK

Name(s) of Permit Holder(s): WARNER SPENCER

Post Office Address: 570 16th ST. SALMON ID 83467

Source of Water: SPRING

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation 4 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.08 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 5/1/75

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

WARNER SPENCER 756 3683
Name Telephone No. 756 2861 WORK

570 16th ST. SALMON ID 83467
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 8 1991

6/28/91 Warner Spencer
Date Signature (and title if on behalf of a company or organization)

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	74-07298	Warner Spencer	0.08
Full Assignment	74-07298	Teddy K Adams	0.08

WATER RIGHTS SECTION
DIVISION OF WATER RESOURCES
STATE OF ARIZONA

11-15-1983

RECEIVED

RECEIVED JUL 21 1993

State of Idaho

RECEIVED

JUL 20 1993 Department of Water Resources

JUL 21 1993

Department of Water Resources

ASSIGNMENT OF PERMIT

Department of Water Resources
Eastern District Office

I, Warren Spencer, hereby assign to Timothy R. Adams
of Box 65 Leadore, ID 83464
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 74-07278
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 9th day of July, 19 93.

Warren Spencer
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of LEA) ss.

On this 9th day of July, 1993, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Tim Allen
Notary Public residing at
SALMON ID

My commission expires:
2-19-97

RECEIVED

AUG 31 1993

RECEIVED
JUL 26 1993

Department of Water Resources

database updated 8/10/93 cz.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

74-7298
Ident. No. _____

To appropriate the public waters of the State of Idaho

1. Name of applicant Warner Spencer Phone 756-3683
Post office address 510 16th Street Salmon ID 83467
2. Source of water supply Springs which is a tributary of Sinks
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 29 Township 18N Range 24E B.M. Lemhi County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.08 for 12 IRRIGATION purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.08 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. DITCHES ; FLOOD IRRIGATION


b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the work and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

SEP 21 1990

0347-14000000

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



1127L

184

24E

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Walter J. Brown

Received by AW Date 5-14-1990 Time 11:55 Preliminary check by EDN
Fee \$ 30.00 Receipted by Jmb # E014513 Date 17 May 1990
Publication prepared by RB Date 7-5-90 Published in Recorder-Herald
Publication approved RB Date 7-23-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
MAY 17 1990
DEPARTMENT OF WATER RESOURCES

MAY 17 1990

1.9 ACRES TOTAL
74-07297
BOLTON RANCH INC.
RT. 1 Box 14
SALMON, ID 83467
Source: GROUNDWATER
Diversion Pt: SWNE Sec 9 T 21N
R 23E
Use: DOMESTIC (.060 CFS)
IRRIGATION (.060 CFS)
STOCKWATER (.090 CFS)
Total Diversion: (.200 CFS)
Date Filed: 5/8/1990
In: T21N R23E S09 SWNE
2.0 ACRES TOTAL
74-07298
SPENCER, WARNER
510 16TH ST.
SALMON, ID 83467
Source: SPRINGS
Tributary: SINKS
Diversion Pt: SWSWSE Sec 29 T
18N R 24E
Use: IRRIGATION (.080 CFS)
Total Diversion: (.080 CFS)
Date Filed: 5/14/1990
In: T18N R24E S29 SWSE
4.0 ACRES TOTAL
74-07299
STOKES, WYNN
STOKES, PATSY
322 N. ST. CHARLES
SALMON, ID 83467
Source: GROUNDWATER
Diversion Pt: NWNWNW Sec 15
T 21N R 22E
Use: DOMESTIC (.150 CFS)
Total Diversion: (.150 CFS)
Date Filed: 5/1/1990
In: T21N R22E S15 NWNW
75-07506
6T LIVING TRUST
C/O BILL TOWERY, TRUSTEE
1315 S.W. DOVER
MADRAS, OR 97741
Source: GROUNDWATER
Diversion Pt: LOT 3 (SWNE) Sec
33 T 18N R 21E
LOT 3 (SENE) Sec 33 T 18N R
21E
Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 5/9/1990
In: T18N R21E S33 Lot 3 (SWNE)
Lot 3 (SENE)
3.0 ACRES TOTAL



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 2, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

TEDDY K ADAMS
PO BOX 65
LEADORE ID 83464-0065

RE: WATER RIGHT NO. 74-07298

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

6-01-98/30

FOR FILE 1008

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the **2nd** day of **January, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 74-07298

TEDDY K ADAMS
PO BOX 65
LEADORE ID 83464-0065


Kari Lynn Townsend
Secretary

MEMORANDUM

TO: ~~Sharla Curtis~~ Files
FROM: Cindy Bird CB
DATE: December 23, 1997
SUBJECT: 74-07298 & 74-07228

This morning I contacted Rick Sager the watermaster for Lemhi River in reference to the above water rights to follow-up on your letter to determine if a measure device is needed. Per Rick these rights do not need a measuring device.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 22, 1997

Rick Sager
201 Broadway
Salmon, ID 83467

RE: Permit Nos. 74-07228 and 74-07298

Dear Mr. Sager:

In July I sent a letter to you asking for your comments on whether or not measuring devices are required for regulation of the above referenced rights. As of this date, I have not heard from you about this matter. I'm enclosing profile reports of the rights again for your review.

Are measuring devices necessary for regulation of these rights by the watermaster? If they are, we will withhold licensing until the conditions are met. If you respond and tell us that measuring devices are not necessary, we will take action to remove the condition as a requirement of the permits.

I look forward to hearing from you on this matter.

Sincerely,

A handwritten signature in cursive script that reads 'Sharla Curtis'.

SHARLA CURTIS
Water Resource Agent

Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 3, 1997

Rick Sager
201 Broadway
Salmon, ID 83467

RE: Permit Nos. 74-07228 and 74-07298

Dear Mr. Sager:

Enclosed are profile reports of two permits we are trying to get licensed. Based upon the findings of our field examiner, it was determined that in both cases, water is diverted from a surface water source which is tributary to the Lemhi River. For this reason, a condition is being added placing the rights under the regulation of the watermaster. Further, because these rights reflect "pumping" from the source and are each less than 0.20 cfs, we would normally place measuring device conditions on the rights. You will notice on the profile reports, the appropriate measuring device conditions have been listed.

If you do not feel that a means of measuring and regulating these rights is required, please let me know so that the licenses can be adjusted accordingly. If you do agree that measuring devices are required, please inform me of that decision as well so that correspondence can be sent to the right holder advising them that compliance with these conditions is required before licenses can be issued.

If you have any questions, feel free to give me a call.

Sincerely,

A handwritten signature in cursive script that reads "Sharla Curtis".

SHARLA CURTIS
Water Resource Agent

Enclosures

MEMORANDUM

TO: File 74-07298

FROM: Sharla Curtis

DATE: June 30, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 74-07298 are based on the following:

A. GENERAL INFORMATION

3. Source: unnamed stream tributary to Lemhi River

The examiner's narrative and photos support showing the source as an unnamed stream flowing from a spring; there is no diversion located at the point the springs rise at the surface.

The source is tributary to the Lemhi River as noted by the examiner; a condition placing the right under watermaster control has been added.

Examiner: Don Simpkins
Exam Date: March 14, 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 74-07298

DATE 6/30/97

REVIEWER: SHARLA

NAME Change OK

Address Change assigned to: Jeddif Adams

SOURCE ✓ unn. stream

Is change clarification of originally intended source? yes - no amendment
If not, prepare Notice of Intent to Void reg'd
Amendment required NO

POINT OF DIV ✓

PLACE OF USE ✓

Amendment required NO

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .08 cfs

Fee limit .20 cfs \$50⁰⁰

Measured .10 cfs

Theoretical .13 cfs

Recommended Total Div Rate .08 cfs

ANNUAL VOLUME/
NATURE OF USES ✓

Use Use

Volume Calculation

4 x 3.5 = af

af

af

af

SUBTOTAL 14.0 af

Flow rate .08 cfs X 188 days X 1.98 = 29.0 af

Total volume recommended 14.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS RA Watermaster Control WD# _____

RA GW Measurement/Measuring Device

RA Overlap

Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A

1st Amend Letter N/A

Adjustment Memo Source

2nd Amend Letter N/A

Watermaster cond.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 23 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 74-07298

1. Owner: TEDDY K. OR NICHOLE ADAMS Phone No. (208) 756-3835

Current Address: P.O. BOX 65, LEADORE, IDAHO 83464

2. Accompanied by: NICHOLE ADAMS EXAM DATE: 3/14/96

Address: SAME AS ABOVE Phone No. N/A

Relationship to Permit Holder: WIFE / OWNER

3. Source: UNNAMED SPRING tributary to STARS LEMHI RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW	SE	29	18N	24E	LEMHI	U.S.G.S. TOPO MAP / NAAPP PHOTO


2. Place(s) of Use:

Indicate Method of Determination ON SITE INSPECTION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
18N	24E	29														4		4	
																		4	

TOTAL

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable. SEE PHOTOS / ATTACHEE.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P0D	HA6DETC	2		BEKLEY	2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAGE		U.S.G.			0-100	40 PSI

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS

WATER IS PUMPED FROM A STREAM TO THE PLACE OF USE BY A 2HP PORTABLE ELECTRIC PUMP. LIFT IS APPROXIMATELY 2', WITH A SYSTEM PRESSURE OF 40 PSI. WATER IS DISTRIBUTED TO POU BY SPRINKLER PIPE AND SMALL HAND NOSES.

SYSTEM RUNS 1 LINE WITH 10 TO 12 BIRDS USING 9/64 ORIFICES.
(9/64 ORIFICE AT 40 PSI = $3.74674 \times 12 = 44.88648 / 448.8 = 0.10$ CFS.)

TOTAL ACREAGE - 5.43 ACRES - 4 OF WHICH ARE IRRIGATED.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$Q = \text{THEORETICAL} = 0.1308 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 \text{ AC} \times 3.5 = 14 \text{ AFA.}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.08 \text{ CFS} \times 183 \times 1.9835 = 29.0 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 14 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS PERMIT LIMITS TO 0.08 CFS

1. Recommended Amounts

Beneficial Use

IRIGATION

From

To

4/15

10/15

Period of Use

Rate of Diversion

Q (cfs)

0.08

Annual Volume

V (afa)

14 AFA

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name SIMPkins Date 11/17/97

Reviewer _____ Date _____

SEAL

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$Hp = \text{Horsepower} = \underline{2}$$

$$Eff = \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%)$$

$$\text{Lift: (Static Level + Assumed Draw down)}$$

$$\text{Static Water Level} = \underline{2'} \text{ ft.}$$

$$\text{Assumed Draw down} = + \underline{0} \text{ ft. } \text{STREAM}$$

$$\text{Lift} = \underline{2'}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{40} \text{ psi}$$

$$Q_{cfs} = \left[\frac{2}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{2}{Lift} + \left(\frac{40}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{12.3396} \right] \div \left[\underline{94.32} \right]$$

$$Q_{cfs} = \underline{0.1308} \text{ cfs}$$

PERMIT NO. 74-07298

Topographic map showing the area T18N, R24E. The map includes contour lines, a grid, and labels for 'POINT OF DIVERSION' and 'PLACE OF USE'. A scale bar indicates 1160 000 FEET. The map also shows the 'Sawmill Creek' and 'Hollow Creek'.

74-07298

0
3

20 21
29 28

T18N, R24E



POINT OF DIVERSION
PLACE OF USE

29 28

74-07298

TED ADAMS

IRRIGATION

143



POINT WHERE
SPRING WATER
ENTERS
PROPERTY



VIEW OF
NORTH
PORTION OF
PLACE OF
USE.

PERMIT
NUMBER

74-07298

TED ADAMS

IRRIGATION

213

CENTER
PORTION
PLACE OF
USE.



CENTER + SOUTH
PORTION OF
PLACE OF USE.



PERMIT
NUMBER

74-07298

TED ADAMS

IRRIGATION

313

PLACE OF
USE



POINT OF
DIVERSION
DISTRIBUTION
SYSTEM



PERMIT
NUMBER

74-07298



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 12, 1993

TEDDY K ADAMS
PO BOX 65
LEADORE ID 83464

Re: Permit No. 74-07298

Dear Mr. Adams:

We acknowledge receipt of the correspondence assigning the ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

SEP 1 1993

WR0749NP
No. 74-07298

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/10/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	TEDDY K ADAMS PO BOX 65 LEADORE ID 834640065	05/14/1990	IRRIGATION	04-01	11-01	0.08 CFS	
TOTAL DIVERSION:						0.08 CFS	

Water Source: SPRING

Tributary to: SINKS

Stage: PERMIT

Point(s) of Diversion: T18N R24E S29 SW SW SE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				SUM
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	
18N	24E	29	:				:				:					4.0
TOTAL ACRES																4.0

Pou County: LEMHI

Other Water Rights Listing Overlapping Place(s) of use:
74-00999

Dates: App. Received: 05/14/1990 Priority Date: 05/14/1990
Proof Due Date: 09/01/1991 Proof Made Date: 07/01/1991
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 11/29/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 08/10/93 ZIMMERMA

July 12, 1991

WARNER SPENCER
510 16TH ST.
SALMON, ID 83467

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 74-07298

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 30 1991

DEC 30 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 74-7298

Date 7-11-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
☒ NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
50.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	_____
Date proof due	<u> </u>	-- _____
No. of days late	<u> </u>	= _____
Priority date	<u> </u>	+ _____
NEW PRIORITY DATE	<u> </u>	= _____

138849

June 30, 1991

WARNER SPENCER
510 16TH ST.
SALMON, ID 83467

PROOF DUE NOTICE

RE: PERMIT NO. 74-07298

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

DEC 30 1991

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 23, 1990

WARNER SPENCER
510 16TH ST.
SALMON, ID 83467

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 74-07298

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED
INDEXED

SEP 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESSubmitted for advertising 5-18-90
6-1-90

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY SPM DATE 5-25-90 APPLICATION NUMBER 7477298 *PM*REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

Date Requested _____

RECEIVED
JUL 31 1990

Department of Water Resources

PROCESSING ☒ Yes ☐ No Inform for advertising
☒ Yes ☐ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☒ Yes ☐ No Protests received
Final date for protest 2-23-90
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☒ Yes ☐ No Recommendations attached
☒ Yes ☐ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist.
☒ Yes ☐ No Special conditions of approval or cover letter below.

See below for additional information

Date of priority recommended 5-14-1990
By HWT Date 7-27-90

STATE OFFICE REVIEW

P/10

See below for additional information

By kw Date 8/22/90

ADDITIONAL INFORMATION

POSSIBLE P/U OVERLAP: 74-00999

21-Jun-1990

WARNER SPENCER
510 16TH STREET
SALMON, ID 83467

RE: Application for Permit No. 74-07298

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Recorder-Herald on JULY 5 & 12, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECORDED

SEP 21 1990

74-07298

SPENCER, WARNER
510 16TH ST.
SALMON, ID 83467

Source: SPRINGS

Tributary: SINKS

Diversion Pt: SWSWSE Sec 29 T 18N R 24E

Use: IRRIGATION (.080 CFS)

Total Diversion: (.080 CFS)

Date Filed: 5/14/ 1990

In: T18N R24E S29 SWSE

4.0 ACRES TOTAL

RECEIVED
MAY 15 1990

SEP 11 1990