

Recommendation for 74-438A





MICROFILMED
JAN 15 2004

74-07077


MICROFILMED
JAN 15 2004

292 19N 113° 37' 30"





Scale 1:24 000



INTERVAL 40 FEET
 CONTOUR INTERVAL 20 FEET

1 meter multiply by .3048
 1 foot multiply by 3.2808

NATIONAL MAP ACCURACY STANDARDS


QUADRANGLE LOCATION

1	2	3	1 East of Salmon
			2 Bohannon Spring
4		5	3 Goldstone Pass
			4 Sal Mountain
			5 Goldstone Mountain
			6 Poison Peak
6	7	8	7 Tendoy
			8 Agency Creek

74-07077

MICROFILMED
 JAN 15 2004

ROAD LEGEND
 Improved Road
 Unimproved Road
 Trail
 Interstate Route U.S. Route Sta.
 BAKER, IDAH
 PROVISIONAL EDITIO




MICROFILMED
JAN 15 2004

74-07077

RINALDO JENSON

IRRIGATION

15/4



POINT OF
DIVERSION
ON LEMHI
RIVER.



FIXED
POINT OF
REDIRECTION
ON SUPPLY
DITCH.

MICROFILMED
JAN 15 2004

PERMIT
NUMBER

74-07077

RINALDO JENSON

IRRIGATION

2 of 4

PLACE OF USE

VIEW NORTH



PLACE OF USE

VIEW NORTH
EAST



MICROFILMED
JAN 15 2004

PERMIT
NUMBER

74-07077

RINALDO JENSON

IRRIGATION

3 of 4

PLACE OF USE
VIEW SOUTH



PLACE OF USE
VIEW SOUTH
WEST



JAN 15 2004

PERMIT
NUMBER

74-07077

RINALDO JENSON

IRRIGATION

4514

VIEW EAST
PLACE OF USE



PORTABLE
POINT OF RE-
DIVERSION FROM
SUPPLY DITCH
SUPPLY TO
LOWER PASTURE



MICROFILMED
JAN 15 2004

PERMIT
NUMBER

74-07077

RINALDO JENSON

IRRIGATION

25/2

PLACE OF
USE

LOWER
PASTURE



MICROFILMED
JAN 15 2004

PERMIT
NUMBER

74-07077

RINALDO JENSON

IRRIGATION

1 of 2

PLACE OF
USE

LOWER
PASTURE



PLACE OF
USE

LOWER
PASTURE



MICROFILMED
JAN 15 2004

PERMIT
NUMBER

74-07077

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 74-07077

Priority: August 09, 1979

Maximum Diversion Rate: 0.78 CFS
Maximum Diversion Volume: 137.0 AF

It is hereby certified that RINALDO E JENSON And/Or GOLDIE F JENSON
1712 LEMHI RD
SALMON ID 83467 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated August 09, 1979; and have
submitted Proof of Beneficial Use on March 16, 1982. An examination indicates that the works have a
diversion capacity of 34.5 cfs of water from:

SOURCE

LEMHI RIVER

Tributary: SALMON RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	03/15 to 11/15	0.78 CFS	137.0 AF

LOCATION OF POINT OF DIVERSION:

LEMHI RIVER NW¼NW¼NW¼ Sec. 20, Twp 19N, Rge 24E, B.M., LEMHI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
19N 24E 6					11.0												11.0
20N 24E 31					L 3							28.0					28.0
Total Acres: 39																	

CONDITIONS OF APPROVAL

1. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 74.
2. The right holder shall maintain a measuring device and lockable controlling works of a type approved by the Department in a manner that will provide the watermaster suitable control of the diversion.
3. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
4. Point of diversion also known as L-30 Diversion.
5. The issuance of this right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 8th day of January, 2004.


for KARL J. DREHER
Director

MICROFILMED

JAN 15 2004

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 74 7077.

Name(s) of Permit Holder: Rinaldo and Goldie Jensen

Post Office Address: Box 923 Salmon Idaho 83467

Tel. No. 756-2302

Source of Water: Lemhi River

Extent of Use:

☐ Domestic		(number of households)
☐ Stockwater		(number and type of stock)
☒ Irrigation	<u>119</u>	(acres)
☐ Other		

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Port:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/15/82
Date

MICROFILMED


Signature of Permit Holder

Bernal Jenson

Box 923

Salmon Idaho

PLACE
TEN CENT
STAMP
HERE

Department of Water Resources
MAR 23 1982



Department of Water Resources
Eastern District Office

MAR 16 1982 IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

RECEIVED
MAR 16 1982
MIDWESTERN

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Rinaldo E. and/or Goldie F Jensen Phone 756-3307

Post office address Box 923, Salmon, Idaho 83467

2. Source of water supply Lemhi River which is a tributary of Salmon River

3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 20 Township 19N

Range 24E B.M. Lemhi County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.38 for Irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.38 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Water to be diverted from Lemhi
River into a canal and then rediverted from the canal into a sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

marks

b. Who owns the land to be irrigated or place of use

9. a. Who owns the property at the point of diversion


None

611

[illegible]

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rinaldo E. Jensen
Goldie F. Jensen
(Applicant)

Proposed Priority 8/9/79

Received by _____ Date 8-09-1979 Time 10:40 a.m.

Preliminary check by AKR Fee \$ 55.00 92-289

Received by _____ Date 8-09-79 #13647

Publication prepared by _____ dh Date 8-10-79

Published in Recorder-Herald

Publication dates August 16 & 23, 1979

Publication approved 80 Date 8/31/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by BMC gmc

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 74-7077, and said application is hereby approved _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore September 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: (1) The issuance of this permit in no way grants any right-of-way or

easement across the land of another. (2) A measuring device of a type approved

by the Department shall be permanently installed and maintained as part of the

diverting works. (3) Use of water under this permit is subject to control by the

Watermaster of State Water District # 74 Lemhi River.

Witness my hand this 11th day of September, 19 79.

J. Alan Saylor
Chief, Office of Bureau

NOTICE OF
APPLICATION FOR
WATER RIGHT

Notice is hereby given
that the following applica-
tion(s) have been submit-
ted for permit to appropri-
ate the public waters of
the State of Idaho:

74-7077

JENSON, RINALDO E.
&/or GOLDIE F.
BOX 923, SALMON, ID
83467

Source: LEMHI RIVER
tributary to SALMON
RIVER

Date Filed: 08/09/1979

Amount: 2.38 CFS

Diversion Point: NWNW
Sec 20 T 19N R 24E, LEM-
HI Co.

Use: IRRIGATION (2.38
CFS) from 04/01 to 11/01

Place of Use: NENW
SESW Sec 06 T
19N R 24E SESW Sec 31 T
20N R 24E FOR 119
ACRES

Diversion Means: HEAD-
GATE & CANAL

If issued, the permit(s)
will be subject to all prior
water rights. Protests ag-
ainst the granting of any
permit must be filed with
the Director of the Idaho
Department of Water Re-
sources, 1515 Lincoln
Road, Idaho Falls, Idaho
83401 on or before SEPT-
EMBER 4, 1979.

C. STEPHEN ALLRED
Director

Published 8/16 & 8/23/

79.

8-16-2rc

Affidavit of Publication

STATE OF IDAHO

County of Lemhi

ss.

AUG 26 1979

Department of Water Resources
Eastern District Office

JERRY G. ROSIN

being first duly sworn, deposes
and says that he is one of the printers (publisher) of the RECORDER HERALD,
a newspaper published weekly at Salmon, Lemhi County, Idaho, and of general
circulation therein,

That the Notice of Application for Water Right No. 74-7077

a true
printed copy of which is attached to the margin hereof, has been and was correct-
ly printed and published in the regular and entire issue of every number of said
newspaper and not in any supplement thereof or thereto for 2
consecutive issues, commencing with the issue dated Aug. 16, 1979
and ending with the issue dated Aug. 23, 1979

Subscribed and sworn to before me, this twenty third

day of August, 1979

Steve Armstrong
Notary Public for the State of Idaho,
Residing at Salmon, Idaho

Publication Fee \$ 15.84



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

January 8, 2004

RINALDO E JENSON
GOLDIE F JENSON
1712 LEMHI RD
SALMON ID 83467

RE: License No. 74-7077 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED
JAN 15 2004


CERTIFICATE OF SERVICE

I hereby certify that on January 8, 2004 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

74-7077

GOLDIE F JENSON
RINALDO E JENSON
1712 LEMHI RD
SALMON ID 83467

A handwritten signature in cursive script, reading "Kari Lynn Townsend", written over a horizontal line.

Kari Lynn Townsend
Secretary

MICROFILMED
JAN 15 2004

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED
JAN 15 2004

Comment Report

74-7077

1. kwalker 1/7/2004 Place of Use

Comment: In review of the place of use under this permit it was noticed that the most southerly field might already have a decreed water right on it. Roxanne Brown created a recommendation for the overlapping right and it does cover the south field so I have removed that field from the proposed licensing of this permit. The recommendation of Rt. 74-438A covers that field at 0.03 cfs per acre so no new water is necessary. It is also noted that the examiner had recommended 60 acres for this license. I prepared the place of use in GIS and found that after removal of the south field the acres remaining are 39. See GIS shape, that is how acreage was determined for the proposed license.

2. kwalker 1/7/2004 Capacity Shown

Comment: The capacity of diversion works shown on this proposed license was determined using the highest flow measured on the L-30 diversion in 2000. Since this capacity would be more than enough for all the rights diverted from the L-30 diversion I used it for diversion capacity rather than searching water district records for other information.

MICROFILMED

JAN 15 2004

12/18/2003

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 74-438A

NAME AND ADDRESS: GOLDIE F JENSON
1712 LEMHI RD
SALMON ID 83467

RINALDO E JENSON
1712 LEMHI RD
SALMON ID 83467

SOURCE: LEMHI RIVER

TRIBUTARY: SALMON RIVER

QUANTITY: 1.320 CFS

PRIORITY DATE: 06/01/1886

POINT OF DIVERSION:

T19N R24E S20 NWNW Within LEMHI County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	03/15 11/15	1.320 CFS

PLACE OF USE: IRRIGATION Within LEMHI County

T19N R24E S06	NENW	19.5	T19N R24E S06	SENW	12.0
T19N R24E S06	NESW	3.1	T20N R24E S31	SESW	7.3
T20N R24E S31	SWSE	2.0			

43.9 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: Decreed

Rec. for SRBA
74-438A $43.9 \sqrt{\frac{0.03 \text{ cfs/ac}}{1.32}}$

74-438 as decreed in Lemhi = $6.66 \text{ cfs} / 357 \text{ ac} = 0.019 \text{ cfs/ac}$

LICENSE REVIEW CHECKLIST

Permit No. 74-7077

Date: 1-7-2004

Reviewer: Kay Walker

Change/OK

Name/Address

fix address per contact table

Source

Point of Diversion:

ok
ok

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44)

Feds (P40)

W52 (multiple in 174/174)

W36 (overlap)

W59 (subdivision description)

→ "L-30 Diversion"

Place of Use

ok

Change (P41/P49) Add (P41/P44)

Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

no plus OK

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 2.38 cfs

Fee Limit 3.0 cfs

Measured 2.13 cfs

Theoretical _____ cfs

Recommended Total Diversion Rate 0.78

Water Uses

ok Change (P46)

Season of Use per new Standards

3/15 - 11/15

Irrigation 0.78 cfs 137 af

Stockwater _____ cfs _____ af

Domestic _____ cfs _____ af

_____ cfs _____ af

_____ cfs _____ af

Total 0.78 cfs 137 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Peyette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

0.78 cfs x 1.9835 x 246 days = 380.6 af (vs) 39 acres x 3.5 (FHR) = 136.5 af

~137.0

Remarks:

Additional Conditions

74 Watermaster Control

GW Measurement/Measuring Device

Other _____

Trust R55 - remove 051)

Non-trust (048)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? yes

no

If yes, explain why below.

SRBA Claim?

yes-pending

Adjust memo

yes-see comment report


Amend Letters

P87, S06


Second Amendment Notice

S06

Recommendation for 74-438A



74-438a rec.shp
Sections
Lemhi taxlots
GCDB20N24E GCDB
GCDB19N24E GCDB



0.3 Miles



MICROFILMED
JAN 15 2004

from WDist. file
in vault

LEMHI RIVER

2000

DIVERSION

L-30

MEASURE #

DATE

TIME

GH

CFS

METHOD

088

May 2

13:15

2.13

24.5

3000

May 3

2.1

May 4

2.1

May 8

2.2

089

May 17

4:30

2.22

30.84

3000

090

June 6

10:25

2.4

34.5

3000

091

June 21

11:15

2.35

31.4

3000

July 2

2.25

July 11

2.3

092

July 19

3:15

2.15

21.0

3000

July 20

2.2

July 25

2.17

23.0

093

Aug 3

12:30

2.02

16.0

3000

Aug 3

12:35

2.07

18.0

094

Aug 17

3:10

2.09

18.0

3000

Aug 28

2.15

19.0

095

Sept 11

3:15

2.14

21.5

3000

096

Sept 22

2:15

2.1

20.4

3000

MICHAEL

JAN 15 2004

"1-30 Division"
(on exam map)

Basin	Sequence	Suffix	Basis	Priority Date	Rate(cfs)	Volume(af)	Acres	Owner(s)
74	438		Decreed	1886/06/01	6.66		357	JENSON, EVA (Current); JENSON, EVAN H (Current)
74	522		Decreed	1899/07/06	0.09		3	SHOUP, GEORGE L (Current); SHOUP, NELLIE B (Current)
74	534		Decreed	1965/05/01	0.63		21	SWANSON, CLARENCE (Current); SWANSON, FLORENCE (Current)
74	538		Decreed	1898/12/31	4.83		161	SWANSON, CLARENCE (Current); SWANSON, FLORENCE (Current)
74	629		Decreed	1898/08/15	1.13		37	ANDREASON, JUNE (Current); ANDREASON, STANLEY (Current)
74	631		Decreed	1958/04/01	0.92		31	ANDREASON, JUNE (Current); ANDREASON, STANLEY (Current)
74	801		Decreed	1899/04/20	3		100	SNOOK, FRED H (Current); SNOOK, JOHN C (Current); SNOOK, QUINTON (Current)
74	896		Decreed	1895/07/23	0.09		3	COLSON, GEORGIA A (Current)
74	988		Decreed	1884/04/01	2.82		94	SMITH, AUDREY M (Current); SMITH, KENT G (Current)
74	1705		Decreed	1961/04/01	0.8			STATE OF IDAHO (Current)
74	1788	A	Decreed	1883/11/16	0.32		11	MAHAFFEY LIVESTOCK INC (Current)
74	1788	B	Decreed	1887/05/19	0.05		2	MAHAFFEY LIVESTOCK INC (Current)
74	1789	A	Decreed	1889/06/08	0.34		12	MAHAFFEY LIVESTOCK INC (Current)
74	1789	B	Decreed	1893/12/06	3.7		124	MAHAFFEY LIVESTOCK INC (Current)
74	1789	C	Decreed	1894/09/25	0.13		4	MAHAFFEY LIVESTOCK INC (Current)
74	7079		License	1979/11/15	1	175	50	JENSON, GARY R (Current); JENSON, JOAN (Current)

and (74 7077 Lic 8/9/79) 26.51 cfs = total @ this pld -
water dist records for 2000
shows ditch is capable
of carrying this amount

Department of Water Resources

Phone No. _____

Relationship to Permit Holder: OWNER / SON

3. Source: LEHHI RIVER tributary to SALMON RIVER

1. Other water rights with the same place of use: 74-00438

2. Other water rights with the same point of diversion: COMMON DITCH - MANY DECKEED RIGHTS

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination *ON SITE INSP.*

[illegible]

Microfilm

TOTAL

TOTAL

PHOTOS

•

1. TAKEN ON PICTURE MAN -

Calib. Date

•

Pump Serial No. or

Aerial Photo Attached

(required for irrigation of 10+ acres)

Photo of Unversion and System Attached

$$= \text{Scale } T =$$

E. NARRATIVE/REMARKS/COMMENTS

WATER IS DIVERTED TO COMMON USE DITCH AT MAIN POINT OF DIVERSION ABOUT (2 MILE SOUTH) UPSTREAM ON THE LEHI RIVER.

WATER IS DISTRIBUTED TO PLACE OF USE BY ONE 40HP FIXED PUMP AND A PORTABLE TRACTOR PTO DRIVEN PUMP. (1) HAND LINE & (1) MAIN ^{WHEEL LINE} ~~HAND SET~~ ARE USE TO DISTRIBUTE WATER OVER PLACE OF USE.

ACRES LISTED IN SW 1/4 OF S6 HAS BEEN REMOVED FROM THIS PERMIT BECAUSE THE LAND WAS SOLD/GIVEN TO GARY JENSON PRIOR TO ANY SYSTEM DEVELOPMENT BY RINALDO JENSON (74-7077). GARY DEVELOPED HIS SYSTEM UNDER WATER ~~AT~~ PERMIT # 74-7079. NO WATER WAS DELIVERED FROM PERMIT # 74-7077 TO SAID PROPERTY (POL).

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JAN 15 2004

Additional Computation Sheets Attached

F. FLOW CALCULATIONS

Measured Method:

SOLIC TAPES - WPPK PASTURE = 1.08 CFS
EXPRESSIVE 0.02 CFS
1.10 CFS
LOWER PASTURE 1.03 CFS
2.13 CFS
MAX. OF COMBINED SYSTEMS.

$$60 \text{ acres} \times 0.0285 = 1.2085$$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS

2. Volume Calculations for Other Uses:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 60 \text{ ac} \times 3.5 = 210 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{2.13 \text{ cfs} \times 183 \times 1.9835}{1.2085} = 773.14 \text{ AFA}$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 210 \text{ AFA}$$

$$435.6$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Period of Use

Rate of Diversion

Annual Volume
V (afa)

IRRIGATION

From 4/15

To 10/15

Q (cfs) 2.13

210

2. Recommended Amendments

☐ Change P.D. as reflected above
☒ Change P.U. as reflected above

☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☐ None
☐ Other

I. AUTHENTICATION

Field Examiner's Name SIMPkins Date 3/4/97

Reviewer [Signature] Date 4-3-97

SEAL

MODE SELECT
INPUT
MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

PRINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
5.0000 IN

PIPE MATERIAL
? AL,DI

WALL THICKNESS
0.0520 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
3.026 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

07-01 04:4300 *R
+003.00 % AI2

MODE SELECT
TO CHECK

0185.2 MMSEC
100.14 % T0

07-01 04:4900 *R
+485.284E 06PM

DAMPING SET ER
01 SEC

07-01 05:0300 *I

74-07077

SECOND PUMP

LOWER PISTON ONLY

1.08 CFS

06-12 12:5400 *H
+002.80 % AI2

MODE SELECT
TO CHECK

0191.6 MMSEC
085.45 % T0

MODE SELECT
INPUT

OUTER DIAMETER
5.0000 IN

PIPE MATERIAL
? AL,DI

WALL THICKNESS
0.0488 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1450 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
2.989 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

06-12 12:5700 *R
+002.80 % AI2

MODE SELECT
TO CHECK

0186.1 MMSEC
099.94 % T0

06-12 13:0100 *R
+ 8.453E 06PM

0.02 CFS

74-7077
LOWER PISTON

Expanding through lower system, STAT. PUMP.

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

PRINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
6.0000 IN

PIPE MATERIAL
? AL,DI

WALL THICKNESS
0.0488 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1450 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
3.829 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

06-12 12:1900 *R
+002.80 % AI2

MODE SELECT
TO CHECK

0224.2 MMSEC
099.99 % T0

06-12 12:2500 *R
+419.769E 06PM

06-12 12:4300 *R
+450.941E 06PM

06-12 12:4900 *R
+464.414E 06PM

1.5 CFS

1.03 CFS

UPPER PISTON

74-7077 STAT. PUMP


74-07077


RIVALDO JOSESON

74-7077


Amie Reyes.

TENDOY QUADRANGLE
IDAHO-LEMHI CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)





Scale 1:24 000
 INTERIOR GEOLOGICAL SURVEY, RESTON, VIRGINIA



INTERVAL 40 FEET
 CONTOUR INTERVAL 20 FEET
 Meters multiply by .3048
 Feet multiply by 3.2808

NATIONAL MAP ACCURACY STANDARDS

74-07077




1	2	3	1 East of Salmon
			2 Bohannon Spring
			3 Goldstone Pass
4		5	4 Sal Mountain
			5 Goldstone Mountain
			6 Poison Peak
			7 Tendency
6	7	8	8 Agency Creek

ROAD LEGEND
 Improved Road
 Unimproved Road
 Trail

Interstate Route U.S. Route State Route

BAKER, IDAH
 PROVISIONAL EDITIO



① 530
HEL

② 117.9
HEL

③ 545
HEL

719N, R24E

POINT OF DIVERSION
OFF CANAL



FLOW

POINT OF DIVERSION
CANAL

WHEEL
LINES
→ LATERAL

6	5
7	8

74-07077

MICROFILMED
JAN 13 2014

RINALDO JENSON


IRRIGATION

10/4

POINT OF
DIVERSION
ON LEMHI
RIVER.



FIXED
POINT OF
REDIVERSION
ON SUPPLY
DITCH.



MICROFILMED
JUN 1 2 2004

PERMIT
NUMBER

74-07077

RINALDO JENSON

ILLUSTRATION

2 of 4

PLACE OF
USE

VIEW NORTH

PLACE OF USE

VIEW NORTH
EAST

PERMIT
NUMBER

74-07077

MICHAEL J. JENSON
JAN 9 5 2006

RINALDO JENSON

IRRIGATION

3 of 4

PLACE OF USE

VIEW SOUTH

PLACE OF USE

VIEW SOUTH
WEST

PERMIT
NUMBER

74-07077

JAN 15 2006

RINALDO JENSON

IRRIGATION

4/4

VIEW EAST
PLACE OF USE

PORTABLE
POINT OF RE-
DIVERSION FROM
SUPPLY DITCH
SUPPLY TO
LOWER PASTURE

PERMIT
NUMBER

74-07077

MICHAEL

JAN 4 5 2006


RINALDO JENSON

IRRIGATION

25/2

PLACE OF
USE

LOWER
PASTURE



MICHO...

PERMIT
NUMBER

74-07077

RINALDO JENSON

IRRIGATION

140/2

PLACE OF
USE

LOWER
PASTURE



PLACE OF
USE

LOWER
PASTURE



MICROFILMED

JAN 9 5 2006

PERMIT
NUMBER

74-07077

Est. sh.
at 000000
1.4 sp.
2.38 sp.

FIELD EXAM NOTES

EXAM # 74-07077

DATE OF EXAM 6/12/96

PERMITEE NAME RINALDO JENSON

OTHER WATER RIGHTS SAME POD MULTIPLE

OTHER WATER RIGHTS SAME POU DONE - NO OTHER WATER

Has 1886
74-0438 water right on south most piece

PUMP #1 HP 40 MAKE Baldwin SERIAL # _____

COLOR AND DESCRIPTION _____

OUTPUT DIAMETER 2 1/2" SYSTEM PRESSURE _____ PSI WELL DEPTH _____

STATIC H2O 4 1/2 ft WELL DEPTH _____ DYNAMIC PUMP _____

PSI GAGE TYPE _____ CHECK VALVE [Y] [N] GATE VALVE [Y] [N]

Cornell Cent. Pump
PUMP #2 HP _____ MAKE _____ SERIAL # _____

COLOR AND DESCRIPTION _____

OUTPUT DIAMETER _____ SYSTEM PRESSURE _____ PSI WELL DEPTH _____

STATIC H2O _____ WELL DEPTH _____ DYNAMIC PUMP _____

PSI GAGE TYPE _____ CHECK VALVE [Y] [N] GATE VALVE [Y] [N]

BOOSTER PUMP #1 HP _____ MAKE _____ SERIAL # _____

COLOR AND DESCRIPTION _____

BOOSTER PUMP #2 HP _____ MAKE _____ SERIAL # _____

COLOR AND DESCRIPTION _____

CIRCLE PIVOT [Y] [N] NUMBER OF TOWERS _____ PIVOT LENGTH _____

PRESSURE [H] [L]

① Wheel Line

25

66 GPM
Flow Control

35 x 40'

① HAND LINES [Y] [N]

NUMBER OF LINES _____

LENGTH OF LINES 30 x 40'

RAIN BIRDS PER LINE 33 NOZZEL DIAMETER 11/64

Lower Picture 33 birds at 11/64

SURFACE WATER TYPE OF MEASUREING DEVICE _____

AA METER

PIGMY METER

WEIR OR FLUME

BUCKET/WATCH _____

Upper field 64 max at 11/64

Lower field 66 max at 11/64

66 GPM Wheel Line

MICROFILMED

JAN 15 2004

USE BACK OF PAGE FOR SKETCH AND MEASUREMENTS OF SYSTEM

74-07077

4/86

RECEIVED

APR 12 1987

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received 150
Date 3/20/87
Receipt # 4111
Receipt by ESV
Sent to S.O. _____

EXAMINATION FEE INFORMATION

1. Permit No. 74-7077

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Ronald E. Jensen3. Post Office Address: Box 923 Salmon, ID. 83467Telephone No. 756-33074. Source of Water: Lemhi River

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 119 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 2.38 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

August, 1979

8. Person to contact to accompany the department representative during the field examination:

Gary Jensen
(Name)Box 923 Salmon,
(Address)756-2302
(Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

March 20, 1987
DateRonald E. Jensen
Signature of Permit Holder (and title, if appropriate)

MICROFILMED

JAN 15 2004

Copy retained

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION


John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

February 10, 1987

74-7077
JENSON, RINALDO E.
JENSON, GOLDIE F.
BOX 923
SALMON, ID 83467



EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and you must submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

JAN 15 2004

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department when examiners have been certified.

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT

The attached examination fee information sheet and the fee may be submitted to the following Department office:

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83401
Phone: 525-7161

Very Truly Yours,



Ronald D. Carlson
Eastern Regional Manager

Enclosures

MICROFILMED

JAN 15 2004



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

May 21, 1982

RE: Permit No.

74-7077

Rinaldo and Goldie Jenson
Box 923
Salmon, Idaho 83467

Dear Mr. & Mrs. Jenson:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

cc: IDWR - State Office

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

March 30, 1982

RE: Permit No. 74-7077

Rinaldo Jenson
P.O. Box 923
Salmon, Id. 83467

Dear Mr. Jenson:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

cc: IDWR - State Office
FLBA /Salmon Office

MICROFILMED

September 12, 1979

Rinaldo & Goldie Jenson
Box 923 Salmon, Idaho 83467

Dear Mr. & Mrs. Jenson,

RE: Permit No. 74-7077

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install and maintain a measuring device at your point of diversion prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Please be advised that, depending upon your plans for fish propagation, you may be subject to regulations of the Department of Fish and Game. We suggest that you check with them before starting construction.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RP

APPLICATION NUMBER: 74 7077

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☒ Yes ☐ No Platted by: RP Map No. 29-5
☐ Yes ☒ No Other rights on same place of use. None platted from same source
☒ Yes ☐ No* In form for advertising.
Final date for protests: SEPT 4, 1979
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: Aug. 28, 1979
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 74
☒ 8/09/79 Date of priority recommended.

Special conditions of approval or cover letter.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

By: Ernest Carlson.

Date: 9/5/79.

STATE OFFICE REVIEW:

04, 01051 74, Lemhi River

- Short letter w/ ~~attached~~ measuring device
☐ See attached sheet for more information.

By: Juni

Date: 9/11/79

add water short paragraph
RECEIVED
MICROFILMED
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Eastern Region

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

AUGUST 9, 1979

The Recorder-Herald
P. O. Box 310
Salmon, Idaho 83467

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 4, 1979.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

JENSON, RINALDO E.
&/or GOLDIE F.
BOX 923, SALMON, ID
83467
Source: LEMHI RIVER
tributary to SALMON
RIVER

Date Filed: 08/09/1979
Amount: 2.38 CFS

Division Point: NWNW
Sec 20 T 19N R 24E, LEM-
HI Co.

Use: IRRIGATION (2.38
CFS) from 04/01 to 11/01
Place of Use: NENW
SENW NESW Sec 06 T
19N R 24E SESW Sec 31 T
20N R 24E FOR 119
ACRES

Division Means: HEAD-
GATE & CANAL

If issued, the permit(s)
will be subject to all prior
water rights. Protests ag-
ainst the granting of any
permit must be filed with
the Director of the Idaho
Department of Water Re-
sources, 1515 Lincoln
Road, Idaho Falls, Idaho
83401 on or before SEPT-
EMBER 4, 1979.
C. STEPHEN ALLRED
Director
Published 8/16 & 8/23/
79.

8-16-2tc

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

Z4-2022-

JENSON, RINALDO E. &/or GOLDIE F.

BOX 923, SALMON, ID 83467

Source: LEMHI RIVER tributary to SALMON RIVER

Date Filed: 08/09/1979

Amount: 2.38 CFS

Diversion Point: NWNW Sec 20 T 19N R 24E, LEMHI Co.

Use: IRRIGATION (2.38 CFS) from 04/01 to 11/01

Place of Use: NENW SENW NESW Sec 06 T 19N R 24E SESW Sec 31 T 20N R 24E
FOR 119 ACRES

Diversion Means: HEADGATE & CANAL

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401 on or before SEPTEMBER 4, 1979.

C. STEPHEN ALLRED

Director

Published 8/16 & 8/23/79.

MICROFILMED

August 9, 1979

Rinaldo E. Jenson
Goldie F. Jenson
P. O. Box 923
Salmon, Idaho 83467

Dear Mr. & Mrs. Jenson:

Re: Application for Permit

Attached herewith is Departmental receipt No. 13647 in the amount of \$55.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:dh

Attachment

RECEIVED