

PLAT SHOWING OWYHEE TERRACE NO.1

A SUBDIVISION



LYING IN A PORTION OF THE S 1/2 SE 1/4, SECTION 21,

T.3N., R.2E., B.M.,

BOISE, ADA COUNTY, IDAHO

1977

SCALE IN FEET



COMMON AREAS		
BLOCK	LOT	DESCRIPTION
I	A	Landsaped
I	B	Motor Court
I	C	Landsaped
I	D	Landsaped
I	E	Motor Court

NOTES

1. Building Set-backs in this subdivision shall conform to the Applicable Zoning Regulations of Boise City or Ada County.
2. Public Utility Companies are given the right to locate, construct and maintain Mains and Service Lines in Motor Court Lots B and E and Landsaped Common Area Lots A, C and D.
3. This subdivision is subject to an Avigation Easement filed as Instrument No. in the office of the Ada County Recorder, Boise, Idaho.

BASIS OF BEARING


Basis of Bearing for this subdivision is on the Modified State Plane Co-ordinate System. Combination Factor 1.000810

LEGEND

- Brass Cap
- 5/8" x 30" Iron Pin
- 1/2" x 24" Iron Pin

RECORDED
NOV 20 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

NOV 20 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)



2.7 MI. TO INTERSTATE 84
4828000m.N.
4827
4826
35'
84
Nampa 17 MI
2 MI. TO IDAHO 55
2771 III SE
(CLOVERDALE)

MICROFILMED
MAR 17 2003

No Gov. Lots

R/D Well


P/u

T3N, R2E
S21, S1/2SE

63-11570

PLAT SHOW. G
 OWYHEE TERRACE NO.1
 A SUBDIVISION
 LYING IN A PORTION OF THE S 1/2 SE 1/4, SECTION 21,
 T.3N, R.2E, B.M.,
 BOISE, ADA COUNTY, IDAHO
 1977

SCALE IN FEET



DETAIL "A"
 NO SCALE

*old service line from
 Boise Water Corp. that
 use to furnish the
 irrigation water.*

BASIS OF BEARING
 Basis of Bearing for this subdivision is on the Modified
 State Plane Co-ordinate System, Combination Factor 1.000810

COMMON AREAS		
BLOCK	LOT	DESCRIPTION
1	A	Landscaped
1	B	Motor Court
1	C	Landscaped
1	D	Landscaped
1	E	Motor Court

- NOTES**
1. Building Set-backs in this subdivision shall conform to the Applicable Zoning Regulations of Boise City or Ada County.
 2. Public Utility Companies are given the right to locate, construct and maintain Mains and Service Lines in Motor Court Lots B and E and Landscaped Common Area Lots A, C and D.
 3. This subdivision is subject to an Avigation Easement filed as Instrument No. _____ in the office of the Ada County Recorder, Boise, Idaho.

- LEGEND**
- ⊙ Brass Cap
 - 5/8" x 30" Iron Pin
 - 1/2" x 24" Iron Pin

63-11570

MICROFILMED
 MAR 17 2003

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

*Irrigation well for Owyhee Terrace
No. 1 Subdivision*

Don Tomich *Water Rights Examiner*
Signature of Dept. Representative & Title

5-20-97
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

MAR 17 2003

L of 2

P/O

Well

structure

(Brown
enclosure).

View

Looking
West



P/O

Well,

valves,

gages,

Air Tank,
etc.

in Well

enclosure.



MICROFILMED

MAR 17 2003

63-11570

2 of 2

P/O

Well —
Brown
enclosure,
Plu
yard/
Lawn
Area.

View
Looking
West



Plu
lawn &
yards
South
of
Catalina
Lane.

View
Looking
South.



MICROFILMED
MAR 17 2003

63-11570

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-11570

Priority: July 25, 1991

Maximum Diversion Rate: 0.15 CFS
Maximum Diversion Volume: 22.5 AF

It is hereby certified that OWYHEE TERRACE HOMEOWNERS ASSN
C/O JOHN G GRANT
2128 VISTA AVE
BOISE ID 83705 has complied with the terms and conditions of the permit,
issued pursuant to Application for Permit dated July 25, 1991; and has submitted Proof of Beneficial Use
on November 16, 1995. An examination indicates that the works have a diversion capacity of 0.19 cfs of
water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	03/1 to 11/15	0.15 CFS	22.5 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SW¼SW¼SE¼ Sec. 21, Twp 03N, Rge 02E, B.M ADA County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N 02E 21															5.0		5.0


Total Acres: 5

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 23RD day of DECEMBER, 2002.

Acting for 
KARL J. DREHER
Director

MICROFILMED

MAR 17 2003

RECEIVED

NOV 16 1995

WATER RESOURCES
WESTERN REGION

OFFICE USE ONLY

Amt. of Fee \$ 50-
Date 11-16-95
Receipt No. W020106
Receipt by VR

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11570 Telephone No. (208) 344-9319
2. Name(s) of Permit Holder(s): Owyhee Terrace Homeowners Association
3. Mailing Address: 2128 Vista Ave., Boise, ID 83705
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: Stevens & Sons Date Drilled: April, 1995

OPTIONAL:

Pump horsepower: 7½ Pressure (psi): 60 Dynamic pumping level (ft.): 150

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.15 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes ____ No Installed? ____ Yes ____ No

OR

Flow Measurement Port: Required? ____ Yes ____ No Installed? ____ Yes ____ No

RECEIVED

NOV 20 1995

Department of Water Resources

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

John G. Grant (208) 344-9319
Name Telephone No.
3348 Catalina Lane, Boise, ID 83705
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Nov, 8, 1995 John G. Grant President, Owyhee Terrace Homeowners Association
Date Signature (and title, if on behalf of a company or organization)

RECEIVED

SEP 29 1993

RECEIVED

SEP 30 1993

Department of Water Resources

For Office Use Only
\$15 Fee Received by CJH
Date 9/29/93
Receipt No. VN016805Department of Water Resources
Western Regional OfficeSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 63-11570Name(s) of Permit Holder: Owyhee Terrace Homeowners AssnMailing Address: 2128 Vista Ave Box 83705Date Proof is Due 11/1/93Telephone No. 336 3693

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well cost Study has been completedCosting \$ 0

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Unable to obtain financing in the name of Homeowners Assoc. Prior plans to have well developed by another party were cancelled.Permit holder(s) request an extension to 11/1/98, 1998

FEE: \$15.00

(Signature)*


*If other than permit holder, Power of Attorney must be supplied.

CHARLES D. HOLT

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to November 1, 1996.

OCT 20 1993

Signed this 4th day October, 19 93

Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11570

Proposed Priority: July 25, 1991 Maximum Diversion Rate: 0.15 CFS
This is to certify, that OWYHEE TERRACE HOMEOWNERS ASSN

C/O JOHN SHELSTAD
2128 VISTA AVE
BOISE ID 83705

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.15 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SWSE Sec. 21, Township 03N, Range 02E ADA County

<u>PLACE OF USE: IRRIGATION</u>						
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	02E	21	SWSE	5		5

Total number of acres irrigated: 5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller must monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
6. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

NOV 20 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11570

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13 th day of November, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

NOV 20 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant ATTN: John Shrelstad
Quaylee Terrace Homeowners Assoc Phone 208 342-5678
Post office address % 2128 Vista Ave, Boise Id 83705
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 21 Township 3N Range 2E B.M. ADA County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .15 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .15 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
Drilled well, with sprinkler system for subdivision

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 8-10 inches; proposed depth of well is 150' feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

NOV 20 1991

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

5 ac. Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above.

Boise Water Corp

11. a. Who owns the property at the point of diversion? Applicant - Homeowners

b. Who owns the land to be irrigated or place of use? Applicant - Homeowners

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.


applicant to make this filing.

12. Remarks:

1651 02 NON

PLAT SHOWING
OWYHEE TERRACE NO. 1
 A SUBDIVISION
 LYING IN A PORTION OF THE S 1/2 SE 1/4, SECTION 21,
 T.3N., R.2E., B.M.,
 BOISE, ADA COUNTY, IDAHO
 1977

SCALE IN FEET



DETAIL "A"
 1/8" = 1' SCALE

ELDER SUBDIVISION

BASIS OF BEARING

Basis of Bearing for this subdivision is on the Modified
 State Plane Co-ordinate System. Combination Factor 1.000810

NOTES

1. Building Set-backs in this subdivision shall conform to the Applicable Zoning Regulations of Boise City or Ada County.
2. Public Utility Companies are given the right to locate, construct and maintain Mains and Service Lines in Motor Court Lots B and E and Landscaped Common Area Lots A, C and D.
3. This subdivision is subject to an Avigation Easement filed as Instrument No. _____ in the office of the Ada County Recorder, Boise, Idaho.

LEGEND

Brass Cap
 5/8" x 30" Iron Pin
 1/2" x 24" Iron Pin

COMMON AREAS		
BLOCK	LOT	DESCRIPTION
I	A	Landscaped
I	B	Motor Court
I	C	Landscaped
I	D	Landscaped
I	E	Motor Court

NOV 20 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

NOV 20 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature] President
(Applicant)

Received by JFW Date 7/25/91 Time 2:00 PM Preliminary check by lw
Fee \$ 30.00 Receipted by JFW # W013526 Date 7/25/91
Publication prepared by GG Date 8/7/91 Published in ID Statesman
Publication approved ST Date 10-1-91 8/15 & 8/22
9/5 & 9/12 resubmitted

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:



NOV 20 1991

SEP 17 1991

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

Account Number 47628		Identification Notice of Application for Water Right	
Ordered By Gail Garrett	P.O. Number	Rate NT	Run Dates September 5, 12, 1991
Idaho Department of Water Resources Western Region 2735 Airport Way Boise, Idaho 83705		Estimated Inches	Real Inches
		= Affidavits 1	Legal Number 9355

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-11565
SCHOOL DISTRICT OF BOISE CITY, INDEPENDENT
405 COLLINS RD.
BOISE, ID 83702
Source: GROUNDWATER
Diversion Pt: NWNW Sec 11 T 03N R 01E
Use: IRRIGATION (.300 CFS)
Total Diversion: (.300 CFS)
Date Filed: 7/24/1991
In: T03N R01E S11 NWSE
10.0 ACRES TOTAL

63-11566
SCHOOL DISTRICT OF BOISE CITY, INDEPENDENT
405 COLLINS RD.
BOISE, ID 83702
Source: GROUNDWATER
Diversion Pt: NENW Sec 25 T 03N R 02E
Use: IRRIGATION (.300 CFS)
Total Diversion: (.300 CFS)
Date Filed: 7/24/1991
In: T03N R02E S24 SWSE SESE
S25 NWSE
10.0 ACRES TOTAL

63-11567
SCHOOL DISTRICT OF BOISE CITY, INDEPENDENT
405 COLLINS RD.
BOISE, ID 83702
Source: GROUNDWATER
Diversion Pt: NWSE Sec 23 T 03N R 02E
Use: IRRIGATION (.720 CFS)
Total Diversion: (.720 CFS)
Date Filed: 7/24/1991
In: T03N R02E S 23 NESE SWSE SESE
36.0 ACRES TOTAL

63-11570
OWYHEE TERRACE HOMEOWNERS ASSOCIATION
C/O JOHN SHELSTAD
2128 VISTA AVE.
BOISE, ID 83705
Source: GROUNDWATER
Diversion Pt: SWSE Sec 21 T 03N R 02E
Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)
Date Filed: 7/25/1991
In: T03N R02E S21 SWSE
5.0 ACRES TOTAL

63-11572
DOHERTY, SHEILA
DOHERTY, JR., DAN W.
11158 W. HICKORY
BOISE, ID 83704
Source: GROUNDWATER
Diversion Pt: NWSE Sec 19 T 04N R 01W
Use: COMMERCIAL (.200 CFS)
WILDLIFE STORAGE
(4.00 AF)
DIVERSION TO
STORAGE (.200 CFS)

Total Diversion: (.200 CFS)
Date Filed: 8/5/1991
In: T04N R01W S19 NWSE
63-11573
ROBERTSON, DARRELL
3701 E. DEERFLAT
KUNA, ID 83634
Source: GROUNDWATER
Diversion Pt: SWNW Sec 20 T 02N R 01E
Use: IRRIGATION (2.600 CFS)
Total Diversion: (2.600 CFS)
Date Filed: 7/24/1991
In: T02N R01E S20 NENW NWNW SWNW SENW
130.0 ACRES TOTAL

63-11581
SELL, PATRICE M.
8555 COVEYRIDGE LANE
BOISE, ID 83709
Source: GROUNDWATER
Diversion Pt: NWSE Sec 12 T 02N R 01E
Use: IRRIGATION (.150 CFS)
STOCKWATER (.303 CFS)
DOMESTIC (.020 CFS)
Total Diversion: (.200 CFS)
Date Filed: 8/13/1991
In: T02N R01E S12 SESW
5.0 ACRES TOTAL

63-11583
PECK TRUST, F. CLYDE
1201 MANITOU ST.
BOISE, ID 83706
Source: SPRING
Tributary: BOISE RIVER
Diversion Pt: SESE Sec 26 T 04N R 01E
Use: IRRIGATION (.880 CFS)
Total Diversion: (.880 CFS)
Date Filed: 7/29/1991
In: T04N R01E S26 NESE SESE
44.0 ACRES TOTAL

The permit (s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83725 on or before SEPTEMBER 23, 1991.

R. Keith Higginson, Director
Pub. September 5, 12, 1991 9355

_____, being duly sworn, deposes and says: That she is the Principal Clerk of The newspaper printed and published at Boise, Idaho, and having a general circulation therein, she has been continuously and uninterruptedly during a period of twelve consecutive publications of the notice, a copy of which is attached hereto, and notice was published in The Idaho Statesman with Section 60-108, Idaho Code as

☐ consecutive daily ☐ single ☐ odd skip

on the issue of September 5, 1991

and on the issue of September 12, 1991

by Gail Roberts

ss. NDV 20 1991

_____, day of September in the year of 1991, me, a Notary Public, personally appeared _____, known or identified to me, whose name subscribed to the within instrument, and who, duly sworn, declared that the statements therein were true and correct, and she executed the same.

Maagie Madie
Notary Public for Idaho
Boise, ID

My commission expires: May 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 26, 2002

OWYHEE TERRACE HOMEOWNERS ASSN
C/O JOHN G GRANT
2128 VISTA AVE
BOISE ID 83705

RE: License No. 63-11570 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:kl

Enclosure(s)

MICROFILMED

MAR 17 2003


CERTIFICATE OF SERVICE

I hereby certify that on December 26, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

63-11570

**OWYHEE TERRACE HOMEOWNERS ASSN
C/O JOHN G GRANT
2128 VISTA AVE
BOISE ID 83705**

A handwritten signature in black ink, appearing to read "Kari Lynn Townsend", is written over a horizontal line.

**Kari Lynn Townsend
Secretary**

MICROFILMED

1999 1 7 PM

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

MAR 17 2009

MEMORANDUM

Date: December 20, 2002
To: Water Right File 63-11570
From: S. Keen *SK*
Re: License Review

License review by S. Keen on 12/18/2002.

The digitized place of use appears to show the southernmost few feet within the S. 28, T3N, R2E. However, I think the entire place of use is actually within S. 21 as permitted. I base my conclusion on two items. First, the subdivision plat says, "A subdivision lying in a portion of the S1/2 SE1/4, Section 21, T. 3N., R2 E., B. M." It does not mention Section 28. Second, in some areas the registration of imagery does not precisely match the GCDB (digitized PLS lines).

MICROFILMED

2002 12 21

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORTRECEIVED
JAN 27 1998
Department of Water Resources**A. GENERAL INFORMATION**c/o John G. Grant, President Permit No. 63-115701. Owner: Owyhee Terrace Homeowners Assoc. Phone No. (208) 344-9319Current Address: 2128 Vista Av., Boise, ID 837052. Accompanied by: John Grant EXAM DATE: 5-20-97Address: 3348 Catalina Lane, Boise, ID 83705 Phone No. (208) 344-9319Relationship to Permit Holder: President of Association3. Source: Groundwater tributary to _____**B. OVERLAP REVIEW**1. Other water rights with the same place of use: None2. Other water rights with the same point of diversion: None**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	21	3N	2E	Ada	Site Visit, Map

2. Place(s) of Use:


Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	2E	21															5.0		5.0

MICROFILMED

APR 97 2003

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100' No. Scale

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Large Pump	Hitchhiker	7 1/2		Gynfos	Model 75575-12
Small Pump	Franklin	1/2		Gynfos	Model 5505-13

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Note - Closed pipe systems operating pressure 100 psi (normal)

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for irrigation of the yards and lawns in the Dwyhee Terrace No. 1 Subdivision. The subdivision was developed with Boise Water Corp. irrigation water. The Homeowner's Association decided to put in ~~there~~^{their} own well to reduce their water costs. This well is now piped into the original underground sprinkler system that was once supplied from a Boise Water Corp. pipeline.

2. The well has 2 pumps — a small pump to maintain system pressure, ^{and small flows,} and a large pump to handle the main sprinkler system.

3. There is no flow meter.

4. The well was drilled on the alignment of the Boise Water Corp. pipeline, and then connected into the original system.

5. Boise Water Corp. water is no longer being used for irrigation.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

MAR 1 1985

Additional Computation Sheets Attached

None - 17 correct/ (2).

$$= \frac{108' + (60 \text{ psi}) \left(\frac{34}{14.7 \text{ psi}} \right)}{0.19 \text{ cfs}} > \frac{570}{0.15 \text{ cfs}}$$

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(50 \text{ ac.}) (3.5 \frac{\text{AF}}{\text{ac.}})}{17.5 \text{ AF}} = 10 \text{ AF}$$

2. Volume Calculations for Other Uses:

Irrigated Acres is about 50% of land in subdivision.

$$\overline{\text{Integrated Acres}} = \left[\left(\frac{1}{2} \right) / (1333') / (654') / (6666') / (10) \right] [50\%] = 5.0 \text{ Ac.}$$

1. Recommended Amounts

Period of Use

To
11/15

Rate of Diversion
Q (cts)
0.15

Annual Volume
V (ata)
17.5

Change P.D. as reflected above

Change P.U. as reflected above


☒ Add P.D. as reflected above
☐ Add P.U. as reflected above
☐ Other _____
☐ None _____

Field Examiner's Name

Reviewer _____
Date _____



Date 1-14-98

SEAL



PLAT SHOW. G
 OWYHEE TERRACE NO.1
 A SUBDIVISION
 LYING IN A PORTION OF THE S 1/2 SE 1/4, SECTION 21,
 T.3N., R.2E., B.M.,
 BOISE, ADA COUNTY, IDAHO
 1977

SCALE IN FEET



DETAIL "A"
 IN SCALE

ELDER SUBDIVISION

*old service line from
 Boise Water Corp. that
 use to furnish the
 irrigation water.*

BASIS OF BEARING

Basis of Bearing for this subdivision is on the Modified
 State Plane Co-ordinate System. Combination Factor 1.000810

ELDER SUBD

COMMON AREAS

BLOCK	LOT	DESCRIPTION
I	A	Landscaped
I	B	Motor Court
I	C	Landscaped
I	D	Landscaped
I	E	Motor Court

NOTES

1. Building Set-backs in this subdivision shall conform to the Applicable Zoning Regulations of Boise City or Ada County.
2. Public Utility Companies are given the right to locate, construct and maintain Mains and Service Lines in Motor Court Lots B and E and Landscaped Common Area Lots A, C and D.
3. This subdivision is subject to an Avigation Easement filed as Instrument No. _____ in the office of the Ada County Recorder, Boise, Idaho.

LEGEND

- Brass Cap
- 5/8" x 30" Iron Pin
- 1/2" x 24" Iron Pin

63-11570

MICROFILMED

APR 11 2003

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 63-95-W-0181-000 OTHER APPLICABLE NO: 63-11570
John G. Grant, President
2. OWNER: Owyhee @ Terrace Homeowners Assoc. Phone: (208) 344-9319
Address: 2128 Vista Av., Boise, ID 83705
3. WELL LOCATION: Twp 3N, Rge. 2E, Sec. 21, SW 1/4 SE 1/4
County Ada (Provide sketch map and photo on reverse.)
4. DRILLER: Stevens & Sons Lic. No. 153
When Drilled? 4/10/95 to 5/1/95
5. WELL CONSTRUCTION:
Casing Diameter 8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 232 ft. Method Drilled Cable Tool
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☐ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 108 ft. Water Temperature Cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

*Irrigation well for Owyhee Terrace
No. 1 Subdivision*

Don Tomich Water Right Examiner
Signature of Dept. Representative & Title

5-20-99
Inspection Date

10. DRAWINGS, OTHER ATTACHMENTS:



AMERICAN

MAY 22 1999

L of z



P/O

Well


structure

(Brown
enclosure).

View

Looking

West



P/O

Well,

valves,

gages,

Air Tank,

etc.

in Well

enclosure.

MICRO

MAR 11 1970

63-11570

2 of 2

P/D

Well -
Brown
enclosure,

Plu
yard/
Lawn
Area.

View
Looking
West



Plu
Lawn +
Yards
South
of
Catalina
Lane.

View
Looking
South.



63-11570

MICROFILM

NOV 9 1963

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 03-11570 Reviewed by [Signature] Date 11-29-95

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

irr.

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 03-95-W-0181-000

200.00 Amount paid for permit

yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

50.00 Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

 Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 11-16-95

November 29, 1995

OWYHEE TERRACE HOMEOWNERS ASSN
C/O JOHN SHELSTAD
2128 VISTA AVE
BOISE ID 83705

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11570

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
DEC 01 1995

1. DRILLING PERMIT NO. 63-95-W-0181-000
Other IDWR No. 63-11570

2. OWNER:

Name Owyhee Terrace Homeowners
Address 2128 Vista Av
City Boise State ID Zip 83705

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

Twp. 3 North ☒ or South ☐
 Rge. 2 East ☒ or West ☐
 Sec. 21, 1/4 S/W 1/4 S/E 1/4
 Gov't Lot _____ County _____

Address of Well Site _____

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. 1 Sub. Name Owyhee
Terrace # 1

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☐ Air Rotary ☒ Cable ☐ Other _____

7. SEALING PROCEDURES

SEALED FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
bentonite grout	0	25	7 sk	slurry pit

Was drive shoe used? ☒ YES ☐ NO 2021

Was drive shoe seal tested? Y ☐ N ☒ How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
8"	+1½	202	.322	steel	☒	☐	☒	☐
6"	198	206	.250	"	☐	☒	☒	☐
6"	226	232	.250	"	☐	☒	☒	☐

Length of Headpipe 8' Length of Tailpipe 6'

9. PERFORATIONS/SCREENS

☐ Perforations	Method
---------------------------------------	--------

XX Screens Screen Type Huston stainless

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
206	226	.020		6	steel	☐	☒
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

108 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or
control devices: well seal

11. WELL TESTS:

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
75	~~XXX~~		
	51.5	159.5	2 hr

Water Temp. _____ Bottom hole temp. _____

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
	0	5	brown clay		X
	5	16	sandy brown clay		X
	16	34	cemented sand & gravel		X
	34	38	sand & gravel		X
	38	45	reddish brown clay		X
	45	102	tan clay		X
	102	128	sandy tan clay	X	
	128	155	tan clay		X
	155	162	hard sandy clay		X
	162	174	tan sandy clay		X
	174	176	tan sandy clay with gravel	X	
	176	193	sandy tan clay		X
	193	201	coarse sand & gravel	X	
	201	216	fine to medium sand	X	
	216	218	blue sand	X	
	218	222	sand	X	
	222	224	sand with blue clay streaks	X	
	224	227	fine sand	X	
	227	230	coarse sand with blue clay streaks		X
	230	232	blue clay		X

RECEIVED
AUG 01 1995

RECEIVED
JUN 12 1995

WATER RESOURCES
WESTERN REGION

Completed Depth 232 (Measurable)
Date: Started 4/10/95 Completed 5/1/95

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Stevens & Sons Firm No. 153

Firm Official Ron Stevens Date 5/8/98

and James M. Walker

Supervisor or Operator Steve Gatto Date 11/1/88

(Sign once if Firm Official & Operator)



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 4, 1993

Owyhee Terrace Homeowners Assn
c/o John Shelstad
2128 Vista Ave
Boise, ID 83705

Re: Permit No. 63-11570

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to November 1, 1996. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Senior Secretary

Enclosure

C: IDWR-Regional Office

RECEIVED

OCT 20 1993

**ANALYSIS SHEET
FOR
EXTENSION OF TIME**

Permit No. 63-11570 Reviewed by Klg Date 10/1/93

BASIC INFORMATION

9/29/93 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
yes Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? Requested? _____
Is delay by a government agency?
Is supporting documentation needed to complete the file? Requested? _____
Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

*Recommend for approval Based on due diligence
Extend to 11/1/96*

PRIORITY CALCULATION

Date extension received	<u>NA</u>	=	_____
Proof due date		=	_____
Number of days late		=	_____
Priority date		=	_____
New Priority Date		=	_____

DATA ENTRY

New Address _____
Change Proof Due Date 10/4/93 Klg
Change Priority Date _____

August 31, 1993

OWYHEE TERRACE HOMEOWNERS ASSN
C/O JOHN SHELSTAD
2128 VISTA AVE
BOISE ID 83705

PROOF DUE NOTICE

RE: PERMIT NO. 63-11570

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MAILED
OCT 20 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 19, 1991

OWYHEE TERRACE HOMEOWNERS ASSN
C/O JOHN SHELSTAD
2128 VISTA AVE
BOISE ID 83705

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 63-11570

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under Condition No. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by permit. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not

diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosure

NOV 20 1991

NOV 20 1991

APPLICATION FOR PERMIT REVIEW

Application #: 63-11570

Reviewer:

Pam Skaggs

Date: 11-08-91

Existing:

✓ No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

✓ GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)

✓ LT. 0.2 cfs - N/A

Drilling Permit:

✓ Approved w/permit - P99

✓ Not included - 046-P23(All GW, even existing wells)

Location:

✓ Water Districts - WD No. 63
Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2)

✓ Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

✓ Drainage Districts - 024

✓ Boise Front (63) - 058(Groundwater)

✓ Swan Falls Flag - (1, Blank or Other)

Trust - 051-052-053-P74(Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

✓ Beneficial Use Due Date: - 11-01-1993

Other Conditions Recommended

NOV 20 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: lw DATE: 7/25/91 APPLICATION: 63-11570

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ___ No* In form to receipt:
- Gov't. Lots:
☒ P/D
☒ P/U

ADDITIONAL INFORMATION

- | YES | NO | |
|-------------------------------------|-------------------------------------|---|
| ☒ | ☐ | Overlapping place of use: (Describe source & relationship to present application on the back.) |
| ☐ | ☒ | Overlapping point of diversion: |
| ☐ | ☐ | Field check required: Field check by: _____ |
| ☐ | ☐ | Field report attached: |
| ☐ | ☒ | Critical groundwater area: |
| ☐ | ☒ | Groundwater management area: |
| ☐ | ☒ | Diversion within interim protected river area |
| ☐ | ☒ | Send dam safety information: |
| ☐ | ☒ | Send power requirement letter: |
| ☐ | ☒ | Send fish farm requirement letter: |
| ☐ | ☒ | Power residency affidavit: |
| ☐ | ☒ | Power efficiency form: |
| ☐ | ☒ | Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) |
| ☐ | ☒ | Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.) |
| ☐ | ☒ | *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT |
| ☐ | ☒ | <u>List of Assoc members</u> |
| ☐ | ☐ | DATE REQUESTED: <u>7/25/91</u> |
| ☒ | ☐ | Additional information on reverse side: |

RECEIVED
OCT 25 1991

PROCESSING

APPLICATION NO. 63-11570

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

Mailing was not delivered in time, resubmitted 9/24
☒ ☒
☐ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest *September 2, 1991*

Protest dates, resolution of protest recorded on application:

Recommendations attached: *Approve, Dist*

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

26A (Allow 2 yrs)

See below for additional information

Recommended Date or Priority *7/25/1991*Recommended by: *Bar* Date *10/18/1991*

STATE OFFICE REVIEW

See below for additional information. By Date

ADDITIONAL INFORMATION

*OVERIAP: P/U - 63-02392 DRAIN A, B, + E** *Needs augmentation conditions*

101	Angela M. Terteling	3388 Catalina Ln.	Boise
		P. O. Box 1428	
102	John Anchustegui	3380 Catalina Ln.	"
103	~~Ruth Price~~ <i>Jim, Carolyn Gregory</i>	3372 Catalina Ln.	"
104	Celia Eliopolus	3364 Catalina Ln.	"
105	Boyd & Elinor Brown	3356 Catalina Ln.	"
106	John & Darlene Grant	3348 Catalina Ln.	"
107	Robert Duncan	3340 Catalina Ln.	"
108	Barbara Hamilton	3336 Catalina Ln.	"
109	Louise Johnson	3324 Catalina Ln.	"
110	Jim & Loretta Beem	3316 Catalina Ln.	"
111	Gary Morgan	3308 Catalina Ln.	"
112	Bill & Faye Borton	3300 Catalina Ln.	"
113	Ella Jordan	3290 Catalina Ln.	"
114	Dale & Doris Leatham	3286 Catalina Ln.	"
115	Stan Newman	3278 Catalina Ln.	"
116	Warren & Natalie Anderson	3262 Catalina Ln.	"
117	Mary A. Rudolph	3258 Catalina Ln.	"
		1855 Diamond St. #324	San Diego, Cal.
118	Emory & June Liming	3244 Catalina Ln.	Boise
119	Jim Lilly	3232 Catalina Ln.	"
		4360 Audubon Place	"
120	George & Jane Benson	3226 Catalina Ln.	"
		123 2nd Ave. #1008	Salt Lake City, Utah
121	Paul Scragg	3214 Catalina Ln.	Boise
122	Gerhard & Sandra Borbonus	3200 Catalina Ln.	"
123	Wendell Power	3184 Catalina Ln.	"
		1834 11th St. #5	Santa Monica, Cal.
124	George & Maria Mack	3170 Catalina Ln.	Boise
125	Jean McDowell	3160 Catalina Ln.	"
		P. O. Box 1655	"
126	Gwendolyn R. Galey	3150 Catalina Ln.	"
127	George & Doris Lafferty	3146 Catalina Ln.	"
128	Dr. Keith & Fern Gilbert	3130 Catalina Ln.	"
129	Ivan & Jane Custer	3122 Catalina Ln.	"
		P. O. Box 2078	"

RECEIVED
NOV 20 1991

130 Mary Clemons	3110 Catalina Ln.	Boise
131 R.C. & Mugsy Pasley	3102 Catalina Ln.	"
132 Roland Giampaloi	3098 Catalina Ln.	"
133 ~~Dennis Johnson~~ <i>JACK KILKENNY</i>	3082 Catalina Ln.	"
134 Chuck & Betty Holt	3076 Catalina Ln.	"
135 Donald E. Barclay	3165 Catalina Ln.	"
136 Deanna R. Wilson	3161 Catalina Ln.	"
137 Douglas & Brenda Tate	3243 Catalina Ln.	"
138 ~~Bruce Gadwell~~ <i>Bette Ann Lodge</i>	3257 Catalina Ln.	"
139 Tom & Janet Randol	3269 Catalina Ln.	"
140 Gene & Marilyn Bumgarner	1400 Nova Ln.	Meridian
	3279 Catalina Ln.	Boise
141 John & Kay Deagon	3304 Pasadena Dr.	"
142 Boyd & Marie Pond	3312 Pasadena Dr.	"
143 John & Sophia Eorio	3320 Pasadena Dr.	"
144 Hans & Mary Miesler	3338 Pasadena Dr.	"
c/o Lyn Marchand		
145 Mrs. Ruth Thornton	2988 S. Owyhee	"
146 Joseph Kurman	2970 S. Owyhee	"
	Fireball Ind., Inc.	Sepulveda, Ca.
	8646 Sepulveda Blvd.	
147 John & Karen Shelstad	2950 S. Owyhee	Boise
148 Dorothy Rohrer	2944 S. Owyhee	"
149 Rose Zittercob Newman	2930 S. Owyhee	"
	3278 Catalina Ln.	"
150 Jenn Hardin	2920 S. Owyhee	"
151 Tommy & Grace Thompson	2898 S. Owyhee	"
152 Dick & Leslie Jones	2882 S. Owyhee	"

NOV 20 1991

63-11570

OWYHEE TERRACE HOMEOWNERS ASSOCIATION
C/O JOHN SHELSTAD
2128 VISTA AVE.
BOISE, ID 83705

Source: GROUNDWATER

Diversion Pt: SWSE Sec 21 T 03N R 02E

Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)

Date Filed: 7/25/ 1991

In: T03N R02E S21 SWSE

5.0 ACRES TOTAL

APPROVED

NOV 20 1991