



UNRECORDED

JUL 24 1990





PHOTO ONE-

Well with 6" casing located southeast of warehouse.
Hose connected to spigot use to water company garden.

>



PHOTO TWO-

Employee garden located east of warehouse. Hose
from spigot shown in foreground.

APR 19 1993



PHOTO THREE-

view southwest of Snake River Chemical office.
Warehouse shown behind office.

>



APR 19 1993

PHOTO FOUR-

warehouse located directly behind office.



PHOTO FIVE-

Spigot Located in front of warehouse next to Loading ramp.

>




PHOTO SIX-

JUN 19 1993

Pressure tank Located in Restroom in warehouse.
This tank is used for both warehouse and office.



SEVEN
PHOTO ONE-

Eye Wash Located just inside loading ramp at front of warehouse.



EIGHT
PHOTO TWO-

Eye Wash in warehouse. Red square panel to left is pushed to operate eye wash system.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-11233

Priority: February 12, 1990

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.7 AF

This is to certify, that SNAKE RIVER CHEMICAL INC
PO BOX 1196

CALDWELL ID 83605

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 12, 1990; and has submitted Proof of Beneficial Use on May 9, 1991. An examination indicates that the works have a diversion capacity of .070 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.02 CFS	0.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 25, Township 04N, Range 03W
CANYON County

PLACE OF USE: COMMERCIAL
TWN RGE SEC

04N 03W 25 NWNE

PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. Commercial use is for a wet lab.

1107051077

APR 19 1993

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 63-11233

CONDITIONS/REMARKS:

7. Domestic use is for offices.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3RD
day of MARCH, 1993.

Acting for 
R. Keith Higginson, Director



APR 19 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 63-11233

Proposed Priority: February 12, 1990 Maximum Diversion Rate: 0.02 CFS

This is to certify, that SNAKE RIVER CHEMICAL INC.

P.O. BOX 1196

CALDWELL, ID 83605

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
	Totals	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: NENWNE Sec. 25, Township 04N, Range 03W
CANYON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

04N 03W 25 NWNE


PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
5. Commercial use is for a wet lab.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of June, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

JUL 24 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Snake River Chemical, Inc. Phone 208 454-0475
Post office address Box 1196, Caldwell, Idaho Hwy 20-26 83606
2. Source of water supply groundwater which is a tributary of N/A
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 25 Township 4N Range 3W B.M. Canyon County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.02 for Domestic/Comm purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.02 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well and Pump
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6" inches; proposed depth of well is 100' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

JUL 24 1990

INVEST LIMITED

Remarks: All info are complete and have been used
since Feb 1, 1987

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

Applebaum

Applicant

Baru

~~1~~

[illegible]

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

9. Description of place of use:

Commercial, Limestone and wet bed.

d. Domestic; show number of households.

2. Municipality, show name of municipality:

1. *Journal of the American Medical Association*, 1997; 277: 1001-1005.

8. Description of proposed uses (if irrigation only, go to item 9):

A grid of 20 columns and 10 rows. A stamp in the bottom right corner reads "MICROFILMED" and "JUL 24 1980".

Signature _____

president

(Applicant)

JUL 2 # 1990

RECEIVED

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	<i>Yes</i>	Date	<i>2/12/90</i>	Time	<i>2:05 pm</i>	Preliminary check by	<i>RW</i>
Fee \$	<i>30.00</i>	Received by	<i>LH</i>	#	<i>W08727</i>	Date	<i>2/13/90</i>
Publication prepared by	CG	Date	<i>3-28-90</i>	Published in	<i>Press-Tribune</i>	<i>4/4 & 4/11/90</i>	<i>2/12/90</i>
Publication approved by		Date	<i>5-10-90</i>				<i>ST</i>

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to divert water from the public waters of the State of Idaho:

CAMPBELL, MARJORIE
VANGSGARD, GARY
VANGSGARD, BETTY J.
3135 STONE LN.
CALDWELL, ID 83605
Source: UNNAMED DRAIN
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/14/1990
In: T04N R03W S03

4.0 ACRES TOTAL

PACHE HEIGHT WATER CORP.
C/O RUSSELL E. LEWIS, PRES.
207 S. CHICAGO ST.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/28/1990
In: T02N R02W S11

8.0 ACRES TOTAL

OMERO, VICTOR
OMERO, ADA
C/O. BOX 277
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: STOCKWATER

Date Filed: 3/5/1990
In: T05N R02W S26

1.0 ACRES TOTAL

SGOOD, LAWRENCE V.
SGOOD, LINDA
3422 LINDEN
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/9/1990
In: T04N R03W S29

2.5 ACRES TOTAL

THOMAS, GEORGE T.
547 WARREN SPUR ROAD
MELBA, ID 83641
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/13/1990
In: T01S R02W S24

80.0 ACRES TOTAL

ILKINS, DONALD F.
ILKINS, ANNE B.
2412 PURPLE SAGE RD.
MIDDLETON, ID 83644
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/14/1990
In: T05N R03W S25

3.2 ACRES TOTAL

AVENPORT, DAVE
704 FOOT HILL RD.
MIDDLETON, ID 83644
Source: UNNAMED STREAM
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/14/1990
In: T04N R02W S02

4.0 ACRES TOTAL

LATT, EMERSON/ELIZABETH
AMURA FARMS INC.
C/O. BOX 275
COMEDALE, ID 83628
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 3/16/1990
In: T03N R04W S11

27.0 ACRES TOTAL

SNAKE RIVER CHEMICAL INC.
BOX 1196 HWY. 20 26
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: COMMERCIAL
Use: DOMESTIC

Date Filed: 2/12/1990
In: T04N R03W S25

LAKEVIEW WATER CO.
C/O WAYNE STEPHENS
24604 EMMETT RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/13/1990
In: T03N R03W S16

63-11235
STEPHENS, WAYNE
24604 EMMETT RD.
CALDWELL, ID 83605
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: COMMERCIAL

Date Filed: 2/13/1990
In: T04N R03W S24

NELSON DEPPE INC.
BOX 768
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: INDUSTRIAL

Date Filed: 2/22/1990
In: T03N R03W S15

JOHNSON, SUMNER M.
JOHNSON, BETTY J.
444 W. IOWA AVE.
NAMPA, ID 83686
Source: GROUNDWATER
Diversion Pt:
Use: DOMESTIC
Use: IRRIGATION

Date Filed: 3/1/1990
In: T03N R02W S33

DAHL WATER USERS ASSN.
C/O MIKE SIMMONS
2708 HIGH AVE.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 3/1/1990
In: T03N R02W S19

SCHNEIDER, THAYNE C.
SCHNEIDER, ALTHEA
123 SHERWOOD DR.
NAMPA, ID 83651
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION
Use: DOMESTIC

Date Filed: 2/7/1990
In: T03N R02W S20

THOMPSON, TERRY D.
THOMPSON, CAROL ANN
16772 ROSEBRIAR LN.
NAMPA, ID 83687
Source: GROUNDWATER
Diversion Pt:
Use: IRRIGATION

Date Filed: 2/28/1990
In: T03N R01W S07

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before APRIL 23, 1990.
R. KEITH HIGGINSON
Director
April 4, 11, 1990

63-11233

63-11148

Tributary: BOISE RIVER
SESW Sec 3 T 04N R 03W
(.120 CFS)
Total Diversion: (.120 CFS)

SESW

63-11189

NWNW Sec 11 T 02N R 02W
(.160 CFS)
(.220 CFS)
Total Diversion: (.380 CFS)

NENW

63-11194

NESW Sec 26 T 05N R 02W
(.030 CFS)
(.020 CFS)
Total Diversion: (.030 CFS)

NESW

63-11200

SWSE Sec 29 T 04N R 03W
(.080 CFS)
(.080 CFS)
Total Diversion: (.080 CFS)

SWSE

63-11207

SWNWSE Sec 24 T 01S R 02W
(1.000 CFS)
Total Diversion: (1.000 CFS)

NESW

NWSW

63-11211

SWSWSE Sec 25 T 05N R 03W
(.100 CFS)
(.100 CFS)
Total Diversion: (.100 CFS)

SWSE

63-11213

Tributary: LANKTREE GULCH
Lot 3 (NENENW) Sec 2 T 04N R 02W
(.080 CFS) (14.00 AF)
Total Diversion: (.080 CFS)

Lot 3 (NENW)

63-11220

SESESW Sec 11 T 03N R 04W
(.540 CFS) (94.50 AF)
Total Diversion: (.540 CFS) (94.50 AF)

SESW

NENWNE

Sec 25 T 04N R 03W
(.020 CFS)
(.020 CFS)
Total Diversion: (.020 CFS)

NWNE

63-11234

NENE

Sec 16 T 03N R 03W
(.150 CFS)
(.200 CFS)
Total Diversion: (.350 CFS)

NENE

5.0 ACRES TOTAL

SESE

Sec 24 T 04N R 03W
(.030 CFS)
(.200 CFS)
Total Diversion: (.230 CFS)

SESE

1.0 ACRES TOTAL

63-11236

NWSWNW

Sec 15 T 03N R 03W
(.440 CFS)
Total Diversion: (.440 CFS)

SWNW

63-11237

SESWNE

Sec 33 T 03N R 02W
(.02 CFS)
(.030 CFS)
Total Diversion: (.050 CFS)

SWNE

1.0 ACRES TOTAL

63-11238

SESESE

Sec 19 T 03N R 02W
(.050 CFS)
(.140 CFS)
Total Diversion: (.190 CFS) (8.60 AF)

SESE

2.5 ACRES TOTAL

63-11239

NWSENE

Sec 20 T 03N R 02W
(.040 CFS)
(.040 CFS)
Total Diversion: (.040 CFS)

SENE

2.0 ACRES TOTAL

63-11242

SWSWNE

Sec 7 T 03N R 01W
(.030 CFS)
(.030 CFS)
Total Diversion: (.030 CFS)

SWNE

0.2 ACRES TOTAL



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 18, 2003

UAP NORTHWEST
JAMES ADLER
PO BOX 1316
CALDWELL ID 83606

RE: Name Change for Water Right 63-11233

Dear Mr. Adler:

The Department of Water Resources (Department) is in receipt of a Change in Address form sent in October 2002 changing a mailing address **and** requesting a name change for the company identified in our records as Snake River Chemical. A copy of this form is enclosed for your information and convenience.

We have checked with the Office of the Secretary of State's web page to verify that UAP Northwest is licensed to do business in the state of Idaho but received a negative reply.

Please complete the enclosed Notice of Change in Water Right Ownership form and return it to our office with supporting data showing how Snake River Chemical came to be known as UAP Northwest as well as confirmation from the Secretary of State. If it is merely a case of taking a new name there will be no fee required. If, however, Snake River Chemical was sold and is now known as UAP Northwest as a result of a sale, a \$25.00 filing fee will be required.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a **\$100 late filing fee**.

If you have any questions regarding this matter, please call me at 208-327-7941.

Sincerely,

Kari Lynn Townsend
Secretary

KLT:k

Enclosures

MICROFILMED

FEB 10 2004



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 4, 1993

SNAKE RIVER CHEMICAL INC
PO BOX 1196
CALDWELL ID 83605

RE: WATER RIGHT NO. 63-11233

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

Pamela Skaggs

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

APR 19 1993

Date 2-23-93

COMMENTS: _____

LICENSE ☒ **AMEND** **SPECIAL PARAGRAPH**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 19 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 63-11233
1. Owner: Snake River Chemical, Inc. Phone No. 454-0475
Current Address: P.O. Box 1196, Caldwell, ID 83605
2. Accompanied by: John Hopp EXAM. DATE: 6/29/92
Address: (Same) Phone No. Same
Relationship to Permit Holder: Employee
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9981, 63-2294, 63-2276
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

APR 19 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.) Domestic use from 6" well is for 40' x 60' office building containing two restrooms, break area, and 50 gallon water heater. Commercial use is for rest room in warehouse, eye wash system, and spigot next to warehouse for miscellaneous purposes.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	ND				
Motor Make	TAG				
Hp	1½				
Motor Serial No.	ND TAG				
Pump Make	Red Jack				
Pump Serial No. or Discharge Size	5D386-1186				

- 5. Point(s) of Diversion:**

***Code to correspond with No. on map and aerial photo**

[illegible]

- 6. Place(s) of Use:**

Indicate Method of Determination Same as P/D

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5 gallon bucket

5 gallon / 55 sec = 5.4 gpm

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: 5 gallon bucket

$\frac{5.4 \text{ gpm}}{448.8 \text{ gpm}} = 0.01 \text{ CFS (one spigot)}$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: $\frac{38}{20}$ psi x 2.31 = $\frac{87.8}{46.2}$ ft (1); Dynamic pumping level: $\frac{25}{07}$ ft (2)
Total Head: (1) + (2) = $\frac{71.2}{112.8}$ (3) $Q = \frac{(8.8)(1.5)(.7)}{71.2 + 25} = \frac{0.10}{0.07} \text{ CFS}$; Flow rate: $\frac{0.10}{0.07} \text{ cfs (4)}$

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

(Actual commercial use is minor, for wet Lab only, so allow 0.1 AF)

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Domestic (Inside) + commercial (inside) = 0.6 + 0.1 = 0.7 AF
(Commercial)

$V_0 = 0.04 \times 365 \times 1.9835 = 29.0 \text{ AF}$

Commercial = 5.5 gpm = 0.01 CFS

Use 0.7 AF

APR 19 1993

MACROFILMED

H. REMARKS AND OVERLAP REVIEW ANALYSIS

p/u Overlaps - Same p/u but different use (irrigation)

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

Commercial

From

Period of Use
To

12/31

12/31

Rate of Diversion

0.02

0.02

Annual Volume

0.7

~~0.1~~

J. AUTHENTICATION

Field Examiner's Name

☐ Change P.D. as reflected above☐ Change P.U. as reflected above☐ Add P.D. as reflected above☐ Add P.U. as reflected above☒ None☐ Other

AUTHENTICATION

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



P/O & P/u

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-11233

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 3W, Sec. 25, NW 1/4 NE1/4 or Lot _____.

2. Owner: Snake River Chemical, Inc.

Address P.O. Box 1196, City Caldwell, St ID

3. Casing $\geq$ 12 inches above ground: Yes _____ No ☒

4. Access Port: Yes _____ No ☒ Static Water Level: 25'
Pressure Gauge: Yes _____ No ☒ Casing Diameter: 6"
Flowing: Yes ☒ No _____ Temperature: N/A

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

MICROFILMED

APR 16 1991



PHOTO ONE-

Well with 6" casing located southeast of warehouse.
Hose connected to spigot use to water company garden.

>



PHOTO TWO-

Employee garden located east of warehouse. Hose
from spigot shown in foreground.

APR 10 1993





PHOTO THREE-

View southwest of Snake River Chemical office.
Warehouse shown behind office.

>



APR 15 1993

PHOTO FOUR-

Warehouse located directly behind office.



PHOTO FIVE-

Spigot Located in front of warehouse next to Loading Ramp.

>



PHOTO SIX-


JUN 19 1993

Pressure tank Located in Restroom in warehouse. This tank is used for both warehouse and office.



SEVEN
PHOTO ONE-

Eye Wash Located just inside loading ramp at front of warehouse.



EIGHT
PHOTO TWO-

Eye Wash in warehouse. Red square panel to left is pushed to operate eye wash system.

May 17, 1991

SNAKE RIVER CHEMICAL INC.
P.O. BOX 1196
CALDWELL, ID 83605

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-11233

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JUN 03 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 63-11233

Date 5-15-91

GENERAL CONSIDERATIONS

y Name same as permit?
y Address same as permit? If no, indicate below.
y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

y Surface water source
y Ground water source
no Drill permit req'd?
/ Copy in file? Drill permit no. _____
/ Amt paid for drilling permit? _____ Correct?
/ Well log in file?

LICENSE EXAMINATION FEE

no Required?
/ Amount submitted?
/ Correct amount?

MEASURING DEVICE

no Measuring device or access port required?
/ Installed?
/ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

LB

07/90

RECEIVED

MAY 9 1991

STATE OF IDAHO

For Office Use Only

Amt. of Fee \$ _____

Date _____

Receipt No. _____

Received by _____

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 63-11233 Telephone No. 208-454-04752. Name(s) of Permit Holder(s): Snake River Chemicals, Inc3. Post Office Address: P O Box 1196, Caldwell, ID 836054. Source of Water: Ground Watera. If ground water, well driller's name: SOS Well Drilling Date drilled: 2-87

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic 1 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other Commercial use (Same as Domestic)6. Total rate and/or volume for which proof is submitted 0.02 CFS cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

John A Hopp
Name208-454-0475
Telephone No.4903 Hwy 20/26, P O Box 1196, Caldwell, ID 83606
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-6-91
DateJohn A Hopp, Operations Mgr
Signature (and title if on behalf of a company or organization)

JUL 11 1991

138472

April 30, 1991

SNAKE RIVER CHEMICAL INC.
P.O. BOX 1196
CALDWELL, ID 83605

PROOF DUE NOTICE

RE: PERMIT NO. 63-11233

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1991.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

103 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 29, 1990

SNAKE RIVER CHEMICAL INC.
P.O. BOX 1196
CALDWELL, ID 83605

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P63-11233

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUL 24 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 2 1970

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RW DATE: 3/19/90 APPLICATION: 63-11233

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

63-11233

PROCESSING

YES NO

☒ ☐

In form for advertising:

☐ ☒

Statewide advertising:

☒ ☐

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒

I.D. Health and Welfare

☐ ☒

I.D. Fish and Game

☐ ☒

I.D. Lands

☐ ☒

Adjudication Bureau

YES NO

☐ ☒

U.S. BLM

☐ ☒

U.S. Forest Svc.

☐ ☒

Water Dist. #

☐ ☒

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐

Affidavit of publication received:

☒ ☐

Application published correctly: If not, record action taken.

☒ ☐

Publication dates and paper recorded on application:

☒ ☐Protests received. Final date for protest April 23, 1990☒ ☐

Protest dates, resolution of protest recorded on application:

☒ ☐Recommendations attached: Approve, Dnr☒ ☐

Measuring device required:

☒ ☐

Measuring port required:

☒ ☐Water delivered by water master? District # 63-P05☒ ☐

Special conditions of approval or cover letter:

See below for additional information

Recommended Date or Priority 2/12/1990Recommended by: DnrDate 6/14/1990STATE OFFICE REVIEWP05, P23P1646 09ESee below for additional information. By KWDate 6/25/90ADDITIONAL INFORMATIONCorp Officers:R.C. Bartlett - Pres.28X1196 Caldwell, IDStanley Strasbaugh - V. Pres.Al B. Thomas - Sec., Trans.Central Park Plaza Omaha NE 68102

63-11233

SNAKE RIVER CHEMICAL INC.
BOX 1196 HWY. 20 26
CALDWELL, ID 83605

Source: GROUNDWATER

Diversion Pt: NENWNE Sec 25 T 04N R 03W

Use: COMMERCIAL (.020 CFS)
DOMESTIC (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 2/12/ 1990

In: T04N R03W S25 NWNE

MICROFILMED

JUL 24 1990