

Topographic map showing a rural area with various features and handwritten annotations.

Handwritten Annotations:

- R1E** (Blue ink, top center)
- P/O** (Blue ink, with an arrow pointing to a spot near section 13)
- T 4N** (Blue ink, right side)
- 63-4694** (Black ink, near a well symbol)
- 63-4861** (Black ink, near a square symbol)

Map Features:


- Sections:** 13, 14, 23, 24
- Water Features:** CANAL, CREEK, Lake Elmore
- Infrastructure:** BOGARD LANE, GERRY LANE, SPOIL BANKS, UNION HILL
- Buildings/Structures:** Green Meadows Sch (Abandoned), Trailer Park, Siphon, Landing Strip
- Other:** Mile 7.4, Pierce Park School

Red Stamp: MICROFILMED (bottom center)

SEP 30 1988

Veda Anderson
(Applicant)

PLACE OF USE PERMIT 63-10599 BY DAN NELSON



- Wells
- Pump house
- Place of Use Boundary
- Section lines
- 1/4 1/4 Lines



MICROFILMED
MAR 17 2003

63-10599

ACRE DETERMINATION

3.6 TOTAL ACRES IRRIGATED

PERMIT 63-10599

BY DAN NELSON



- Wells
- ⬠ Pump house
- ⬠ Yard Boundaries
- ⬠ Place of Use Boundary
- ⬠ Section lines
- ⬠ 1/4 1/4 Lines



MICROFILMED
MAR 17 2003

63-10599

SYSTEM DIAGRAM

PERMIT 63-10599


BY DAN NELSON



0.1 0 0.1 0.2 Miles


-  Wells
-  Pump house
-  Main lines
-  Place of Use Boundary
-  Section lines
-  1/4 1/4 Lines

MICROFILMED
MAP 17 2003




63-10599

SYSTEM DIAGRAM 63-10599



The water from the canal is diverted out of the irrigation vault into the irrigation mainline by the relift pump. Well #3 diverts directly into the irrigation mainline. Well #1 and #2 divert into a pressure tank in the pump house and is distributed to each house through the domestic mainline. Each trailer can irrigate out of this mainline. There are three spigots that irrigate the pool area and common areas (there are more spigots in the park, these are only the main irrigation spigots). The eastern most spigot can run a hose to the vault for added irrigation if needed.



MICROFILMED
MAR 17 2003

63-10599



View of Well casing. Pump is
 submerged ! This ^{serve} as the domestic well
 for the entire system. Water is
 pumped from this point into a pressure
 tank. Well is located on the north
 of the property.

PHOTO ONE-



View of Pressure tank. This
 is the domestic pressure tank.
 Lines from this pressure tank
 go to each domestic.

Well #1
 is on
 other
 side of
 well
 house.

PHOTO TWO-

MICROFILMED
 MAR 17 2003

63-10599



View to the south of
the trailer PARK.

PHOTO ~~FIVE~~ THREE




View of the IRRIGATION system.

THERE IS ONE SPIGOT IN EACH YARD
FROM THE ^{Pressure Tank} ~~Well~~. LAWNS ARE
IRRIGATED, AS IN THE PICT, BY
SPIGOTS - HOSES - RAINBIRDS.

PHOTO ~~SIX~~ FOUR

MICHAEL
MAR 17 2003



P1u
P1d →

PERMIT 63-10599 INIT DA
T. R. S. Q/Q
P/D 4N 1E 13 WMM
SCALE _____
PHOTO ID. _____

MICROFILMED
MAR 17 2003

State of Idaho
Department of Reclamation
WELL DRILLER'S REPORT

RECEIVED

JAN 8 1970

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well. Department of Reclamation

[illegible]

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 63-10599

Priority: March 25, 1988

Maximum Diversion Rate: 0.11 CFS

It is hereby certified that CLARK B ANDERSON And/Or VEDA R ANDERSON
8298 CASA REAL LN
BOISE ID 83703 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated March 25, 1988; and have
submitted Proof of Beneficial Use on April 24, 1990. An examination indicates that the works have a
diversion capacity of 0.39 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

03/01 to 11/15

DIVERSION RATE

0.11 CFS

LOCATION OF POINTS OF DIVERSION:

GROUND WATER	SW $\frac{1}{4}$ NW $\frac{1}{4}$	Sec. 13, Twp 04N, Rge 01E, B.M., ADA County
GROUND WATER	NW $\frac{1}{4}$ SW $\frac{1}{4}$	Sec. 13, Twp 04N, Rge 01E, B.M., ADA County
GROUND WATER	SW $\frac{1}{4}$ NW $\frac{1}{4}$	Sec. 13, Twp 04N, Rge 01E, B.M., ADA County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N 01E 13							1.7	1.7							.2		3.6

Total Acres: 3.6

CONDITIONS OF APPROVAL

1. Right 63-09742 is also diverted through the points of diversion located in the SWNW, S13, Twp. 04N, Rge. 01E.
2. Rights 63-09742 and 63-10599 when combined shall not exceed a total diversion rate of 0.39 cfs.
3. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor exceed a combined annual maximum diversion volume of 16.2 af at the field headgate for the lands above.
4. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with ground water diverted under this right and shall only divert ground water under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.

MICROFILMED

MAR 17 2003

State of Idaho
Department of Water Resources
Water Right License


WATER RIGHT NO. 63-10599


5. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
6. This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 24TH day of FEBRUARY, 2003.

Acting for


KARL J. DREHER
Director



MICROFILMED

MAR 17 2003

RECEIVED

FEB 20 2003

Page 1

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

Department of Water Resources

(For Licensing Purposes)

WATER RIGHT NO. 63-10599

Date of Priority: March 25, 1988

Maximum Diversion Rate: 0.11 CFS

Comes now CLARK B ANDERSON And/Or VEDA R ANDERSON
8298 CASA REAL LN

BOISE ID 83703 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 63-10599, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/15	0.11 CFS	16.2 AF

LOCATION OF POINTS OF DIVERSION:

GROUND WATER	SW $\frac{1}{4}$ NW $\frac{1}{4}$	Sec. 13, Twp 04N, Rge 01E, B.M., ADA County
GROUND WATER	NW $\frac{1}{4}$ SW $\frac{1}{4}$	Sec. 13, Twp 04N, Rge 01E, B.M., ADA County
GROUND WATER	SW $\frac{1}{4}$ NW $\frac{1}{4}$	Sec. 13, Twp 04N, Rge 01E, B.M., ADA County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N 01E 13							1.7	1.7								.2	3.6

Total Acres: 3.6

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 18 day of Feb, 2003

(Signature)

MICROFILMED

MAR 17 2003

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-10599

FOR DEPARTMENT USE ONLY
Preliminary check by fw Fee \$50.00 Received by JM # 0067800 Date 2/20/03

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 63-10599 with the following:

CONDITIONS OF APPROVAL

1. Right 63-09742 is also diverted through the points of diversion located in the SWNW, S13, Twp. 04N, Rge. 01E.
2. Rights 63-09742 and 63-10599 when combined shall not exceed a total diversion rate of 0.39 cfs.
3. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor exceed a combined annual maximum diversion volume of 16.2 af at the field headgate for the lands above.
4. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with ground water diverted under this right and shall only divert ground water under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.
5. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
6. This right when combined with all other rights shall provide no more than 4.5 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 24TH day of FEBRUARY, 2003.

Acting for


KARL J. DREHER
Director

MICROFILMED
MAR 17 2003

RECEIVED

APR 24 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 63-10599 Telephone No. 853-0123Name(s) of Permit Holder(s): Clark B. Anderson or VEDA AndersonPost Office Address: 8298 Casa Real Ln Boise, ID 83703Source of Water: WellIf ground water, well driller's name: TED HUNTS PERCE Date drilled: 5/88Extent of Use:
Domestic 44 (No. of households) Irrigation 10 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .20 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: 5/89

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No NA

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No NAFee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name

VEDA ANDERSON

Telephone No.

853-01238298 Casa Real Ln. Boise, ID

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.


MICROFILMED

JUN 21 1990

Date

4/11/90

Signature (and title if on behalf of a company or organization)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Clark B. &/or Veda Anderson Phone 343-0123
Post office address 8298 CASA REAL LN BOISE, IDAHO 83703
2. Source of water supply GROUND WATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 13 Township 4N Range 1E B.M. ADA County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.2 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or ~~acre-feet per annum~~)
Amount 0.2 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or ~~acre-feet per annum~~)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or ~~acre-feet per annum~~)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or ~~acre-feet per annum~~)
5. Total quantity to be appropriated is (a) 0.2 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELLS, PUMP & PIPELINE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 10" inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 yrs years (minimum 1 year).

SEP 30 1988

AND TO SERVE AS BACKUP FOR THE DINEEN WIRE.

used to supply irrigation water for trailer court lots

12. Remarks: THE WHEEL ~~IS~~ DRIVEN UNDER THIS PERMIT WILL BE

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? _____

11. a. Who owns the property at the point of diversion? Applicant

From Union Farmers Canal. Domestic Rt. -- 63-9742

10. Describe any other water rights used for the same purposes as described above. SURFACE WATER

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

TRAILER COURT.

AN EXISTING WELLS IS USED TO SUPPLY DOMESTIC USE FOR

e. Other, describe fully. WATER USED FOR DOMESTIC AND IRRIGATION

d. Domestic; show number of households. $\frac{4}{3}$ unit trustee court


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

SEP 30 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Veda Anderson
(Applicant)

Received by Jim Date 3-25-88 Time 4:29 PM
Proposed priority 3/25/88
Received by JR Date 3-29-88 Time 3:00 PM
W000070 Date 3/30/88
ID Statesman 4/7 & 4/14/88
Date 4/19/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-10599 , and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

June 1, 19 90

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 18th day of May, 1988.

Director

SEP 30 1988

The Idaho Statesman

P.O. BOX 40, BOISE, IDAHO 83707

LEGAL ADVERTISING INVOICE

Amount Due

104.39

Account Name Idaho Department of Water Resources (Western)			Account Number #47628	
Address 2735 Airport Way		City/State Boise, ID		Zip 83705
Ordered By Judy Pense	P.O. Number	Rate NT	Run Dates 1988 April 7, 14	
Identification Applications for Water Rights			Estimated Inches	Real Inches
Number of Affidavits Requested 1				Legal Number #8171

RECEIVED
APR 15 1988

STATE OF IDAHO)

) ss.

Department of Water Resources
Western Regional Office

COUNTY OF ADA)

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-10540

STAFFORD, HERSHEL V. and/or NORENE
7708 Stirrup
Boise, ID 83709

Source: Groundwater

Date Filed: 09/22/1987

Diversion Pt.: SESE Sec. 36 T 03N R 01E.

Use: Irrigation (0.030 CFS)

Use: Domestic (0.020 CFS)

63-10599

ANDERSON, CLARK B. and/or VEDA
8298 Casa Real Ln.
Boise, ID 83703

Source: Groundwater

Date Filed: 03/25/1988

Diversion Pt.: SWNW Sec. 13 T 04N R 01E

Use: Irrigation (0.2 CFS)

Use: Domestic (0.2 CFS)

In: SWNW SENW Sec. 13 T 04N R 01E for 10 acres

63-10594

CAN-ADA FARMS
c/o LEWIS McKELLIP
Rt. 2 Box 2117
Nampa, ID 83651

Source: Groundwater

Date Filed: 03/09/1988

Diversion Pt.: NWNE Sec. 31 T 04N R 01W

Use: Irrigation (2.6 CFS)

In: NWNE SWNE NENW NWNW SWNW SENW Sec. 31 T 04N R 01W for 130 acres

63-10596

STEELE, ROBERT W.
5575 Round-up
Boise, ID 83709

Source: Groundwater

Date Filed: 03/09/1988

Diversion Pt.: NENE Sec. 17 T 05N R 01W

Use: Irrigation (0.110 CFS)

In: NENE Sec. 17 T 05N R 01W for 10 acres

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before April 25, 1988.

R. KEITH HIGGINSON
Director

Pub. Apr. 7, 14, 1988

8171

Deborah Gregory, being duly

sworn, deposes and says: That she is the Principal Clerk of The Idaho Statesman, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto; that said notice was published in The Idaho Statesman in conformity with Section 60-108, Idaho Code as amended, for Two (2) ☒ consecutive weekly ☐ consecutive daily ☐ single ☐ odd skip

insertion(s) beginning with the issue of April 7, 19 88

and ending with the issue of April 14, 19 88

Deborah Gregory

Subscribed and sworn to before me this 14th

day of April, 1988

Paula E. Plow 12/93
Notary Public for Idaho, Residing at Boise, Idaho



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 25, 2003

CLARK B ANDERSON
VEDA R ANDERSON
8298 CASA REAL LN
BOISE ID 83703

RE: License No. 63-10599 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED
MAR 17 2003


CERTIFICATE OF SERVICE

I hereby certify that on February 25, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

63-10599

**CLARK B ANDERSON
VEDA R ANDERSON
8298 CASA REAL LN
BOISE ID 83703**

A handwritten signature in black ink, appearing to read "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

MICROFILMED

MAR 17 2009

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
MAR 17 2003

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 10, 2003

CLARK B ANDERSON
VEDA R ANDERSON
8298 CASA REAL LN
BOISE ID 83703

RE: Water Right Permit No. 63-10599

Dear Permit Holders:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

☒ **Points of Diversion**

☒ **Place of Use**

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

2-18-03
Mrs. Anderson
called - will
submit amendment.
KW
MICROFILMED

MAR 17 2003

LICENSE REVIEW CHECKLIST

Permit No. 63-10599 Date: 2-7-2003 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source

Point of Diversion: add

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use add

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): Farmers Union

File reviewed 1 Profile reports printed 1

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.20 cfs

Fee Limit 0.20 cfs

Measured 0.39 cfs

Theoretical 0.39 cfs

Recommended Total Diversion Rate 0.11

Water Uses OK

Change (P46)

Season of Use per new Standards

3-1 11-15

Irrigation 0.11 cfs 16.2 af

Stockwater 0.11 cfs 16.2 af

Domestic 0.11 cfs 16.2 af

0.11 cfs 16.2 af

0.11 cfs 16.2 af

Total 0.11 cfs 16.2 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

0.11 cfs x 1.9835 x 260 days = 56.7 af (vs) 3.6 acres x 4.5 (FHR) = 16.2 af
3.5 (con)

Remarks: (W36) 63-9742

Additional Conditions Watermaster Control
GW Measurement/Measuring Device
Other
Trust R55 - remove 051)
Non-trust (048)

GW Dist?
Water Msmt. Dist?
Crit. GWMA?
GWMA?
Government Lots?

Advance Priority? yes If yes, explain why below.
no

SRBA Claim? yes-pending

Adjust memo

Amend Letters P87, S06

Second Amendment Notice P44 S06

Page 1

A. GENERAL INFORMATION

Permit No: 63-10599

Exam Date: 1/8/2003

1. Current Owner: VEDA R ANDERSON
8298 CASA REAL LN
BOISE ID 83703
(208)853-2555

And/Or

CLARK B ANDERSON
8298 CASA REAL LN
BOISE ID 83703
(208)343-0123

2. Accompanied by: Clark and Veda Anderson

Phone No: SAME AS ABOVE

Address: SAME AS ABOVE

Relationship to Permit Holder: OWNER

- ### 3. SOURCE

TRIBUTARY

GROUND WATER

N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 63-9742 AND FARMERS UNION DITCH COMPANY, BOISE VALLEY IRRIGATION DITCH COMPANY, AND DRAINAGER DISTRICT NUMBER 2.
2. Other water rights with the same point of diversion: 63-9742

C. DIVERSION AND DELIVERY SYSTEM

1. LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER	SW1/4NW1/4	Sec. 13,	Twp 04N,	Rge 01E, B.M.
ADA County				
GROUND WATER	NW1/4SW1/4	Sec. 13,	Twp 04N,	Rge 01E, B.M.
ADA County				
GROUND WATER	SW1/4NW1/4	Sec. 13,	Twp 04N,	Rge 01E, B.M.
ADA County				

Method of Determination:

2.

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	
04N	01E	13						1.7	1.7							.2		3.6	

Total Acres: 3.6

MICROFILMED
MAR 17 2003

Method of Determination:

3. YES Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.
- YES Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.
- YES Aerial Photo Attached (required for irrigation of 10+ acres).
- YES Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL # 1	UNKNOWN	3	SE50300	UNKNOWN	2 INCH
WELL # 2	UNKNOWN	3	2821022701	UNKNOWN	2 INCH
WELL # 3	UNKOWN	3	MAHO2S-20	UNKNOWN	2 INCH

*Code to correspond with No. on map and aerial photo

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS**D. FLOW MEASUREMENTS**

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A	N/A	N/A	N/A	N/A	N/A	N/A

2. Measurements:

A theoretical calculation was used for this exam. The pumps were not operating at the time of the exam and it was not economical to require the applicant to waste water and electricity.

MICROFILMED
MAR 17 2012

E. FLOW CALCULATIONSYes Additional Computation Sheets Attached

Measured Method:

Permit allowed → 0.20 cfs

Measured amount → 0.39 cfs

Acre limit → 0.11 cfs ($3.6 \times 0.03 = 0.108$ cfs)

This licensed should be limited to the licensed amount of 0.11 cfs since this is lesser amount.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.6 \times 4.5 = 16.2 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 = 0.11 \times 260 \times 1.9835 = 56.7 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 16.2 \text{ afa}$$

2. Volume Calculations for Other Uses:

NONE

G. NARRATIVE/REMARKS/COMMENTS

The water for this right is diverted from 3 wells. Two of the wells located in the SWNW were licensed under water right 63-9742 for domestic use. The third well located in the NWSW is the well described in this permit. The third well was never connected to the first two wells, due to water quality monitoring concerns. Therefore, the domestic use portion of this permit will not be recommended, since no new domestic use has been developed. I am recommending that the first two wells be included under this permit, since all three wells contribute to the irrigation of this manufactured home facility. Another reason for including all three wells under this permit is that 63-9742 was licensed for in-house use only and the applicant uses all three wells for irrigation purposes.

The main source of irrigation is the canal water that enters the property through a ditch that runs along the eastern border of the property. The applicant has constructed a small vault at the northern section of the ditch, where they have a small pump that delivers water to a 2-inch water line that supplies irrigation water to the manufactured home facility. The third well diverts directly into the 2-inch irrigation lines as a backup when water from the canal is low or not available. At the time this proof of beneficial use was filed, the first two wells diverted into a large storage tank in the pump house, which serviced the in-house use for each trailer in the trailer park and a number of spigots and a swimming pool. The trailers used outside faucets and the spigots located around the trailer park for irrigation. The water from the large storage tank can also be delivered to a spigot located near the irrigation vault to supply emergency water into the main irrigation system if needed. Although the first two wells are not physically connected to the irrigation mainline, they are used in-coordination with the irrigation system.

A few years ago the water in the first two wells were contaminated supposedly from the Seamans Gulch Landfill. The owners of the wells were required by the Department of Environmental Quality to stop using the first and second well for in-house use until the contamination is cleaned up. The wells and the pressure tank are still in place, and they are still being used for irrigation. However, United Water is currently supplying the in-house water until the contamination issue is rectified. When the water contamination issues are resolved, the applicants will then make the decision whether or not they plan to go back to using the wells. Until that time, the domestic portion of 63-9742 should still be considered valid and the two wells should be included in the licensing of this permit for irrigation purposes. All other overlapping water rights for this area are not associated with the three wells or the manufactured home park.

MICROFILMED

MAR 6 2003

I have informed the owners that a licensing amendment would be needed to add the other two wells to this water right, and they feel that is acceptable. They are also aware that domestic portion of this permit will need to be removed, because no new rate or volume of water have been added since 63-9742 was licensed, and the third well has never been connected directly into the domestic system. Therefore, I recommend that this permit be licensed for the irrigation of 3.6 acres at a rate of 0.11 cfs and 16.2 afa annual volume from the 3 wells described above. When this water right and 63-9742 are combined the total instantaneous diversion rate for all uses should be limited to 0.39 cfs or the system capacity. When this right is combined with their surface water they should be limited to 0.03 cfs/acre and 4.5 afa/acre. The owners of the water right should be required to use the full allocation of the surface water (canal water) prior to diverting water from any of the wells for irrigation. The owners should be allowed to use this water right when canal water is not available.

Have conditions of permit approval been met? X Yes ____ No

H. RECOMMENDATIONS

1. Recommended Amounts

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.110 CFS	16.20 AF
	<u>Totals:</u>	0.110 CFS	16.20 AF

2. Recommended Amendments

____ Change P.D. as reflected above X Add P.D. as reflected above ____ None

____ Change P.U. as reflected above X Add P.U. as reflected above ____ Other

I. AUTHENTICATION


Field Examiner's Name Daniel A. Nelson Date 2-4-03

Reviewer _____ Date _____


MICROFILMED

MAR 17 2003

PLACE OF USE PERMIT 63-10599 BY DAN NELSON



- Wells
- ◆ Pump house
- Place of Use Boundary
- Section lines
- 1/4 1/4 Lines



MICROFILMED

MAR 17 2003

63-10599

ACRE DETERMINATION

3.6 TOTAL ACRES IRRIGATED


PERMIT 63-10599

BY DAN NELSON



0.2 0 0.2 0.4 Miles

- Wells
- ◆ Pump house
- Yard Boundaries
- Place of Use Boundary
- Section lines
- 1/4 1/4 Lines



63-10599

SYSTEM DIAGRAM


PERMIT 63-10599

BY DAN NELSON




0.1 0 0.1 0.2 Miles

- Wells
- ◆ Pump house
- △ Main lines
- Place of Use Boundary
- Section lines
- 1/4 1/4 Lines




63-10599

SYSTEM DIAGRAM 63-10599



The water from the canal is diverted out of the irrigation vault into the irrigation mainline by the relift pump. Well #3 diverts directly into the irrigation mainline. Well #1 and #2 divert into a pressure tank in the pump house and is distributed to each house through the domestic mainline. Each trailer can irrigate out of this mainline. There are three spigots that irrigate the pool area and common areas (there are more spigots in the park, these are only the main irrigation spigots). The eastern most spigot can run a hose to the vault for added irrigation if needed.



MICROFILMED
MAY 17 2003

63-10599

ACRE DETERMINATION

This permit is for a manufactured home park that has 46 units sitting on approximately 8 acres. Some of the 8-acres is covered by roads and manufactured homes. I used Arcview to determine the amount of acres that were irrigated and came up with 3.6 acres of irrigated ground. I double checked my Arcview work by calculating an average using the following information.

The owners showed me a large plat map that suggests the each lot in the park is approximately 50 ft by 100 feet or 5,000 square feet, and the owners stated that the average sized manufactured home was approximately 1,950 square feet.

$[(5,000 \text{ ft}^2 \text{ lot} - 1,950 \text{ ft}^2 \text{ home and drive way}) \times 46 \text{ lots}] + 5,000 \text{ ft}^2 \text{ border \& pool area} =$

$145,300 \text{ ft}^2 \text{ total area} / 43,560 = 3.3 \text{ acres of irrigation}$

Arcview showed 3.6 acres of irrigation the rough average showed 3.3 acres of irrigation.

I recommend 3.6 acres of irrigation for licensing of this permit.

3.6 acres of irrigation at 0.03 cfs per acres = 0.11 cfs maximum allowable for this permit.

MICROFILMED

MAR 17 2003

63-10599

GROUNDWATER THEORETICAL ANNALYSIS

Well #1
(East of well house)

FILE: 63-10599
DATE: 1-8-2003
BY: DAN NELSON

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8 \times (\text{HP}) \times (\text{EFF.}))}{\text{TDH}}$

Q = CFS
HP = Total Brake Horsepower of pumping plant (including booster)
Eff. = Pumping plant efficiency (assume 70% or 0.70)
TDH = Total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = Depth to water in FEET from land surface to pumping water level
PSI = Pumping pressure measured in PSI near pump (if open discharge assume [0])

$$Q = \frac{(8.8) \times (3) \times (0.70) = 18.48}{[(39) + (45 \times 2.31)] = 142.95} = \frac{0.13 \text{ cfs}}{50 \text{ gpm.}}$$

<u>LIFT FROM:</u>	<u>PSI FROM:</u>	<u>NOTES ON PUMP:</u>
Measurement ()	Measurement ()	Motor Make, Serial or ID
Owner (X)	Owner ()	
Area estimate ()	Estimate (X)	Pump Make, Serial or ID, rating
Well Logs ()	Owner Gage ()	
	Booster (Y) (N)	

REMARKS: Well pumps into a pressure tank in well house average pressure is 45 psi.

MICROFILMS

MAR 17 1960

63-10599

GROUNDWATER THEORETICAL ANNALYSIS

Well #2

FILE: 63-10599

(west of well House)

DATE: 1-8-2003

BY: DAN NELSON.

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8 \times (HP) \times (EFF.))}{TDH}$

Q = CFS

HP = Total Brake Horsepower of pumping plant (including booster)

Eff. = Pumping plant efficiency (assume 70% or 0.70)

TDH = Total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = Depth to water in FEET from land surface to puijping water level

PSI = Pumping pressure measured in PSI near pump (if open discharge assume [0])

$$Q = \frac{(8.8) \times (3) \times (0.70) = 18.48}{[(39) + (45 \times 2.31)] = 142.95} = \frac{0.13 \text{ CFS}}{58 \text{ gpm.}}$$

LIFT FROM:

PSI FROM:

NOTES ON PUMP:

Measurement ()

Measurement ()

Motor Make, Serial or ID

Owner (A)

Owner ()

Pump Make, Serial or ID, rating

Area estimate ()

Estimate (A)

Well Logs ()

Owner Gage ()

Booster (Y) (N)

REMARKS: well pumps INTO a PRESSURE
TANK in well house average PRESSURE is
45 PSI.

MICROFILMED

MAR 17 2003

63-10599

GROUNDWATER THEORETICAL ANNALYSIS

Well #3

FILE: 63-10599

DATE: 1-8-2003

BY: DAN Nelson

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8 \times (HP) \times (EFF.))}{TDH}$

Q = CFS

HP = Total Brake Horsepower of pumping plant (including booster)

Eff. = Pumping plant efficiency (assume 70% or 0.70)

TDH = Total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = Depth to water in FEET from land surface to puijping water level

PSI = Pumping pressure measured in PSI near pump (if open discharge assume [0])

$$Q = \frac{(8.8) \times (3) \times (0.70) = 18.48}{[(39) + (45 \times 2.31)] = 142.95} = 0.13 \text{ CFS}$$

58 gpm.

LIFT FROM:

Measurement ()

Owner (X)

Area estimate ()

Well Logs ()

PSI FROM:

Measurement ()

Owner ()

Estimate (X)

Owner Gage ()

Booster (Y) (N)

NOTES ON PUMP:

Motor Make, Serial or ID

Pump Make, Serial or ID, rating

REMARKS: Well pumps INTO a PRESSURE
TANK DIRECTLY Behind well.

MICROFILMED

MAR 17 2003

63-10599




PHOTO ONE-

VIEW OF WELL CASING. PUMP IS
 SUBMERGED ! THIS ^{SERVE} AS THE DOMESTIC WELL
 FOR THE ENTIRE SYSTEM. WATER IS
 PUMPED FROM THIS POINT INTO A PRESSURE
 TANK. WELL IS LOCATED ON THE NORTH
 OF THE PROPERTY.



VIEW OF PRESSURE TANK. THIS
 IS THE DOMESTIC PRESSURE TANK.
 LINES FROM THE PRESSURE TANK
 GO TO EACH DOMESTIC.

well #1
 is on
 other
 side
 of well
 house.

PHOTO TWO-

West # 3

View to the south of
the trailer PARK.



PHOTO ~~FIVE~~ THREE

>



View of the IRRIGATION system.

THERE IS ONE SPIGOT IN EACH YARD
FROM THE ^{PRESSURE} ~~WELL~~ ^{PIPE}. LAWNS ARE
IRRIGATED, AS IN THE PICT. BY
SPIGOTS - HOSES - RAINBIRDS.

PHOTO ~~SIX~~ FOUR

FIELD NOTES

PERMIT NUMBER 63-10599

PLEASE NOTE: These documents are for backup purposes only and are not apart of actual Beneficial Use Field Report.

MICROFILMED

MAR 17 2003

spigots
on outside
of trailers

spigots
to

spot pump


spigots


bottom layer

pumping
pool

canal pump

IRRIG
well





3rd

well

8" casing

188 FT.


Pump

40/4# 025-34

motor

MAN 025-20

3AP



SE 50 300

3 HP

HO

30 FT
Pumping
level

3 HP
282 102270
30 FT
PUMP
level

showed in a photo.

LOTS

50' x 100'

Home 1350

2

20x5

5,000 PRR

1950

Homes →

3050

38 FT.

x 40'

LOTS

140300

+

5000

PRR

145,300

÷ ~~335~~ 43,560

3.3 acres →

x .03

.10 CFS

3rd well
not
ever
hooked
in.

Cannot forfeit use
under a permit so need
to license based on 1993
info if can't collect
anything in addition to
that to show different
conclusions than 1993 info
would suggest.

also: 2 AS claims
easily verified
along w/ exam.

A. Prior

☒ B
☒ C
☒ C
☒ V
☒ NA
☒

☒
none
☒

☒

63-9742 - IN-house
ONLY!

Farmer's - IRRig. ONLY

63-10599 - IRRig. 5
48 -> IN house.

46 units Found.

• 32 CFS IN house
maximum.

• 36 CFS

of Approval

is: ___ copy attached

tion
-29-93
___ (initial & date)

of government plat
(initial & date)

am(s) attached?

ating system

ime

Backup to this claim
initial & date)

ater right(s) attached?

volume

within tracts *OVER
ig & backup to this claim
initial & date)

Attached

e
inal Returned to

of examiner & date)

___ (initial & date)

___ (initial & date)

itial & date)

B. After C

☒ Fu
☒ Ph
☒ Co

C. Review

Exam C

Exam R

Exam F

Exam S

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

also: 2 AS claims
easily verified
along w/ exam.

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with Conditions of Approval
☒ Well Inspection Form (If Needed)
☒ Aerial Photo Required? yes no If yes: copy attached
☒ SRBA Attachment A Submitted to Adjudication Section
SRBA Claim Check Received [Signature] 7-29-93 (initial & date)
 N/A Applicable, See Attachment A
☒ Copy of U.S.G.S. Quad

none Check for Government Lots. If so, make a copy of government plat

- ☒ Check of P/D index 11-26-90 CH (initial & date)
Overlap ☒ yes no If yes: ☒ copy of exam(s) attached?
Type of Overlap? ☒ Add acres or uses to existing system

 Increase rate of flow or volume

☒ Other: (L) 9742 add irrig + backup to this claim

- ☒ Check of P/U index 11-26-90 CH (initial & date)
Overlap? ☒ yes no If yes: ☒ copy of water right(s) attached?
Type of Overlap? Increase rate of flow or volume

☒ Add P/D's

 Increase number of acres within tracts

☒ Other: (L) 9742 add irrig & backup to this claim *OVER.

- ☒ Scheduling Letter Sent? PER PHONE CONV 7-29-93 (initial & date)

- ☒ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☒ Copy of SRBA Claim Verification Sheet / Original Returned to
Adjudication Section

C. Review and Processing:

- Exam Completed [Signature] 8-9-93 (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent (initial & date)
Exam Reviewed by Manager of Regional Office (initial & date)
Exam Sent to State Office (initial & date)

SWNW, Drainage District has irrigation rights ~~for~~ for 36
acres. Andersons claim 5 acres irrigated.
find overlap fr. farmer's Union canal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 63-10599
1. Owner: CLARK B. & VEDA ANDERSON Phone No. 342-1867
Current Address: 8298 CASA REAL LN. BOISE IDAHO 83703
2. Accompanied by: VEDA ANDERSON EXAM. DATE: 8-03-93
Address: SAME Phone No. SAME
Relationship to Permit Holder: SAME
3. Source: GROUNDWATER tributary to -N/A-

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-02406, 63-09742, * SEE NARRATIVE REMARKS
☐ Copies Attached
2. Other water rights with same point of diversion: 63-09742 ANDERSON
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

N/A Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED
MAY 17 2003

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical

$$\frac{3 \times 8.8 \times .70}{39 + (2.3 \times 45 \text{ psi})} = \frac{18.48}{142.5} = .13 \text{ cfs}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

THEORETICAL = .13 cfs

*NEED.
IRRIGATION = 2 ACRES $\times .02 = .04 \text{ cfs}$*

2. Alternate Method for Checking Purposes:

DOMESTIC =

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: $3.6 \times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED

MAR 17 2000

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THE SYSTEM IS USED VIRTUALLY EVERY DAY. OFTEN US-09742 IS NOT
ADEQUATE ENOUGH TO FILL THE PRESSURE TANK. FLOWS HAVE
ON THE SYSTEM. ACTIVATE THIS WELL. THE SYSTEM CAN ALSO
BE HAND ACTIVATED. 63-240C IS THE DRAINAGE DISTRICT RIGHTS.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
----------------	--------------------------	------------------------------	--------------------------

Totals:

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name _____

Signature _____


Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
2008 1 2 2008



PERMIT 63-10599 INIT DA
T. R. S. Q/Q
P/D 4N 1E 13 normal
SCALE _____
PHOTO ID. _____

Department of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR# 63-10599

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4N, Rge 1E, Sec. 13, SW 1/4 NW 1/4 or Lot _____
2. Owner: Mark B. & Veda Anderson
Address 829E 1st Real Ln, City Boise, St ID
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: 27'
Pressure Gauge: Yes ☐ No ☒ Casing Diameter: 10"
Flowing: Yes ☐ No ☒ Temperature: NA
Properly Valved: Yes ☒ No ☐
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks:

MICROFILMED

MAY 17 2003

ATTACHMENT A

SRBA CLAIM CHECK PER BENEFICIAL USE EXAM

EXAMINER [Signature] DATE SUBMITTED 8-2-93
ADJUDICATION AGENT [Signature] RESPONSE DUE DATE 8-3-93
COUNTY ADA OWNER'S NAME Anderson

PERMIT DATA	<u>T</u>	<u>R</u>	<u>S</u>	<u>Q/Q</u>	<u>T</u>	<u>R</u>	<u>S</u>	<u>Q/Q</u>
P/D	<u>4n</u>	<u>1E</u>	<u>13</u>	<u>same</u>				
P/U	<u>4n</u>	<u>1E</u>	<u>13</u>	<u>same</u>				

ADJUDICATION DATA RELATING TO THIS PERMIT NUMBER

A. Check Permit Number for Adjudication Claim Filing

- ☐ Claim required for permit but not filed
(examiner needs to notify permit holder during exam)
☐ Claim filed for permit and copy attached *
☒ Claim filed although not required (proof filed after 11-19-87)
☐ No claim filed or required.

B. Check Adjudication Claims Relating to the Permit Holder but are Different Claims (new number - different right)

- ☒ Name index search
☐ Non-data entry claims search
☐ Claim found but large system no exam required * 63-10599
63-09742

Claims found requiring exam	Date field exam conducted	Exam data is in, Permit file	Attached
--------------------------------	------------------------------	---------------------------------	----------

<u>63-10599</u> Adj No.	<u>8-03-93</u>	☒	☐
<u>63-09742</u> Adj No.	<u>not conducted</u>	☐	☐
_____ Adj No.	_____	☐	☐

* copies included only if pertinent to permit field exam

MICROFILMED

MAR 17 1993

GENERAL INFO

ONV DATE:

AME:

ONE #:

ERMIT #:

LOCATION OF WELL:

ASING SIZE: 10"

P: 3

YNAMIC:

STATIC:

DEPTH: 70'

SI:

RES IRRIGATED:

PRINKLER INFO:

TYPE:

SIZE:

LENGTH:

OPERATING:

STOCK:

DOMESTICS: 45

OTHER USES:

OTHER RTS USED:

DIRECTIONS:

CASA REAL MOBILIE → Albertsons on State → to GARY LANE

Fast fair ground.

GARY Lane

- Hill Rd left

- 1/4 mile to Casa Real Mob.
15
LANE 300' past Sierra

around bend.

8298 Casa Real

EXAM DATE:

8:00 → Monday 2nd of August

UNRECORDED

17 2013

(853-2555)

MEMORANDUM

TO: Steve Lester, Dan Nelson, Lori Graves, and Jan Shurte

FROM: Kay Walker

RE: Exam for 63-10599

Date: December 30, 2002

.....

I had pulled file 63-10599 because it is in Part 2 of B63 in SRBA. There is no field exam in the file and I was wondering if you might put it on the top of your list for exams to be done this coming spring. I haven't heard when Part 2 will be submitted to court but we should try to include the license for this permit if we can get the field exam done. Proof was made in April of 1990 so a claim wasn't required but was filed anyway.

If you need more information regarding this permit, let me know. Thanks! Kay

Do Not Film!

June 4, 1990

CLARK B. ANDERSON
VEDA ANDERSON
8298 CASA REAL LN.
BOISE, ID 837030000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 63-10599

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUN 21 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 63-10599

Date: 5-24-90

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
_____ 1. well log in file
y 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
5 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____ -
No. of days late _____ =
Priority date _____ +
NEW PRIORITY DATE _____ =

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

USE TYPEWRITER OR
BALL POINT PEN


State of Idaho
Department of Reclamation

WELL DRILLER'S REPORT

JAN 6 1970

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well. Department of Reclamation

RECEIVED

1. WELL OWNER Name <u>CLARK B ANDERSON</u> Address <u>11111 N. Sycamore Gulch</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>27</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ °F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																									
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☒ Pump ☐ Sucker ☐ Other Discharge G.P.M. <u>110</u> Draw Down <u>9 FT</u> Head Pumped <u>17</u>																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Stem</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yield</th><th>Rate</th></tr></thead><tbody><tr><td>1</td><td>0</td><td>4 1/2</td><td>Sand</td><td></td><td>X</td></tr><tr><td></td><td>4 1/2</td><td>4 3/4</td><td>Gravel</td><td></td><td>X</td></tr><tr><td></td><td>4 3/4</td><td>5 1/2</td><td>Blue Clay</td><td></td><td>X</td></tr><tr><td></td><td>5 1/2</td><td>5 3/4</td><td>Gravel Sand</td><td></td><td>X</td></tr><tr><td colspan="6">Tested 2 H.P. Pump 24 hrs 45 gpm.</td></tr></tbody></table>		Hole Stem	Depth		Material	Water		From	To	Yield	Rate	1	0	4 1/2	Sand		X		4 1/2	4 3/4	Gravel		X		4 3/4	5 1/2	Blue Clay		X		5 1/2	5 3/4	Gravel Sand		X	Tested 2 H.P. Pump 24 hrs 45 gpm.					
Hole Stem	Depth		Material		Water																																						
	From	To		Yield	Rate																																						
1	0	4 1/2	Sand		X																																						
	4 1/2	4 3/4	Gravel		X																																						
	4 3/4	5 1/2	Blue Clay		X																																						
	5 1/2	5 3/4	Gravel Sand		X																																						
Tested 2 H.P. Pump 24 hrs 45 gpm.																																											
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other																																											
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>5 1/2</u> feet Casing schedule: ☐ Steel ☐ Concrete <table border="1"><thead><tr><th>Interval</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>0 to 2 1/2</td><td>6 inches</td><td>0</td><td>2 1/2</td></tr><tr><td>2 1/2 to 3 1/2</td><td>6 inches</td><td>2 1/2</td><td>3 1/2</td></tr><tr><td>3 1/2 to 4 1/2</td><td>6 inches</td><td>3 1/2</td><td>4 1/2</td></tr><tr><td>4 1/2 to 5 1/2</td><td>6 inches</td><td>4 1/2</td><td>5 1/2</td></tr></tbody></table> Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ Perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal? ☒ Yes ☐ No To what depth <u>10</u> feet Material used in seal ☐ Cement grout ☒ Pudding clay		Interval	Diameter	From	To	0 to 2 1/2	6 inches	0	2 1/2	2 1/2 to 3 1/2	6 inches	2 1/2	3 1/2	3 1/2 to 4 1/2	6 inches	3 1/2	4 1/2	4 1/2 to 5 1/2	6 inches	4 1/2	5 1/2																						
Interval	Diameter	From	To																																								
0 to 2 1/2	6 inches	0	2 1/2																																								
2 1/2 to 3 1/2	6 inches	2 1/2	3 1/2																																								
3 1/2 to 4 1/2	6 inches	3 1/2	4 1/2																																								
4 1/2 to 5 1/2	6 inches	4 1/2	5 1/2																																								
6. LOCATION OF WELL Sketch map location must agree with written location.  County <u>Ada</u>		10. Work started <u>12-22-69</u> ended <u>12-27-69</u>																																									
		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. <u>Boise River Drilling</u> <u>1917 Mathew Boise</u> <u>12-27-69</u>																																									

138544
March 31, 1990

CLARK B. ANDERSON
VEDA ANDERSON
8298 CASA REAL LN.
BOISE, ID 837030000

PROOF DUE NOTICE

RE: PERMIT NO. 63-10599

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 21 1990

FROM

Gary

TO

John Beal

SUBJECT

I spoke to Veda Anderson on June 1, 1988, and she requested an extension of time to commence drilling under the drilling permit. Based on my discussions with you, I told her that we would extend the start of construction date until Nov. 1, 1988. She would like written confirmation.

Done J. E. Beal

SIGNATURE

Gary

MICROFILMED

JUN 21 1990

DATE

June 2, 1988

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

Department of Water Resources
Western Regional Office

1. Applicant CLARK B. ANDERSON
2. Address 8298 CASA REAL LN
BOISE, IDAHO 83703
- (X) Well Owner () Well Operator () Other, specify _____
3. Water right permit no. _____; Injection well permit no. _____
4. Proposed well location 1/4 SW 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 13, Twp. 4N, Rge. 1E, County ADA,
Lot, block and subdivision _____
5. Proposed use of well: (Check all that apply)
- (X) Domestic () Stockwater () Monitoring
(X) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
6. Well construction information:
- (X) New well () Deepen () Replace
- Proposed surface diameter 10" Proposed depth 50' or less
- Anticipated bottom hole temperature:
- () 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
7. Anticipated construction start date MAY
8. Well Driller (if known) _____
Address _____

Date 3-25-88 Applicant's signature _____

Title Clark B. Anderson

SEP 30 1988

* After other pre-requisite approvals have been obtained.

ACTION OF IDWR

(X) Approved

() Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

If water with a temperature of more than 85°F is encountered, permit holder shall comply with the provisions of Section 42-233, Idaho Code.

Dated this 17th day of May, 1988
Signed J. Glen Saylor
Title Chief, Operations Bureau

Received by SP Fee 100.00 Date 3/30/88
Receipt No. W000070 Construction start date SEP 30 1988
Construction start extension to November 1, 1988
Extension approved by J. H. Reed



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

May 23, 1988

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

RE: Permit No. 63-10599

Clark B. &/or Veda Anderson
8298 Casa Real Ln.
Boise, ID 83703

Dear Permit Holders:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the final page. Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the Department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

SEP 30 1988

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:sc
Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY BD DATE 3/30/88 APPLICATION NUMBER 63-10599
63

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion } 63-9742 (primary domestic well)
- ☐ Yes ☐ No Field check required
- ☐ Yes ☐ No Field check by _____
- ☐ Yes ☐ No Field report attached
- ☐ Yes ☐ No Critical groundwater area
- ☐ Yes ☐ No Groundwater management area
- ☐ Yes ☐ No Send dam safety information
- ☐ Yes ☐ No Send power requirement letter
- ☐ Yes ☐ No Send fish farm requirement letter
- ☐ Yes ☐ No Power residency affidavit
- ☐ Yes ☐ No Power efficiency form
- ☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested MAY 09 1988

RECEIVED

Department of Water Resources

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

END COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 4/25/88
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 63
☐ Yes ☒ No Special conditions of approval or cover letter below.
26A Recommend that 2 yrs be allowed for completion of this project.

☐ See below for additional information
Date of priority recommended 3/25/88
By DM Date 5/5/88

STATE OFFICE REVIEW

423, 405, 417 46 26

☒ See below for additional information
By KW Date 5/11/88

ADDITIONAL INFORMATION

process drilling permit -

TWN	RNG	SEC	TRACT	LOT	USES	WATER RIGHT NUMBER	STAGE PRIORITY	REFL	SOURCE OF WATER	LAST NAME	OWNER CODE
04N	01E	13	NENM	01,07,43,49		63-7560	L		01-11-1972 GROUNDWATER	ADA COUNTY	C
			NMNM	01,49		63-8102	L		04-14-1975 GROUNDWATER	ADA COUNTY	C
			SMNM	43		63-9742	L		06-08-1981 GROUNDWATER	ANDERSON ANDERSON	C
			NMSM	01		63-0195	D		06-01-1891 BOISE RIVER	AIKEN	C
			NMSM	01,43		63-4346	S		06-01-1947 GROUNDWATER	SUMMERS SUMMERS	C
			NMSM	01,43		63-4347	S		06-01-1948 GROUNDWATER	SUMMERS SUMMERS	C
			SESM	01,43		63-2047	L		11-15-1906 UNNAMED STREAMS	COSWELL	C
			NESE	43		63-7157	L		10-14-1968 GROUNDWATER	SHERWOOD	C
			NESE	01		63-7279	L		11-24-1969 GROUNDWATER	SHERWOOD	C
			SESE	01		63-4808	S		06-01-1936 WASTE WATER	HILLIAMS HILLIAMS	C
			NENE	01,43		63-5346	S		05-21-1891 GROUNDWATER	LEEMELLYN LEEMELLYN	C
			NENE	01,04		63-5347	S		01-10-1879 GROUNDWATER	LEEMELLYN LEEMELLYN	C
			NENE	43		63-5348	S		05-21-1891 GROUNDWATER	LEEMELLYN LEEMELLYN	C
			NANE	01,43		63-3463	L		08-16-1965 GROUNDWATER	SPRINGER SPRINGER	C
			NMNM	43		63-4419	S		10-01-1944 GROUNDWATER	STARR	C
			SMNM	01		63-7216	L		04-18-1969 GROUNDWATER	HURLEY	C
			NMSM	43,01		63-10359	P		04-07-1986 GROUNDWATER	PRESSURE TREATED TIMBER CO.	C
			NMSM	43		63-4615	S		06-01-1905 GROUNDWATER	ARNOLD	C
			NMSM	43		63-7783	L		04-23-1973 GROUNDWATER	POWELL	C
			SESM	01		63-10123	P		07-13-1983 GROUNDWATER	WITTE	C
			NESE	43		63-7537	L		01-06-1972 GROUNDWATER	RHODES	C

[illegible]

63-10599

ANDERSON, CLARK B. &/or VEDA

8298 CASA REAL LN., BOISE, ID 83703

Source: GROUNDWATER

Diversion Pt: SNNW Sec 13 T 04N R 01E

Use: IRRIGATION (0.2 CFS)
DOMESTIC (0.2 CFS)

Date Filed: 03/25/1988

In: SNNW SENW Sec 13 T 04N R 01E FOR 10 ACRES



SEP 30 1988