


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

DEC 14 1988

*Wendolyn Kopp*  
(Applicant)



25-7522



JUN 0 2 2001

State of Idaho  
Department of Water Resources  
**Water Right License**

WATER RIGHT NO. 25-07522

Priority: September 01, 1989

Maximum Diversion Rate: 0.04 CFS  
Maximum Diversion Volume: 2.4 AF

It is hereby certified that GWENDOLYN KOPP  
9741 N 5TH W  
IDAHO FALLS ID 83401 has complied with the terms and  
conditions of the permit, issued pursuant to Application for Permit dated September 01, 1989; and has  
submitted Proof of Beneficial Use on December 15, 1989. An examination indicates that the works have  
a diversion capacity of 0.04 cfs of water from:

**SOURCE**

GROUND WATER

and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>DIVERSION RATE</u> | <u>ANNUAL<br/>DIVERSION VOLUME</u> |
|-----------------------|----------------------|-----------------------|------------------------------------|
| DOMESTIC              | 01/01 to 12/31       | 0.04 CFS              | 2.4 AF                             |

**LOCATION OF POINT(S) OF DIVERSION:**

GROUND WATER SE1/4SE1/4SE1/4 Sec. 13, Twp 03N, Rge 37E, B.M.  
BONNEVILLE County

**PLACE OF USE:** DOMESTIC

| Twp | Rge | Sec | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    | Totals |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |        |
| 03N | 37E | 13  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X      |

**CONDITIONS OF APPROVAL**


1. The irrigation occurring under this domestic use shall not exceed 1/2 acre per home.
2. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 3<sup>rd</sup> day of November, 2003.

MICROFILMED

FEB 10 2004

  
for KARL J. DREHER  
Director

**RECEIVED**

DEC 15 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

no fee incl  
Department of Water Resources

## PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

Reviewed by *DS*  
2-23-90

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 25-07522 Telephone No. (208)232-7836Name(s) of Permit Holder(s): Gwendolyn KoppPost Office Address: 572 Moreland Ave. Pocatello Idaho 83201Source of Water: Sec 13, Township 03N, Range 37E BonanzaIf ground water, well driller's name: for not I think Andrew well drilling Date drilled: about Nov, 1977Extent of Use: 1268 East 17 Idaho Falls Id 83404  
Domestic X 2 (No. of households) Irrigation \_\_\_\_\_ (No. of acres)

Stockwater \_\_\_\_\_ (No. and type of stock) Other \_\_\_\_\_

Total rate and/or volume for which proof is submitted 0.04 cfs 2 1/2 acre/feetShow date water was first diverted and beneficially used under this permit: about Nov. 1977One of the following may be a condition of approval of your permit:  
first diverted under this permit Dec, 1989Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ \_\_\_\_\_ (See License Examination Fee Schedule)

I sent it in Sept Aug 89 \$35.00

Person to contact to accompany the Department representative during the field examination:

Name Gwendolyn Kopp Telephone No. (208)232-7836Address 572 Moreland Ave Pocatello Idaho 83201**RECORDED**

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 09 1990

Date 12-12-89Signature (and title if on behalf of a company or organization) Gwendolyn Kopp

State of Idaho  
Department of Water Resources

# Permit To Appropriate Water

NO. 25-07522

Proposed Priority: September 1, 1989      Maximum Diversion Rate: 0.04 CFS

This is to certify, that **GWENDOLYN KOPP**  
572 MORELAND AVE.  
POCATELLO, ID 83201

has applied for a permit to appropriate water from: **GROUNDWATER**  
and a permit is **APPROVED** for development of water as follows:

| <u>BENEFICIAL USE</u>                     | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u>                                          |
|-------------------------------------------|----------------------|-------------------------------------------------------------------|
| DOMESTIC                                  | 01/01 to 12/31       | 0.04 CFS                                                          |
| <u>LOCATION OF POINT(S) OF DIVERSION:</u> |                      | SESESE      Sec. 13, Township 03N, Range 37E<br>BONNEVILLE County |

PLACE OF USE: DOMESTIC

TWN RGE SEC

03N 37E 13      SESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.  
Witness the seal and signature of the Director, affixed at Boise, this

7 day of December, 1989

*R. Keith Higginson*  
for R. Keith Higginson, Director

RECORDED

DEC 14 1989

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR PERMIT

Ident. No. \_\_\_\_\_

25 7522

SEP 1 1989

To appropriate the public waters of the State of Idaho

Department of Water Resources  
Eastern District Office

1. Name of applicant GIWENDOLYN KOPP Phone 232-7836

Post office address 572 MORELAND AVE., POCAHELLO, ID. 83201

2. Source of water supply GROUND WATER which is a tributary of \_\_\_\_\_

3. Location of point of diversion is SE  $\frac{1}{4}$  of SE  $\frac{1}{4}$  of SE  $\frac{1}{4}$ , Govt. Lot \_\_\_\_\_

Sec. 13 Township 3N Range 37E B.M. BONNEVILLE County; additional

points of diversion if any: \_\_\_\_\_

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) \_\_\_\_\_  
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 150' WELL (6") w/ 1.5 HP  
SUBMERSIBLE PUMP. PIPE LINE TO TWO HOMES.

b. Height of storage dam \_\_\_\_\_ feet; active reservoir capacity \_\_\_\_\_ acre-feet; total  
reservoir capacity \_\_\_\_\_ acre-feet; period of year when water will be diverted to storage:  
\_\_\_\_\_ to \_\_\_\_\_ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 150' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is  
1 years (minimum 1 year).

DEC 14 1989

DEC 14 1989

12. Remarks: Well & system have been in place since 1972

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? APPLICANT

11. a. Who owns the property at the point of diversion? APPLICANT

10. Describe any other water rights used for the same purposes as described above. None

Total number of acres to be irrigated

| TWP | RANGE | SEC. | NE 1/4 | NE 1/4 SW 1/4 | SE 1/4 | NW 1/4 | NW 1/4 SW 1/4 | SE 1/4 | NE 1/4 | NE 1/4 SW 1/4 | SE 1/4 | SW 1/4 | SW 1/4 NW 1/4 | SE 1/4 | NE 1/4 | NE 1/4 SW 1/4 | SE 1/4 | SE 1/4 | TOTALS |
|-----|-------|------|--------|---------------|--------|--------|---------------|--------|--------|---------------|--------|--------|---------------|--------|--------|---------------|--------|--------|--------|
| 3N  | 37E   | 13   |        |               |        |        |               |        |        |               |        |        |               |        |        |               |        |        | 2      |

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corres-

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households. JONES, SINGLE OWNERSHIP


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in KW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

DEC 14 1986

*Wendolyn Kopp*  
(Applicant)

RECEIVED  
DEC 14 1989

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

\_\_\_\_\_, 19\_\_\_\_.

- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. \_\_\_\_\_, and said application is hereby \_\_\_\_\_.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

# ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by ESL Date 9-1-89 Time 1400 Preliminary check by \_\_\_\_\_  
Fee \$ 80.00 Received by ESL # 6010105 Date 9-1-89  
Publication prepared by RB Date 10-5-12-89 Published in Last-Register  
Publication approved RB Date 10-23-89

**NOTICE OF APPLICATION  
FOR WATER RIGHT**

The Following application(s) have been  
filed to appropriate the public waters of the  
State of Idaho:

23-07128

JOHNSON, KEITH  
18167 E. 143 N.  
RIRIE, ID 83443  
Source: GROUNDWATER  
Diversion Pt: NWNE Sec 6 T 03N R 41E  
Use: STOCKWATER (.020 CFS)  
DOMESTIC (.060 CFS)  
Date Filed: 9/01/1989  
In: T03N R41E S06 NWNE

25-07516

BRAINERD, WILLIAM  
KILLIAN, BRET  
KILLIAN, VELVET  
VARELMANN, THOMAS A.  
VARELMANN, KATHLEEN  
5351 E. 129 N.  
IDAHO FALLS, ID 83401  
Source: GROUNDWATER  
Diversion Pt: SESE Sec 1 T 03N R 38E  
Use: DOMESTIC (.060 CFS)  
STOCKWATER (.020 CFS)  
Date Filed: 8/29/1989  
In: T03N R38E S01 SESE

25-07520

HAMPTON ROOFING INC.  
C/O DOUGLAS R. HAMPTON  
3905 N. YELLOWSTONE  
IDAHO FALLS, ID 83401  
Source: GROUNDWATER  
Diversion Pt: NENWSW Sec 3 T 02N R  
38E  
Use: COMMERCIAL (.040 CFS)  
Date Filed: 9/05/1989  
In: T02N R38E S03 NWSW

25-07521

CROW, LEVON J.  
6220 E. SIDEHILL LANE  
IDAHO FALLS, ID 83401  
Source: LAVA CREEK; Tributary: GRAYS  
LAKE OUTLET  
Diversion Pt: SWSWNE Sec 4 T 02S R 42E  
SESW Sec 4 T 02S R 42E  
Use: MINING (.300 CFS)  
Date Filed: 9/05/1989  
In: T02S R42E S04 SWNE SWSW SESW

25-07522

KOPP, GWENDOLYN  
572 MORELAND AVE.  
POCATELLO, ID 83201  
Source: GROUNDWATER  
Diversion Pt: SESESE Sec 13 T 03N R 37E  
Use: DOMESTIC (.040 CFS)  
Date Filed: 9/01/1989  
In: T03N R37E S13 SESE

35-08628

MC CULLOUGH, WILLIAM JAMES  
RT. 4 BOX 425  
IDAHO FALLS, ID 834020000  
Source: GROUNDWATER  
Diversion Pt: NESW Sec 9 T 01N R 37E  
SESW Sec 9 T 01N R 37E  
Use: IRRIGATION (1.910 CFS)  
Date Filed: 2/10/1983  
In: T01N R37E S09 SWNW SENW NESW  
NWSW  
SWSW SESW  
207.0 ACRES TOTAL

35-08814

DAVIS, ERNIE  
DAVIS, RHONDA  
1378 S. GRIZZLY AVE.  
IDAHO FALLS, ID 83402  
Source: GROUNDWATER  
Diversion Pt: SWNWSE Sec 23 T 02N R  
37E  
Use: COMMERCIAL (.040 CFS)  
Date Filed: 9/05/1989  
In: T02N R37E S23 NWSE

The permit(s) will be subject to all prior  
water rights. Protests may be submitted  
based on the criteria of Sec. 42-203A, Idaho  
Code and/or the new public interest criteria  
of Sec. 42-203C, Idaho Code. Protests must  
be filed with the Director, Dept. of Water  
Resources, 150 Shoup Ave., Suite 15, Idaho  
Falls, Idaho 83402 on or before OCTOBER  
23, 1989.

R. Keith Higginson, Director

Published: October 5, 12, 1989

RECORDED

DEC 14 1989



State of Idaho

## DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: [www.idwr.state.id.us](http://www.idwr.state.id.us)

DIRK KEMPTHORNE  
Governor

KARL J. DREHER  
Director

November 3, 2003

GWENDOLYN KOPP  
9741 N 5TH W  
IDAHO FALLS ID 83401

RE: License No. 25-7522 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

FEB 10 2004


## CERTIFICATE OF SERVICE

I hereby certify that on November 3, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

25-7522

GWENDOLYN KOPP  
9741 N 5TH W  
IDAHO FALLS ID 83401



Kari Lynn Townsend  
Secretary

MICROFILMED  
FEB 10 2004

**EXPLANATORY INFORMATION  
TO ACCOMPANY A  
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

**PETITION FOR RECONSIDERATION**

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

**EXCEPTIONS AND BRIEFS**

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

**REQUEST FOR HEARING**

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

**ORAL ARGUMENT**

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

**CERTIFICATE OF SERVICE**

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

FEB 10 2004

### FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

### APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

FEB 10 2004

APR 24 2003

Permit No: 25-7522

Page 1 DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
BENEFICIAL USE FIELD REPORT

## A. GENERAL INFORMATION

Permit No: 25-7522

Exam Date: 6/8/1993

4/2003

1. Current Owner: GWENDOLYN KOPP  
9741 N 5TH W  
IDAHO FALLS ID 83401  
(208)528-2898

2. Accompanied by: *NONE*

Phone No:

Address:

Relationship to Permit Holder:

3. SOURCETRIBUTARY

GROUND WATER

## B. OVERLAP REVIEW

1. Other water rights with the same place of use: *NONE*  
2. Other water rights with the same point of diversion: *NONE*

## C. DIVERSION AND DELIVERY SYSTEM

1. LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER

SE1/4SE1/4SE1/4

Sec. 13, Twp 03N, Rge 37E, B.M.

BONNEVILLE County

Method of Determination: *FE/GIS*

2.

PLACE OF USE: DOMESTIC

| Twp | Rge | Sec | NE |    |    |    | NW |    |    |    | SW |    |    |    | SE |    |    |    |        |
|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--------|
|     |     |     | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | Totals |
| 03N | 37E | 13  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    | X  |        |

MICROFILMED

JUN 02 2003

Permit No: 25-7522

6" well / 190' DEEP 1.5hp  
pump

Page 2

Method of Determination:

3. ☐ Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.  
☐ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.  
☒ Aerial Photo Attached (required for irrigation of 10+ acres).  
☐ Photo of Diversion and System Attached

4.

| <u>Well or Diversion<br/>ID No.*</u> | <u>Motor Make</u> | <u>Hp</u> | <u>Motor Serial No.</u> | <u>Pump Make</u> | <u>Pump Serial No. or Discharge<br/>Size</u> |
|--------------------------------------|-------------------|-----------|-------------------------|------------------|----------------------------------------------|
|                                      | submersible pump  |           |                         |                  |                                              |
|                                      |                   |           |                         |                  |                                              |
|                                      |                   |           |                         |                  |                                              |
|                                      |                   |           |                         |                  |                                              |

\*Code to correspond with No. on map and aerial photo

#### D. FLOW MEASUREMENTS

1.

| <u>Measurement<br/>Equipment</u> | <u>Type</u> | <u>Make</u> | <u>Model No.</u> | <u>Serial No.</u> | <u>Size</u> | <u>Calib. Date</u> |
|----------------------------------|-------------|-------------|------------------|-------------------|-------------|--------------------|
|                                  |             |             |                  |                   |             |                    |
|                                  |             |             |                  |                   |             |                    |

2. Measurements:

use standard 0.04 CFS

#### E. FLOW CALCULATIONS

Measured Method:

☐ Additional Computation Sheets Attached

MICROFILMED

JUN 02 2003

**F. VOLUME CALCULATIONS**

## 1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

## 2. Volume Calculations for Other Uses:

$$2 \text{ homes and lawns} = 2 \times 1.2 \text{ AF} = 2.4 \text{ AF/A}$$

**G. NARRATIVE/REMARKS/COMMENTS**

well/pump to 2 homes-- domestic well 1 hp pump  
 two home and lawns  
 9741 N 5th w Idaho Falls, ID  
 9797 N 5th W

Have conditions of permit approval been met? ☒ Yes ☐ No

**H. RECOMMENDATIONS**

## 1. Recommended Amounts

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>DIVERSION RATE</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|-----------------------|----------------------|
| DOMESTIC              | 01/01 to 12/31       | 0.040 CFS             | 2.40 AF              |
| <u>Totals:</u>        |                      | 0.040 CFS             | 2.40 AF              |

## 2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


**I. AUTHENTICATION**

Field Examiner's Name DAVE CARLSON Date 4/18/2003


Reviewer \_\_\_\_\_ Date \_\_\_\_\_

MICROFILMED  
 JUN 9 2 2003

RTH COUNTY LINE) BONNEVILLE COUNTY LINE



25-7522



JUN 9 1974

February 23, 1990

GWENDOLYN KOPP  
572 MORELAND AVE.  
POCATELLO, ID 83201

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07522

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck  
Secretary/Records Manager

c: IDWR - Region

INDEXED

MAR 09 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 25-7522

Date: 2-16-90

General Considerations:

- ☒ Name same as permit  
☒ Signature the same as permit holder  
☒ Address change NO If yes, prepare a data entry  
☒ Proof received timely NO  
☐ Reinstated

Source of Water:

- ☐ Surface water  
☒ Groundwater  
NO 1. well log in file NOV 1977  
2. drilling permit  
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses  
☒ Is rate or volume and fee appropriate?  
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NO Is a measuring device or access port required?  
NO Has one been installed?  
NO Waiver or modification of measuring device requested

Remarks:

*Proof acceptable*

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

NA

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E   O F   I D A H O  
D E P A R T M E N T   O F   W A T E R   R E S O U R C E S

-----

Statehouse  
Boise, Idaho 83720  
(208) 327-7900  
December 8, 1989

GWENDOLYN KOPP  
572 MORELAND AVE.  
POCATELLO, ID 83201

P E R M I T   A P P R O V A L   N O T I C E

RE: PERMIT NO.      P25-07522

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

**RECEIVED**

DEC 14 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor  
Water Right Permits Section

GS: SC  
Enclosures

MICROFILMED

DEC 14 1988

Form No. 202a  
4/87

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DM DATE 9-7-89 APPLICATION NUMBER 25 7522  
Gwendolyn Kopp

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)  
☒ Address  
☒ Source (See USGS Quad for names of water sources)  
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)  
☒ County  
☒ Quantity (flow and/or volume)  
☒ Period of Use  
☒ Nature of proposed use (Include description of use.)  
☒ Description of diverting works  
☒ Time required for beneficial use of water  
☒ Place of use or acres irrigated  
☒ Map  
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)  
☒ Fee  
☒ Yes \_\_\_ No\* In form to receipt

ADDITIONAL INFORMATION

- \_\_\_ Overlapping place of use (Describe source & relationship to present application on the back.)  
\_\_\_ Overlapping point of diversion  
\_\_\_ Yes \_\_\_ No Field check required  
\_\_\_ Yes \_\_\_ No Field check by \_\_\_\_\_  
\_\_\_ Yes \_\_\_ No Field report attached  
\_\_\_ Yes \_\_\_ No Critical groundwater area  
\_\_\_ Yes \_\_\_ No Groundwater management area  
\_\_\_ Yes \_\_\_ No Send dam safety information  
\_\_\_ Yes \_\_\_ No Send power requirement letter  
\_\_\_ Yes \_\_\_ No Send fish farm requirement letter  
\_\_\_ Yes \_\_\_ No Power residency affidavit  
\_\_\_ Yes \_\_\_ No Power efficiency form  
\_\_\_ Yes \_\_\_ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)  
\_\_\_ Yes \_\_\_ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)  
\_\_\_ See reverse side for additional information

\*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising  
☐ Yes ☒ No Statewide advertising  
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM  
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service  
☐ Idaho Dept. of Lands ☐ Water District  
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received  
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application  
☐ Yes ☒ No Protests received  
Final date for protest 10-23-89  
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application  
☐ Yes ☒ No Recommendations attached  
☐ Yes ☒ No Measuring device required  
☐ Yes ☒ No Access port required  
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-P05  
☐ Yes ☐ No Special conditions of approval or cover letter below.

Date of priority recommended 9-1-89 See below for additional information  
By HGJS Date 10-23-89

STATE OFFICE REVIEW P05, P23

P110

46

By KW See below for additional information  
Date 11/28/89

ADDITIONAL INFORMATION

App. in TRUST area - DCM I

27-Sep-1989

Gwendolyn Kopp  
572 Moreland Ave.  
Pocatello, ID 83201

RE: Application for Permit No. 25-7522

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES  
Water Rights Supervisor

HWJ/rb

RECEIVED

DEC 14 1989

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Eastern Region  
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402  
(208) 525-7161

SEPTEMBER 22, 1989

THE POST-REGISTER  
P.O. BOX 1800  
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 23, 1989.

Yours truly,

Rita Bodell  
Secretary

Encl.

RECEIVED

DEC 14 1989

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

1111 1111

25-07522

KOPP, GWENDOLYN  
572 MORELAND AVE.  
POCATELLO, ID 83201

Source: GROUNDWATER

Diversion Pt: SESESE Sec 13 T 03N R 37E

Use: DOMESTIC ( .040 CFS)

Date Filed: 9/01/1989

In: T03N R37E S13 SESE

RECEIVED

DEC 14 1989

The permit(s) will be subject to all prior rules, and may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before OCTOBER 23, 1989.

R. Keith Higginson, Director

Published 10/05/1989 & 10/12/1989

**RECEIVED**

OCT 14 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS  
GOVERNOR  
R. KEITH HIGGINSON  
DIRECTOR

August 25, 1989

Gwendolyn Kopp  
572 Moreland Ave.  
Pocatello, Idaho 83201

SEP 1 1989  
Department of Water Resources  
Eastern District Office

RE: Application for permit

Dear Ms. Kopp:

Please find enclosed a partially prepared Application for Permit for your domestic well in Bonneville County. I have prepared the application using the information you provided. I am also returning your check no. 112 in the amount of \$30.00.

Please review the application, sign it on the bottom of the third page and return it to this office with the \$30.00 filing fee.

Feel free to contact our office if you need further assistance with this matter.

Sincerely,

Eric S. Verner  
Sr. Water Agent

Enclosures

RECORDED

DEC 14 1989

