


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 1 1/2" PVC pipeline from spring box to 7 troughs and a cabin 650' DROP FROM POD TO LAST POW. OVER A DISTANCE OF 15,000 ft.

Hazen-Williams Equation shows 0.05 cfs





Permit # 25-07350

MICROFILMED

SEP 03 2003



Spring box at Rock springs - Collection point
for system



Looking West showing Collection Box and Permit #25-07350
the Gali. pipe going to System

MICROFILMED

SEP 03 2003



Looking West at first Watering Trough
~~Point of Div.~~ #1
 place of use



Looking North at ~~point of diversion~~ #2 Permit #25-07350
 place of use

MICROFILMED

SEP 03 2003



Looking East at ~~point of diversion~~ #3
place of use



Looking SW at ~~point of diversion~~ #4
place of use

Permit #
25-07350

MICROFILMED
SEP 03 2003



25-7350 place of use #5



25-7350 place of use #6

Permit #
25-07350

MICROFILMED

SEP 03 2003



place of use #7

Permit #
25-07350

MICROFILMED

SEP 03 2003

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 25-07350

Priority: June 28, 1983

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume: 8.4 AF

It is hereby certified that GARRO SHEEP CO INC
199 W 300 S
RUPERT ID 83350 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated June 28, 1983; and has
submitted Proof of Beneficial Use on January 17, 1990. An examination indicates that the works have a
diversion capacity of 0.05 cfs of water from:

SOURCE

ROCK SPRING

Tributary: SINKS

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
STOCKWATER	05/10 to 11/01	0.05 CFS	8.4 AF

LOCATION OF POINT OF DIVERSION:

ROCK SPRING NE $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 6, Twp 03S, Rge 41E, B.M., BINGHAM County

PLACE OF USE: STOCKWATER


Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03S	41E	6				X													

CONDITIONS OF APPROVAL

1. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 01.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 5th day of June, 2003.


for **KARL J. DREHER**
Director

MICROFILMED
SEP 03 2003

RECEIVED

JAN 17 1990

No fee received
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 25-7350 Telephone No. 436-3323

Name(s) of Permit Holder(s): Garro Sheep Company

Post Office Address: Route #1, Rupert, Idaho 83350

Source of Water: Rock Spring

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater .10 (No. and type of stock) Other _____
6,000 Sheep
300 Cattle

Total rate and/or volume for which proof is submitted .10 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: May 10, 1910

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Larry Garro 436-3323
Name Telephone No.
Route #1, Rupert, Idaho
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

January 5, 1990
Date

J. Larry Garro
Signature (and title if on behalf of a company or organization)
Vice-
(President)

RECORDED
MAR 09 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Garro Sheep Co. c/o Larry Garro Phone 436-3323

Post office address Rt. 1, Rupert, Idaho 83850

2. Source of water supply Rock Spring which is a tributary of Sinks

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 6 Township 3S

Range 41E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .10 for Stockwater purposes from 5-10 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Headbox and pipeline to
troughs

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 6 Township 3S
Range 41E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 6000 head of sheep, 300 head
cattle.

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

MICROFILMED

Total number of acres to be irrigated

b. Who owns the land to be irrigated or place of use

Applicant

applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T. 3 S.
R. 41 E

6

6

POINT OF DIVERSION
AND
PLACE OF USE

6

6

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Garo
(Applicant)

WFOG-TV

MICROFILMED

Proposed Priority 6/28/83

Received by SM Date 6-28-83 Time 3:45

Preliminary check by SM Fee \$ 30.00

Received by aw Date 6-28-83 # 25631

Publication prepared by BP Date 7/20/83

Published in Blackfoot News

Publication dates 7/28 : 8/4/83 8/11 + 8/18/83 correction notice

Publication approved BP Date 8/22/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by SMC fw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 25-7350 , and said application is hereby APPROVED .

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore March 1 , 19 90 .

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of

diverting works within one year of the date this permit is issued and shall

proceed diligently until the project is complete.

Use of water under this permit is subject to control by the

watermaster of State Water District 01, Snake River.

Witness my hand this 18th day of March, 1985.

D. Alan Boyton
Chief, Operations Bureau

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to
appropriate the public waters of the State of

Idaho:

25-7341

LDS CHURCH, Shelley Stake
P.O. Box Y
Shelley, Idaho 83274
Source: SPRING trib. to MARIE CREEK
Date Filed: 06/29/1983
Diversion Pt.: NWNW, Sec. 23, T. 02S, R.
39E.
Use: DOMESTIC (0.02 CFS)
In: SWSW NWSW, Sec. 14, T. 02S, R. 39E.

25-7348

GARRO SHEEP CO.
Rt. 1
Rupert, Idaho 83350
Source: SPRING trib. to SINKS
Date Filed: 06/28/1983
Diversion Pt.: SESE, Sec. 06, T. 03S, R. 41E.
Use: STOCKWATER (0.10 CFS)
In: SESE, Sec. 06, T. 03S, R. 41E.

25-7349

GARRO SHEEP CO.
Rt. 1
Rupert, Id. 83350
Source: SPRING trib. to SINKS
Date Filed: 06/28/1983
Diversion Pt.: NENE, Sec. 06, T. 03S, R.
41E.
Use: STOCKWATER (0.10 CFS)
In: NENE, Sec. 06, T. 03S, R. 41E.

25-7350

GARRO SHEEP CO.
Rt. 1
Rupert, Id. 83850
Source: ROCK SPRING trib. to SINKS
Date Filed: 06/28/1983
Diversion Pt.: SENE, Sec. 06, T. 03S, R.
41E.
Use: STOCKWATER
In: SENE, Sec. 06, T. 03S, R. 41E.

27-7370

EASTERN IDAHO
GRAZING ASSOC.
75 E. Judicial
Blackfoot, Id. 83221
Source: SPRING trib. to HORSE CREEK
Date Filed: 07/11/1983
Diversion Pt.: SWNW, Sec. 07, T. 03S, R.
40E.
Use: STOCKWATER (0.04 CFS)
In: SWNW, Sec. 18, T. 03S, R. 40E, SESE
Sec. 12, T. 03S, R. 39E, NENE, Sec. 13, T.
03S, R. 39E.

27-7371

WESTERN FARM SERVICE, Inc.
P.O. Box 47
Jerome, Id. 83338
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt.: NWNW, Sec. 36, T. 04S, R.
34E.
Use: COMMERCIAL (0.04 CFS)
In: NWNW, Sec. 36, T. 04S, R. 34E.

35-8131

J.R. SIMPLOT CO.

P.O. Box 27
Boise, Idaho 83707
Source: GROUNDWATER
Date Filed: 04/18/1983
Diversion Pt.: SENE, Sec. 01, T. 03S, R.
33E.
Use: INDUSTRIAL (0.02 CFS)
DOMESTIC (0.02 CFS)
In: SENE, Sec. 01, T. 03S, R. 33E.

35-8166

HORSCH, Dwight &/or Kathy
RR 1
Aberdeen, Idaho 83210
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversion Pt.: NENE, Sec. 10, T. 06S, R.
31E.
Use: COMMERCIAL (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NWNW, Sec. 02, T. 06S, R. 31E.

35-8168

WESTERN CAMINO LEASING
2377 W. Shaw Avenue
Fresno, CA 93711
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt.: SWSW, Sec. 17, T. 02S, R.
33E.
Use: STOCKWATER (0.46 CFS)
DOMESTIC (0.11 CFS)
In: SWSW, Sec. 17, T. 02S, R. 33E.

The permit(s) will be subject to all prior water
rights. Protests must be filed with the Director,
Dept. of Water Resources, 150 Shoup Ave.,
Suite 15, Idaho Falls, Idaho 83402, on or before
AUGUST 15, 1983.

KEN DUNN, Director

(7867)
Pub.: 7-28; 8-4

119

RECEIVED
AUG 19 1983
Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

I, James T. Cuddihy do
solemnly

swear that I am the Business Mgr of
The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: Thursday
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper LWO consecutive weeks

the first publication having been made on the
28th day of July, 19 83

and the last publication having been made on the
4th day of August, 19 83;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

James T. Cuddihy
Subscribed and sworn to before me this 18th

day of August, 19 83.
Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

MICROFILMED

RECEIVED

AUG 19 1983

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

James T. Cuddihy) do

I, _____
solemnly

swear that I am the Business Manager of
The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: Thursday
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper 2 consecutive weeks

the first publication having been made on the
11th day of August, 19 83,

and the last publication having been made on the
18th day of August, 19 83;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

James T. Cuddihy
Subscribed and sworn to before me this 18th

day of August, 19 83.

Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

NOTICE OF CORRECTION

Notice is hereby given that Application for
Permit No. 25-7350 in the name of Garro Sheep
Co. was advertised incorrectly on 7/28 &
8/4/83. The amount of water was omitted.

WHEREAS, the actual amount of water should
be 0.10 cfs.

Any protest as a result of the above correction
must be filed with the Dept. of Water Resources,
150 Shoup Ave., Suite 15, Idaho Falls, Idaho,
83401, on or before August 29, 1983.

A. KENNETH DUNN
Director

(7886)
Pub.: 8-11, 18

UNRECORDED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 5, 2003

GARRO SHEEP CO INC
199 W 300 S
RUPERT ID 83350

RE: License No. 25-7350 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

2003 JUN 10


CERTIFICATE OF SERVICE

I hereby certify that on June 5, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

25-7350

**GARRO SHEEP CO INC
199 W 300 S
RUPERT ID 83350**



**Kari Lynn Townsend
Secretary**

MICROFILMED
2003-10-03

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

RECEIVED

APR 1 1998

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

UNRECORDED
JUL 1 1982

Comment Report

25-7350

1. kwalker 4/11/2003 License Review

Comment: Examiner recommended we add a domestic use to this right since there is a cabin at the end of the pipeline. I did not add this use because it would be an expansion of the water right. Rt. holder should file an additional water right for the domestic use.

2. kwalker 6/3/2003 Reduced License

Comment: Permit holder failed to submit licensing amendment so we are reducing this right to what can be licensed without an amendment.

Although it's just a guess, the permit holder may not have responded to the amendment request because most of the additional stock troughs appear to be on state land.

*S. Keen
6/5/2003*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 5, 2003

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

GARRO SHEEP CO INC
199 W 300 S
RUPERT ID 83350

RE: Water Right Permit 25-07350

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received the amendment. If I do not receive the amendment within 14 days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you have been misplaced, a new one is enclosed. Please note that the filing fee is \$50.00.

If you have any questions regarding this matter, please call me at 208-327-7944.

Sincerely,

A handwritten signature in cursive script that reads "Kay Walker".

KAY WALKER
Sr. Water Resource Agent

KW:klt

Enclosure

APR 10 2003
2003-05-07



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 14, 2003

GARRO SHEEP CO INC
199 W 300 S
RUPERT ID 83350

RE: Water Right Permit No. 25-07350

Dear Permit Holders:

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

✓ **Place of Use**

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

ENCLOSURE

Comment Report

25-7350

1. kwalker 4/11/2003 License Review

Comment: Examiner recommended we add a domestic use to this right since there is a cabin at the end of the pipeline. I did not add this use because it would be an expansion of the water right. Rt. holder should file an additional water right for the domestic use.

LICENSE REVIEW CHECKLIST

Permit No. 25-7350 Date: 4-11-03 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use add

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): _____

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.10 cfs

Fee Limit N/A cfs

Measured _____ cfs

Theoretical 2.05 cfs

Recommended Total Diversion Rate 0.05

Water Uses

Change (P46)

Season of Use per new Standards

Irrigation _____ cfs _____ af

Stockwater 0.05 cfs 8.4 af

Domestic _____ cfs _____ af

_____ cfs _____ af

_____ cfs _____ af

Total 0.05 cfs 8.4 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks: _____

Additional Conditions 01

Watermaster Control

_____ GW Measurement/Measuring Device

_____ Other

Trust R55 - remove 051)

Non-trust (048)

GW Dist? _____

Water Msmt. Dist? _____

Crit. GWMA? _____

GWMA? _____

Government Lots? _____

Advance Priority? _____ yes

_____ no

If yes, explain why below.

SRBA Claim? Not req'd

Adjust memo _____

Amend Letters

P87, S06


Second Amendment Notice

P44

S06

C. DIVERSION AND DELIVERY SYSTEM

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

1/2" PVC pipeline from spring box to troughs and a cabin 650' deep flume (to east pool, over A-DISTANCE OF 15,000 ft.)

Hazen-Williams Equation. shows 0.05 cfs

E. NARRATIVE/REMARKS/COMMENTS

The spring is collected in a spring box and routed over 60 ft of rocks in a 2" gal. pipe. The pipe changes to 1 1/2" Black Plastic pipe. This pipe is routed to all the troughs in which there is a float to control the water level in the troughs. A total of Seven (7) troughs are supplied and the line ends at a home in section 35.

STOCKWATER FOR 6000 SHEEP, 300 CATTLE
DOMESTIC USE - ONE HOME (CABIN)

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 03 2003

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

Hazen-Williams Equation shows 0.05 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} =$$

2. Volume Calculations for Other Uses:

Stockwater 6000 sheep 300 cattle

$$6000 \text{ sheep} = 1000 \text{ cattle}$$

$$\frac{300 \text{ cattle}}{1300 \text{ cattle}}$$

$$1300 \text{ cattle} \times 0.0134 \times 176 \text{ days} = 8.4 \text{ AFA}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Stockwatering
Domestic

From
5-10

To
11-1

Period of Use

Rate of Diversion

Q (cfs)
0.05

V (ata)
8.4

Annual Volume

Totals:

0.05

9.0

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name Lee Simmons Date 10-14-98
Reviewer Dave Carlson Date 11/17/2002

SEAL

MICROFILMED
SEP 03 2003

Hazen-Williams Equation for Closed Pipe Flow

Assumptions: Head Loss due to bends, couplings, & valves is negligible

$$Q_{cfs} = 1.318 C_h (\pi D^2/4) \times (D/4)^{0.63} \times (H/L)^{0.54}$$

Q = Discharge (cfs)

D = Pipe Diameter (ft) = .125 ft 1.5"

L = Pipe Length (ft) = 15000 ft

H = Elevation Drop (ft) = 650 ft

C_h = Values for Types of Pipe = 150

150 -Plastic (PVC)

140 -Very Smooth

130 -Cast Iron

120 -Wood, Concrete

110 -Riveted Steel

100 -Old Cast Iron


80 -Badly Corroded Cast Iron

$$Q_{cfs} = 1.318 \left(\frac{150}{C_h} \right) \left[\pi \left(\frac{.125}{D} \right)^2 / 4 \right] \times \left(\frac{.125}{D} / 4 \right)^{0.63} \times \left(\frac{650}{H} / \frac{15000}{L} \right)^{0.54}$$

$$Q_{cfs} = \underline{0.05} \text{ cfs}$$


MICROFILMED
SEP 9 2 2003

Permit # 25-7350



grouped.pos

R091616A
111 41 28.974064022 W,43 11 33.539109394 N,7055.780, , ,7091.810
END
R091616B
111 41 19.195344519 W,43 11 24.009269611 N,7058.557, , ,7094.592
END
R091617A
111 41 16.822359726 W,43 11 00.704694903 N,6949.826, , ,6985.892
END
R091617B
111 41 34.900457513 W,43 10 54.821526775 N,6731.823, , ,6767.902
END
R091617C
111 41 28.070389265 W,43 10 15.817300772 N,6569.552, , ,6605.685
END
R091617D
111 41 37.943374672 W,43 10 39.646479854 N,6651.330, , ,6687.433
END
R091618A
111 41 22.875227739 W,43 11 24.003849359 N,7006.515, , ,7042.554
END
R091618B
111 41 49.505701296 W,43 11 45.076392169 N,6957.145, , ,6993.179
END
R091618C
111 41 55.058091426 W,43 12 10.077656643 N,6944.445, , ,6980.446
END
R091618D
111 42 23.254719097 W,43 11 57.422985431 N,6764.031, , ,6800.079
END
R091618E
111 43 00.889919987 W,43 12 36.891014509 N,6581.709, , ,6617.723
END
R091618F
111 42 58.750722418 W,43 12 17.584416245 N,6624.340, , ,6660.389
END
R091619A
111 43 34.892965873 W,43 12 02.572363927 N,6484.677, , ,6520.771
END
R091619B
111 43 55.913609878 W,43 11 48.567650633 N,6411.684, , ,6447.819
END
R091619C
111 42 45.473314401 W,43 10 45.800409866 N,6480.731, , ,6516.888
END
R091619D
111 42 41.330775488 W,43 11 06.116709609 N,6491.447, , ,6527.585
END
R091619E
111 42 40.570610903 W,43 11 10.093593288 N,6495.261, , ,6531.393
END
R091619F
111 43 59.397988378 W,43 11 45.227372786 N,6411.739, , ,6447.882
END
R091620A
111 44 13.509836671 W,43 11 41.33177384 N,6383.541, , ,6419.704
END
R091620B
111 43 58.8209247 W,43 11 30.107516137 N,6421.382, , ,6457.547



Spring box at Rock springs - Collection point
for system



looking West showing Collection Box and Permit #25-07350
the Gal. pipe going to System

MICROFILMED

1980 2 20



Looking West at first Watering Trough
~~Point of Div. #1~~
 place of use.




Looking North at point of diversion #2 Permit # 25-07350
 place of use

WATERING TROUGH

10/10/1964



Looking East at ~~point of diversion~~ #3
place of use



Looking SW at ~~point of diversion~~ #4
place of use

Permit #
25-07350



25-7350 place of use #5



25-7350 place of use #6

Permit #
25-07350



piece of use #7

Permit #
25-07350

AMERICAN

1900

February 12, 1990

GARRO SHEEP CO.
RT. 1
RUPERT, ID 83850

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07350

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAR 09 1990

1/00

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 25-7350

Date: 2-9-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☐ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<u>NO</u>	

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

ROGER D. LING
ROBERT M. NIELSEN
BRENT T. ROBINSON
DAVID W. HALEY
MARK A. INGRAM
RICK BOLLAR

LING, NIELSEN & ROBINSON
ATTORNEYS AT LAW
615 "H" STREET
P. O. BOX 396
RUPERT, IDAHO 83350

AREA CODE 208
TELEPHONE 436-4717
FAX 436-6804

January 15, 1990

RECEIVED
JAN 17 1990

Department of Water Resources

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

RE: Garro Sheep Company / Proofs of Beneficial Use

Dear Sir or Madam:

I have enclosed three Proofs of Beneficial Use,
Permit Nos. 25-7349, 25-7350, and 25-7348 in regards to
Garro Sheep Company.

Should you have any questions, please contact me.

Very truly yours,


Roger D. Ling

pc
Enclosures

MICROFILMED

MAR 09 1990

138965

~~138967~~

December 31, 1989

GARRO SHEEP CO.
RT. 1
RUPERT, ID 83850

PROOF DUE NOTICE

RE: PERMIT NO. 25-07350

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 09 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.

(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. Glen Saxton
L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

MAR 09 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

GARRO SHEEP CO.
RT. 1
RUPERT, ID 83850

MARCH 28, 1985

RE: PERMIT NO. 25-7350

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: STEVE McCORMICK

APPLICATION NUMBER: 25 7350

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

☐ Yes ☒ No Platted by: _____ Map No. _____

☐ Yes ☒ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: Aug 15, 1983 Aug 29, 1983

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 8/19/83

☒ Application published correctly. If not, record action taken: re-ad 8/11; 8/18/83

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 01

☒ 6-28-83 Date of priority recommended.

Special conditions of approval or cover letter. _____

26

app. released in 3rd S.F. dismissal

By: Ernest Carlson

Date: Feb 13, 1985

STATE OFFICE REVIEW:

617

26 05(01, Snake R.)

☐ See attached sheet for more information.

By: KW

Date: 3/1/85

FEB 20 1985

Department of Water Resources

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 25-7350 in the name of Garro Sheep Co. was advertised incorrectly on 7/28 & 8/4/83. The amount of water was omitted.

WHEREAS, the actual amount of water should be 0.10 cfs.

Any protest as a result of the above correction must be filed with the Dept. of Water Resources, 150 Shoup Ave. Suite 15, Idaho Falls, Idaho, 83401, on or before August 29, 1983.

A. KENNETH DUNN

Director

Published in the Blackfoot News on 8/11 & 8/18/83.

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 25-7350 in the name of Garro Sheep Co. was advertised incorrectly on 7/28 & 8/4/83. The amount of water was omitted.

WHEREAS, the actual amount of water should be 0.10 cfs.

Any protest as a result of the above correction must be filed with the Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83401, on or before August 29, 1983.

A. KENNETH DUNN
Director

(7886)

Pub. 8-11, 18

25-2350.

GARRO SHEEP CO.

RT. 1. RUPERT. ID 83850

Source: ROCK SPRING trib. to SINKS

Date Filed: 06/28/1983

Diversion Pt: SENE Sec 06 T 03S R 41E

Use: STOCKWATER (0.10 CFS)

In: SENE Sec 06 T 03S R 41E

MICROFILMED