
MICROFILMED

Scale: 2 inches equal 1 mile.

x Bo Albert J.
(Applicant)

(Applicant

47-08251

No 21682

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

ALBERS, TEO
14470 SOUTH EUCLID
CHINO, CA 91710

Source:
GROUNDWATER
Diversion Pt: LOT 1 (NWNW) SEC 7 T 10S R 14E

Use: STOCKWATER (.200 CFS)
COMMERCIAL (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 9/4/1990
In: T10S R14E S07 Lot 1 (NWNW)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before NOVEMBER 5, 1990.

R. KEITH HIGGINSON
Director
PUBLISH: Thursday, October 18, and 25, 1990.

Affidavit of Publication

STATE OF IDAHO

COUNTY OF TWIN FALLS

SS.

I, Grinda Capps McBeure being first duly sworn upon oath, depose and say that I am Business Clerk of the TIMES-NEWS, published daily, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for Two consecutive weeks, commencing with the issue dated October 18, 1990, and ending with the issue dated October 25, 1990.


And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at which time said newspaper began daily publication under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO
COUNTY OF TWIN FALLS

On this 30 day of October in the year of 1990, before me, a Notary Public, personally appeared Grinda Capps McBeure, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Martha G. DeWitt
Notary Public for Idaho
Residing at Twin Falls County
My commission expires: 8-8-96



FILED
MAR 28 1991

mb
11-21-90

105

911 E. 4000 N

R13E R14E

MICROFILMED
MAR 15 1999

A47-11771

47-08251

Buhl 7.5' Quad BB70 1958 Revised 1992



GPS A0004692
WEST WELL
47-08251



HOLDING TANK
FROM WEST
WELL

BARN →

WEST WELL
47-08251

EAST WELL
A47-11771

PHOTO LOOKING W'LY



(FLUSH W/ GRND.)
PUMP BEHIND
PRESSURE TANK

← PHOTOS LOOKING →
S'LY



GPS A0007801

LIFT
LID

INSIDE
LID

EAST WELL
A47-11771

MICROFILMED
MAR 15 1999

Tragsma-Rodrigues, Jr.
30 April 1998 - 1100 hrs.
(EAST WELL) A47-11771 47-08251

2/3



BOTH, FLOW METER & PSI
GAGE DID NOT WORK.



PSI GAGE

RE-FILED
MAY 15 1999

Hragsma-Rodriguez, Jr.
30Apr98 1100hrs.
47-08251

3/3



Home
★



LOOKING SE'LY

WEST
WELL

EAST
WELL




DAIRY
BARN


EAST
WELL

LOOKING SLY

★
HOME ASSOCIATES WY
P47-11771



10
DOUBLE HERRING BONE



HOLDING TANKS

MILK PICKED UP
ONCE, COWS MILKED
TWICE.

MICROFILMED
MAR 15 1999

Haagsma - Rodrigues, Jr
30 April 98
1100 hrs.
47-08251

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 47-08251

Priority: September 04, 1990

Maximum Diversion Rate: 0.11 CFS
Maximum Diversion Volume: 16.9 AF

It is hereby certified that JOHN RODRIGUES JR And
HERCULANO ALVES And
FRANCES ALVES
911 E 4000 N

BUHL ID 83316 have complied with the terms and

conditions of the permit, issued pursuant to Application for Permit dated September 04, 1990; and have submitted Proof of Beneficial Use on February 02, 1993. An examination indicates that the works have a diversion capacity of 0.11 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
STOCKWATER	01/01 to 12/31	0.10 CFS	16.0 AF
COMMERCIAL	01/01 to 12/31	0.01 CFS	0.9 AF

LOCATION OF POINT OF DIVERSION:

GROUND WATER L1 NW¼NW¼ Sec. 7, Twp 10S, Rge 14E, B.M., TWIN FALLS County

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
10S 14E 7						X											
						L1											


PLACE OF USE: COMMERCIAL - Same as Stockwater

CONDITIONS OF APPROVAL

1. Commercial use is for dairy barn.
2. The dairy operation authorized under this approval shall comply with applicable county zoning and use ordinances.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 10TH day of DECEMBER 2001.

Acting for 
KARL J. DREHER
Director

MICROFILMED

FEB 25 2002

State of Idaho
RECEIVED DEPARTMENT OF WATER RESOURCES

NOV 12 1998

ASSIGNMENT OF PERMIT

DEPARTMENT OF WATER RESOURCES

To change the ownership of an application for permit

OFFICE USE ONLY

Amt. of Fee \$25.00

Date 3/15/99

Receipt No. 11111

Receipt by 11111

I, Teo Albers, Jr., hereby assign to
(Applicant)
of 911 E. 4000 N. Buhl, ID. 83316
(Full Address)

Herculano Alves and Frances Alves, husband and wife, as to an undivided one-half (1/2) interest, and John Rodrigues, Jr., an unmarried man, as to an undivided one-half (1/2) interest

All my right, title, and interest in and to Application for Permit
No. 47-08251 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
Application for Permit No. _____ to appropriate the public waters of the
State of Idaho.


Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision,
point of diversion location, and the amount of water in cubic feet per second.

Made this _____ day of _____, 19____.

Teo Albers, Jr.
Applicant(s)

State of California)
San ss
County of San Bernardino

On this 14th day of April, 1998, personally appeared before me the
signer of the above instrument, duly acknowledged to me that he/she/they executed the same.



William A. Van Dyk
Notary Public

[Signature]
Signature

My commission expires: 10-1-98

MICROFILMED

MAR 15 1999

RECEIVED
NOV 09 1998
Department of Water Resources
Southern Region

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 47-08251 IN THE NAME OF)
TEO ALBERS)
_____)

**ORDER GRANTING PETITION
FOR RECONSIDERATION**

This matter having come before the Department of Water Resources (Department) as a petition to reconsider the preliminary order voiding a permit, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On April 7, 1998, the Department issued a preliminary order (order) voiding water appropriation permit 47-08251 (permit) in the name of Teo Albers (permit holder) because the permit holder did not provide an opportunity for the Department to conduct the required field examination.
2. On April 15, 1998, Herkie and Frances Alves (petitioners) filed a Petition for Reconsideration (petition) with the Department in connection with the order. The petitioners assert that they represent new owners of the property where the permit was developed and that they have arranged with a Department representative to conduct a field examination.

CONCLUSIONS OF LAW

3. Section 67-5243(3), *Idaho Code*, provides in pertinent part as follows:

Unless otherwise provided by statute or rule, any party may file a motion for reconsideration of a recommended order or a preliminary order within fourteen (14) days of the issuance of that order. The presiding officer shall render a written order disposing of the petition.


4. The Department should conditionally grant the petition for reconsideration of the order pursuant to Section 67-5243(3), *Idaho Code*, to give the petitioners an opportunity to demonstrate that a beneficial use of water was developed in accordance with the permit.

ORDER

IT IS HEREBY ORDERED that the petition is **CONDITIONALLY GRANTED** pursuant to Section 67-5243(3), *Idaho Code*, to allow the petitioners to demonstrate that a beneficial use of water was developed in accordance with the permit.

IT IS FURTHER ORDERED that if the petitioners do not submit to a field examination as scheduled with the Department, or if the field examination reveals that a beneficial use of water has not been developed in accordance with the permit, then the April 7, 1998, preliminary order voiding the permit is automatically reinstated and shall again be in full force and effect.

Dated this 21st day of April, 1998.



L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED
MAR 15 1999

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 47-08251 IN THE NAME)
OF TEO ALBERS)
_____)

PRELIMINARY ORDER VOIDING PERMIT

This matter having come before the Department of Water Resources (Department) as a result of an investigation by the Department to determine the extent of beneficial use of water, the Department makes the following Findings of Fact, Conclusions of Law, and Order:

FINDINGS OF FACT

1. On September 4, 1990, Teo Albers (permit holder) applied to the Department for a permit to appropriate 0.20 cubic feet per second of water from groundwater within Govt. Lot 1, Sec. 7, Township 10 South, Range 14 East, B.M., for stockwater and commercial purposes.
2. On March 18, 1991, the Department approved the application as Permit 47-08251 (permit).
3. On February 2, 1993, the Department received Proof of Beneficial Use for the permit. The permit holder wrote on the Proof of Beneficial Use statement that lessee Herculano Alves (lessee) should be contacted to accompany a Department representative during a field examination of the water system.
4. The provisions of Section 42-217, *Idaho Code*, require the Department to examine or cause to be examined any permit for which an acceptable Proof of Beneficial Use has been submitted.
5. On October 27, 1997, Department staff wrote the lessee to request that he contact the Department to schedule an appointment to conduct an examination of the water system. The Department received no response to the request.
6. On November 24, 1997, Department staff again wrote the lessee to request that he contact the Department to schedule an appointment to conduct an examination of the water system. The Department received no response to the request.
7. On December 11, 1997, Department staff attempted to contact the permit holder or the lessee by stopping by the permitted place of use. Nobody answered the door, and it appeared that nobody was present.

MICROFILMED

MAR 15 1999

8. On December 15, 1997, Department staff wrote the permit holder and the lessee to request that they contact the Department to schedule an appointment to conduct an examination of the water system. Both letters were sent via certified mail. The letter to the lessee was returned to the Department unclaimed. The permit holder responded by informing the Department that the property on which the permit was to be developed had been sold to the lessee.
9. The permit holder did not respond when asked by the Department in December of 1997 if he wished to assign the permit to the lessee.
10. Because the permit holder and/or his agent have not cooperated with the Department to schedule an appointment for a field examination, the Department cannot verify that the permit holder has complied with the law and the conditions of the permit by completing construction of works and application of water from the identified source to the proposed beneficial use to establish a new water right.
11. The failure of the permit holder and/or his agent to cooperate with the field examination effort causes the Department to conclude that the permit holder has not complied with the law and the conditions of the permit and that the permit holder no longer has any interest in the permit.
12. The provisions of Section 42-219, *Idaho Code*, authorize the Department to void permits for which the permit holder has not fully complied with the law and the conditions of the permit.

CONCLUSIONS OF LAW

1. Section 42-219, *Idaho Code*, states:


In the event that the Department shall find that the applicant has not fully complied with the law and conditions of the permit, it may issue a license for that portion of use which is in accordance with the permit, or may refuse issuance of a license and void the permit.

2. The permit holder has not complied with the conditions of the permit by not completing construction of works and application of water from the identified source to the proposed beneficial use to establish a new water right as required by the permit and Section 42-219, *Idaho Code*.
3. The permit should be voided pursuant to Section 42-219, *Idaho Code*.

ORDER

IT IS, THEREFORE, HEREBY ORDERED that issuance of a license is **REFUSED** and Permit No. 47-08251 is **VOIDED** under Section 42-219, *Idaho Code*.

Dated this 7th day of April, 1998.

A handwritten signature in cursive script, reading "L. Glen Saxton". The signature is written in dark ink and is positioned above the printed name and title.

L. GLEN SAXTON
Chief, Water Allocations Bureau

MICROFILMED

MAR 15 1999

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 2-2-93
Receipt No. 0026049
Receipt by [Signature]

RECEIVED

FEB 2 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 47-08251 Telephone No. (909) 627-8991

2. Name(s) of Permit Holder(s): TEO ALBERS, JR.

3. Mailing Address: 13437 MOUNTAIN AVE, CHINO, CA, 91710

4. Source of Water: _____

If **GROUNDWATER**, Well Driller's Name: EATON DRILLING Date Drilled: 09/04/90

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater 400-500 (No. and type of stock)

Irrigation _____ (No. of acres) Other COMMERICAL DAIRY

6. Total rate and/or volume for which proof is submitted 0.20 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes ____ No Installed? ____ Yes ____ No

OR

Flow Measurement Port: Required? ____ Yes ____ No Installed? ____ Yes ____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

HERCULANO ALVES (LESSEE) (208) 543-8283 or (208) 543-8284
Name Telephone No.
911 E. 4000 N. BUHL, IDAHO 83316
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

01/26/93
Date

Teo Albers, Jr.
Signature (and title, if on behalf of a company or organization)

FEB 17 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-08251

Proposed Priority: September 4, 1990 Maximum Diversion Rate: 0.20 CFS
This is to certify, that **TEO ALBERS**

14470 S. EUCLID
CHINO, CA 91710

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.20 CFS
COMMERCIAL	01/01 to 12/31	0.20 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NWNW), Sec. 7, Township 10S, Range 14E
TWIN FALLS County

PLACE OF USE: STOCKWATER
TWN RGE SEC

10S 14E 7 LOT 1(NWNW)

PLACE OF USE: COMMERCIAL, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Irrigation use under this permit is authorized only in connection with a domestic use.
5. Two points of diversion are located within Lot 1, NWNW, Section 7, Township 10S, Range 14E.
6. Stockwater use is for 320 dairy cattle and 80 range cattle.
7. Commercial use is for a dairy barn.
8. The points of diversion are located within the Twin Falls Groundwater Management Area and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this permit.

MICROFILMED

MAR 28 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 47-08251

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

18th day of March, 1991.

R. Keith Higginson
for R. Keith Higginson, Director




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Teo Albers Phone (714) 597-6537
FAX 714-893-8784
Post office address 14470 S. Euclid, Chino, CA 91710
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is 2 points $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 1
Sec. 7 Township 10S Range 14E B.M. Twin Falls County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.20 for Stockwater purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 for Commercial purposes from " to " (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Existing & new wells, pumps

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 250 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).



a. Hydropower; show total feet of head and proposed capacity in kW.

c. Municipal; show name of municipality.

e. Other; describe fully. Commercial - dairy barn

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated.

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

12. Remarks:

104 8 2 000

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A. 14E

PD, PH
00
LT 1

T./OS

7

RECEIVED

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X

(Applicant



e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by JE Stanton Date 9-4-90 Time 11:30 am Preliminary check by [Signature]

Fee \$ 30.00 Received by JE Stanton # 5012627 Date 9-4-90

Publication prepared by M. B. Bolin Date 9/28/90 Published in Idaho News

Publication approved M. B. Bolin Date 11-21-90

47-08251

NOTICE OF
APPLICATION
FOR WATER RIGHT

The Following
application(s) have been
filed to appropriate the
public waters of the State
of Idaho:

ALBERS, TEO
14470 SOUTH EUCLID
CHINO, CA 91710

Source:
GROUNDWATER
Diversion Pt: LOT 1
(NWNW) SEC 7 T 10S R
14E

Use: STOCKWATER

(.200 CFS)

COMMERCIAL

(.200 CFS)

Total Diversion:

(.200 CFS)

Date Filed: 9/4/1990

In: T10S R14E S07 Lot 1
(NWNW)

The permit(s) will be
subject to all prior water
rights. Protests must be
filed with the Director,
Dept. of Water Resources,
Southern Region, 222
Shoshone Street, 2nd Fl.
Twin Falls, Idaho 83301
on or before NOVEMBER
5, 1990.

R. KEITH HIGGINSON
Director

PUBLISH: Thursday, Oc-
tober 18, and 25, 1990.

Affidavit of Publication

STATE OF IDAHO

COUNTY OF TWIN FALLS

SS.

I, Ginnda Canyon McBeers being first duly sworn upon oath, depose
and say that I am Owner/Editor of the TIMES-NEWS, published daily, at
Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per
clipping attached, was published in the regular and entire issue of said newspaper, and not in
any supplement thereof, for Two consecutive weeks,
commencing with the issue dated October 18, 1990,
and ending with the issue dated October 25, 1990.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho
Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily ex-
cept Monday, both of which newspapers prior to consolidation had been published under said names in said city and
county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-
NEWS, since such consolidation, has been published as a daily newspaper except Saturday, until July 31, 1978, at
which time said newspaper began daily publication under said name in said city and county continuously and
uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated
as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho,
to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers,
and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

STATE OF IDAHO

COUNTY OF TWIN FALLS

On this 30 day of October in the year of 1990, before me,

a Notary Public, personally appeared Ginnda Canyon McBeers
known or identified to me to be the person whose name subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at Twin Falls County

My commission expires: 8-8-96

NE 21682

mb
11-21-90



The Times-News

P.O. Box 548, Twin Falls, Idaho 83303-0548

(208) 733-0931

Nov. 20, 1990

Idaho Water Resources
222 Shoshone St East
Twin Falls ID 83301

RECEIVED

NOV 21 1990

Department of Water Resources
Southern Region Office

Claim #47-08251

Two Times

Oct. 18, 1990, 39 lines @ .40- - \$15.60
Oct. 25, 1990, 39 lines @ .32- - \$12.48
Affidavit \$ 3.00

TOTAL DUE \$31.08

INVOICE
21682

AGE PTO.

*checked
11-21-90
mb*

CLASSIFIED ADVERTISING INVOICE

TWIN FALLS TIMES NEWS
132 3RD ST W.
P. O. BOX 548
TWIN FALLS ID 83303

RECEIVED

Forwarding & address correction requested

NOV 21 1990

INVOICE NO.		CLASS	BILLING DATE	
21682		343	10/26/90	
INDEXING TERM				
#47-08251				
START DATE		TELEPHONE NO.		
10/13/90		734-3578		
LINES/WORDS	TIMES	RATE	NET AMOUNT	GROSS AMOUNT
39	2		28.08	28.08
AFFIDAVI			3.00	3.00
PAY THIS AMOUNT			31.08	31.08

GROSS AMT DUE AFTER 11/10

Department of Water Resources

RETURN THIS PORTION WITH YOUR REMITTANCE

21682

3108

THIS SPACE FOR ADDRESS ONLY

IDAHO WATER RESOURCES

222 SHOSHONE ST EAST
TWIN FALLS ID
83301

*checked
11-21-90
mb*

MAR 28 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 11, 2001

JOHN RODRIGUES JR
HERCULANO ALVES
FRANCES ALVES
911 E 4000 N
BUHL ID 83316

RE: License No. 47-8251 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)


MICROFILMED
FEB 25 2002

CERTIFICATE OF MAILING

I hereby certify that on December 11, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 47-8251

**JOHN RODRIGUES JR
HERCULANO ALVES
FRANCES ALVES
911 E 4000 N
BUHL ID 83316**

A handwritten signature in black ink, reading "Karl Lynn Townsend", written over a horizontal line.

**Karl Lynn Townsend
Secretary**

**MICROFILMED
FEB 25 2002**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

Permit No. 47-08251 Date: 12-3-2001 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK
Point of Diversion: OK

Does change clarify original intended source? If no, void permit.
Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): _____
File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.20 cfs
Fee Limit 0.20 cfs
Measured _____ cfs
Theoretical 0.11 cfs

Recommended Total Diversion Rate 0.11

Water Uses OK

Change (P46)

Season of Use per new Standards

Irrigation _____ cfs _____ af
Stockwater 0.10 cfs 16.0 af
Domestic _____ cfs _____ af
Comm 0.01 cfs 0.9 af
_____ cfs _____ af
Total 0.11 cfs 16.9 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)
supp. Gw (WB7/065/104)
overlap spec combined rts (W35)
<1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (081/R07)
Payette - (W22/047/27A)
Stockwater for US (R37)

Volume Determination

_____ cfs x 1.9835 x _____ days = _____ af (vs) _____ acres x _____ (FHR) = _____ af

Remarks: 082

Additional Conditions _____ Watermaster Control
_____ GW Measurement/Measuring Device
_____ Other
Trust R55 - remove 051)
Non-trust (048/049)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes If yes, explain why below.
no

SRBA Claim? NO - NOT req'd.

Adjust memo _____

Amend Letters _____ P87, S06 Second Amendment Notice _____ S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 28 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 47-08251

1. Owner: JOHN RODRIGUES, JR. & MARY HAAGSMA Phone No. 543-8283

Current Address: 911 E. 4000 N. BUHL ID. 83316

2. Accompanied by: HERCULANO & FRANCES ALVES EXAM DATE: 30 APRIL 1998

Address: SAME AS ABOVE Phone No. _____

Relationship to Permit Holder: HERKY ALVES SON-IN-LAW TO MARY HAAGSMA

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: A47-11771

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

→ SERVES DAIRY 47-08251

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#1	1		NW	NW	7	10S	14E	TWIN FALLS	FIELD EXAM. GPS A0004692
#2	1		NW	NW	7	10S	14E	" "	" " " " GPS A0007801
→ <u>SERVES HOME SEE A47-11771</u>									

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
10S	14E	07						C/S											
								LOT 1											

MICROFILMED

MAR 15 1998

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
✓ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
✓ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 6PS A0004192		3			
#2 " A007801 Franklin		3/4	VIP4D02-01	Grundfos	Type 16507-8
			886		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
SEE THEORETICAL						

2. Measurements: STATE (GRATER (GRATER PUMPS) VERIFIED UFT, PSI, HP of BOTH PUMPS

APR 1 1998

E. NARRATIVE/REMARKS/COMMENTS

E. NARRATIVE/REMARKS/COMMENTS

FROM: Georgia Satterlee

DATE: 29 May 1998

RE: 47-08251

On 30 April 1998, I met with Mr. and Mrs. Alves to perform field examination regarding the above permit number. The permit is for stockwater and commercial use for a dairy.

There are two wells located in Lot 1, NWNW $\frac{1}{4}$ Section 7, T10S, R14E. The Alves said, as of this date, the two wells are not tied together. If, in the future, one well goes out they would like a back up. Eventually, they want to tie the wells together.

The west well (3 HP pump) is located 10 feet east of the dairy barn. This well serves the dairy operation.

The east well (3/4 HP pump) is located 100 feet south of the home and 100 feet east of the west well.

There is an adjudication claim, A47-11771, for the east well associated with one home that has $\frac{1}{4}$ (at least) acre lawn.

Mr. Alves says they are milking 400 cows only. All the dry cows are at a farm 3 miles west of the dairy. I explained to Mr. Alves the general remarks on the permit regarding 320 dairy cattle and 80 range cattle. I ran two different dairy worksheets. The first worksheet shows consumptive use volume for the permitted amount of cows (wet/dry). The second worksheet shows what is existing. Both sheets show a rate under the permitted amount.

Included in this file is the dairy program prepared by Bob Ohlensehlen. The cow numbers depicted on his worksheet are double the amount permitted. I explained to the Alves about transferring a water right(s) to satisfy the increased cow numbers shown on Ohlensehlen's computations.

The rate recommended for the use of stock and commercial is similiar to the theoretical rate and the rate derived from the dairy worksheet showing the operation which exists today.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 1 1998

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached
THEORETICAL ATTACHED

EXAM FEE LIMIT 0.20
PERMIT LIMIT 0.20
RECOMMEND 0.11

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

SEE THEORETICAL & WATER USE DATA WORKSHEETS
"AS PERMITTED"
"EXISTING"

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
STOCKWATER	1/1 To 12/31	0.10 cfs	16.0
COMMERCIAL	1/1 To 12/31	0.01 cfs	0.9
Totals:		0.11 cfs	16.9

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above
Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

Georgia Gutteridge
Date 29 May 1998


Reviewer

Date

SEAL 1 5 1998

MICROFILMED

105




A47-11771

47-08251

Buhl 7.5' Quad BB70 1958 Revised 1992



① A0004692
R043016A



900 EAST

4000 NORTH

SEC 7, T10S, R14E NW NW $\frac{1}{4}$ LOT 1

Haagsma-Rodrigues, Jr.
1100 hrs. - G. Satterlee
MICROFILMED 30 April 1998

② = A47-11771

47-08251 = ①

FILE NUMBER 47-08251
REVIEWER GLS

DAIRIES: WATER USE WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE 400
NUMBER OF NONMILKING CATTLE 0
IF LAGOON IS AEROBIC, ENTER ITS SURFACE AREA IN ACRES;
IF ANAEROBIC, ENTER ZERO 2.5
EVAPOTRANSPIRATION FACTOR FOR AREA (AC-FT/AC-YR) 4
ENTER 1 FOR MANUAL COW WASHING, 2 FOR AUTOMATIC, OR 3 IF
SPRINKLERS ARE USED TO FLUSH HOLDING PEN AND WASH COWS 1
NUMBER OF MILKINGS PER DAY 2

CALCULATIONS

DIVERSION RATE FOR STOCKWATER (CFS):

MILKING CATTLE @35 GPD/HD 0.26
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * 0.26
NONMILKING CATTLE @12 GPD/HD 0.00
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * 0.00
TOTAL (BASED UPON ROUNDED NUMBERS) 0.26

DIVERSION VOLUME (AFA):

STOCKWATER
MILKING CATTLE @35 GPD/HD 15.7
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * 16.0
NONMILKING CATTLE @12 GPD/HD 0.0
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * 0.0
TOTAL (BASED UPON ROUNDED NUMBERS) 16.0

COMMERCIAL
WASHING OF BULK TANK AND RELATED EQUIPMENT 0.4
PARLOR FLOOR AND MILKHOUSE FLOOR 0.1
CATTLE WASHING BASED UPON METHOD OF WASHING 0.4
TOTAL 0.9

TOTAL DIVERSION VOLUME 16.9
 $\frac{16.9}{3} = 5.63 \text{ ac}$

CONSUMPTIVE USE VOLUME (AFA):

STOCKWATER
MILKING 2.3
NONMILKING 0.0
TOTAL 2.3
COMMERCIAL 0.9
TOTAL CONSUMPTIVE USE 3.3

* NUMBER OF CATTLE ROUNDED UP TO AGREE WITH EXISTING TABLES.

1998

THEORETICAL FLOW ESTIMATION WORKSHEET

REQUIRED PUMP INFORMATION

	PUMP 1	PUMP 2	PUMP 3
PUMP HORSEPOWER (HP)	3.00	0.00	0.00
LIFT (FT)	75	0	0
DISCHARGE PRESSURE (PSI)	50	0	0
FRICTION LOSSES (FT)	10.0	0.0	0.0

CALCULATIONS

THEORETICAL FLOW RATE (CFS) *	0.10	0.00	0.00
DIVERSION VOLUME (AFA) **	70.2	0.0	0.0

* PUMP EFFICIENCY WAS ASSUMED TO BE 70%.

** DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON THE
THEORETICAL FLOW RATE ASSUMING PUMP RUNS CONTINUOUSLY EVERY
DAY OF THE YEAR.

$\frac{1}{3} \text{ ac} = 0.11 \text{ cfs}$

$\frac{0.10 \text{ Stockwater} + 0.01 \text{ Commercial}}{0.11 \text{ cfs}}$

MICROFILMED
MAR 15 1998

FILE NUMBER _____ ALVES
REVIEWER _____ May 27, 1998

As Permitted

DAIRIES: WATER USE WORKSHEET

REQUIRED DAIRY DATA

NUMBER OF MILKING CATTLE 320
NUMBER OF NONMILKING CATTLE 80
IF LAGOON IS AEROBIC, ENTER ITS SURFACE AREA IN ACRES;
IF ANAEROBIC, ENTER ZERO 2.5
EVAPOTRANSPIRATION FACTOR FOR AREA (AC-FT/AC-YR) 4
ENTER 1 FOR MANUAL COW WASHING, 2 FOR AUTOMATIC, OR 3 IF
SPRINKLERS ARE USED TO FLUSH HOLDING PEN AND WASH COWS 1
NUMBER OF MILKINGS PER DAY 2

CALCULATIONS

DIVERSION RATE FOR STOCKWATER (CFS):

MILKING CATTLE @35 GPD/HD 0.21
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.26
NONMILKING CATTLE @12 GPD/HD 0.02
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 0.02
TOTAL (BASED UPON ROUNDED NUMBERS) 0.28

DIVERSION VOLUME (AFA):

STOCKWATER
MILKING CATTLE @35 GPD/HD 12.5
MILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 16.0
NONMILKING CATTLE @12 GPD/HD 1.1
NONMILKING CATTLE (NUMBER OF CATTLE ROUNDED UP) * --- 1.3
TOTAL (BASED UPON ROUNDED NUMBERS) 17.3

COMMERCIAL
WASHING OF BULK TANK AND RELATED EQUIPMENT 0.4
PARLOR FLOOR AND MILKHOUSE FLOOR 0.1
CATTLE WASHING BASED UPON METHOD OF WASHING 0.4
TOTAL 0.8

TOTAL DIVERSION VOLUME 18.2

CONSUMPTIVE USE VOLUME (AFA):

STOCKWATER
MILKING 2.3
NONMILKING 0.0
TOTAL 2.3

COMMERCIAL 0.8

TOTAL CONSUMPTIVE USE 3.2

* NUMBER OF CATTLE ROUNDED UP TO AGREE WITH EXISTING TABLES.

THEORETICAL FLOW ESTIMATION WORKSHEET

REQUIRED PUMP INFORMATION

	PUMP 1	PUMP 2	PUMP 3
PUMP HORSEPOWER (HP)	3.00	0.00	0.00
LIFT (FT)	75	0	0
DISCHARGE PRESSURE (PSI)	50	0	0
FRICTION LOSSES (FT)	10.0	0.0	0.0

CALCULATIONS

THEORETICAL FLOW RATE (CFS) *	0.10	0.00	0.00
DIVERSION VOLUME (AFA) **	70.2	0.0	0.0

* PUMP EFFICIENCY WAS ASSUMED TO BE 70%.

* DIVERSION VOLUME IS THE ABSOLUTE MAXIMUM VOLUME BASED ON THE
THEORETICAL FLOW RATE ASSUMING PUMP RUNS CONTINUOUSLY EVERY
DAY OF THE YEAR.

$$\frac{18.2}{3} = 6.07 \text{ ac}$$

$$\frac{1''}{2\text{c}} = \underline{\underline{0.12 \text{ cfs}}}$$

MICROFILMED
MAR 15 1999

DAIRY WASTE SYSTEM DESIGN
PROGRAM WRITTEN BY
ROBERT OHLENSEHLEN
EXTENSION AGRICULTURAL AGENT
TWIN FALLS COUNTY

PLAN PREPARED FOR:

HERKIE ALVES
911 E 4000 N
BUHL, ID 83316

Date Prepared: 08/02/94

PLAN PREPARED BY:

Robert Ohlensehlen
Extension Ag Agent
246 3RD. AVE. EAST
TWIN FALLS, ID 83301

MILKING HERD INFORMATION:

Number of Milking Cows in the Herd..... 700
Number of Dry Cows in the Herd..... 140
Average Weight of Mature Cows..... 1400

840

REPLACEMENT ANIMAL INFORMATION:

Number of Calves Weighing from 100 - 300 lbs..... 0.75
Number of Calves Weighing from 300 - 500 lbs..... 0.85
Number of Calves Weighing from 500 - 700 lbs..... 0.85
Number of Calves Weighing from 700 - 900 lbs..... 0.85
Number of Calves Weighing from 900 - 1100 lbs..... 0.85

846

TOTAL NUMBER OF ANIMALS ON SITE..... 840 Head

WASTE PRODUCED BY HERD ON A DAILY BASIS

Waste Produced by Cows on a Daily Basis..... 1611 cu.ft.
Waste Produced by Calves Weighing from 100 - 300 lbs... 0 cu.ft.
Waste Produced by Calves Weighing from 300 - 500 lbs... 0 cu.ft.
Waste Produced by Calves Weighing from 500 - 700 lbs... 0 cu.ft.
Waste Produced by Calves Weighing from 700 - 900 lbs... 0 cu.ft.
Waste Produced by Calves Weighing from 900 - 1100 lbs... 0 cu.ft.

TOTAL MANURE PRODUCTION PER DAY..... 1611 cu.ft.

MICROFILMED
MAR 13 1993

Liquid Storage System Design

PLAN PREPARED FOR:

HERKIE ALVES
911 E 4000 N
BUHL, ID 83316

Date Prepared: 08/02/94

PLAN PREPARED BY:

Robert Ohlensehlan
Extension Ag Agent

GENERAL INFORMATION:

Manure Reduction due to Solid Separation.....	0 %
Times Per Day Cows Are Being Milked.....	2
% of Milking Herd Manure Produced Being Stored as Liquid.....	15 %
Daily Manure From Milking Herd Stored in Lagoon.....	201 cu.ft.
% of Replacement Herd Manure Produced Being Stored as Liquid.....	0 %
Daily Manure From Replacement Herd Stored in Lagoon.....	0 cu.ft.
Total Manure Stored from Herd Stored in Lagoon.....	201 cu.ft.

PARLOR WASTE BEING STORED:

Gallons of Water Used to Flush Holding Pen (Daily).....	1000 gal.
Enter Amount of Water Used to Clean Bulk Tank.....	60 gal.
Enter Amount of Water Used to Clean Pipeline.....	250 gal.
Enter Amount of Water Used for Miscellaneous Cleanup.....	30 gal.
Enter Amount of Water Used for Cow Prep.....	350 gal.
Enter Amount of Water Used to Wash the Parlor Floor.....	75 gal.
Enter Amount of Water Used to Wash Milk House Floor.....	20 gal.
Enter Amount of Water From Cooling Systems Added To Lagoon..	0 gal.
TOTAL WATER USED IN BARN AND HOLDING PEN PER DAY.....	1784 gal.
TOTAL CU.FT. OF WATER USED IN BARN AND HOLDING PEN PER DAY..	238 cu.ft.
TOTAL CU.FT. OF WATER PLUS MANURE STORED PER DAY.....	439 cu.ft.

RUNOFF CONTRIBUTING TO STORAGE:

AREA 1 - 800 ft. x 400 ft.	Slope - 1 %	Runoff - 26418 cu.ft.
AREA 2 - 800 ft. x 400 ft.	Slope - 1 %	Runoff - 26418 cu.ft.
AREA 3 - 210 ft. x 310 ft.	Slope - 1 %	Runoff - 5374 cu.ft.
AREA 4 - 200 ft. x 200 ft.	Slope - 2 %	Runoff - 3302 cu.ft.
AREA 5 - 0 ft. x 0 ft.	Slope - 0 %	Runoff - 0 cu.ft.

Total Runoff from 25 year 24 hour Storm Event.....	61512 cu.ft.
Winter Precipitation From 1 in 5 Year to Be Contained..	80719 cu.ft.
TOTAL Runoff From Winter Precip. + Storm Event.....	142232 cu.ft.

SUMMARY OF LIQUIDS TO BE STORED:

Total Number of Days of Storage Required.....	180 days
Total Process Water Being Stored in Lagoon.....	42826 cu.ft.
Percent of Runoff Being Stored in Lagoon.....	100 %
Total of Runoff Water To Be Stored In Lagoon.....	142232 cu.ft.
Manure To Be Stored in Lagoon.....	36250 cu.ft.

LAGOON STORAGE REQUIRED (PRIMARY LAGOON).....	221307 cu.ft.
ADDITIONAL RUNOFF STORAGE REQUIRED.....	0 cu.ft.


RECORDED
MAR 15 1995

PRIMARY LAGOON SIZE REQUIREMENTS:

Number of Cells Used in Lagoon Design.....	1 cell
Length of Lagoon (Each Cell).....	180 ft.
Width of Lagoon (Each Cell).....	125 ft.
Depth of Lagoon (Each Cell).....	14 ft.
Freeboard Used on Lagoon.....	2 ft.
Side Slope Used in Calculations.....	1 to 1

UNRECORDED
MAY 15 1969

Herkie Alves Dairy
 3954 N 750 E
 Buhl, Id 83316
 Prepared by
 Bob Ohlensehlen
 Extension Educator/ Dairy
 Twin Falls County



MICROFILMED
 MAR 15 1988



August 15, 1994

Mr. Herkie Alves
911 E 4000 N
Buhl, ID 83316

Re: Proposed Dairy Facility Located Northwest of Castleford, Idaho.

Dear Herkie:

I appreciated the opportunity to visit with you on August 10, 1994 to review your proposed Confined Feeding Operation and waste storage system. Approval for the waste storage system for your 1265 head dairy is based on the following information:

1. Estimated potential runoff from the 25 year 24 hour storm event and winter precipitation is approximately 109,512 cubic feet. This will not include the run off from the parking lot or the road.
2. The planned storage structure is adequate for 1265 dairy cattle with a storage capacity of approximately 303,974 cubic feet plus 2 feet of freeboard.
3. If you plan to expand or modify your operation in the future, you will need to submit plans and specifications to our office for review and approval before construction can begin.
4. The solids will be stacked in the corrals and then removed. The owner shall furnish a list of names and addresses of property owners who are willing to accept the solid and liquid wastes. Liquid and solid wastes shall be applied at recommended agronomic rates.
5. All wastewater and manure storage facilities shall be emptied prior going into the winter months. Land application of liquid and solid wastes during the winter months on frozen ground is not recommended.
6. The waste storage lagoon must have the following minimum dimensions:

1 CELL: 180 ft x 167 ft x 14 ft deep. These dimensions include the 2 feet of required freeboard.


MICROFILMED

MAY 15 1995

Herkie Alves
August 15, 1994
Page 2

If I can be of any assistance, or if you have any questions I can be reached at 736-2190.

Sincerely,



Steve Kolar
Water Quality Compliance Officer

SK/mc

cc: Mike McMasters, Supervisor, Prevention & Certification, DEQ
Lee Taylor, Supervisor, Twin Falls County Planning & Zoning

ENCLOSURE
MAR 15 1999

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 47-08251
DATE: 30 APRIL 1998
BY: SATTI ERLER

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) (3.0) (0.70)}{[(60) + (50 \times 2.31)]} = \frac{18.5}{175.5} = 0.11 \text{ cfs}$$

<u>LIFT FROM:</u>	<u>PSI FROM:</u>	<u>NOTES ON PUMP:</u>
measurement ()	measurement ()	Motor Make, Serial or ID
owner ()	owner ()	
area estimate (X)	estimate ()	Pump Make, Serial or ID, rating
well logs (X)	owner gage ()	
	Booster (Y) (N)	

REMARKS 01 MAY 1998 @ 1000 hrs:
STEVE CRAMER, CRAMER PUMPS VERIFIED LIFT, PSI, & HP & BATH PUMPS.

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (H.P.) \times (EFF.)}{TDH}$

A47-11771

Q = CFS
H.P. = Total Brake Horsepower of pumping plant (including booster)
EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)
TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]
LIFT = depth to water in FEET from land surface to pumping water level
PSI = pumping pressure measured in psi near pump (if open discharge assume zero [0])

$$Q = \frac{(8.8) (0.75) (0.70)}{[(60) + (50 \times 2.31)]} = \frac{4.6}{175.5} = 0.03 \text{ cfs}$$

<u>LIFT FROM:</u>	<u>PSI FROM:</u>	<u>NOTES ON PUMP:</u>
measurement ()	measurement ()	Motor Make, Serial or ID
owner ()	owner ()	
area estimate ()	estimate ()	Pump Make, Serial or ID, rating
well logs ()	owner gage ()	
	Booster (Y) (N)	

REMARKS

MICROFILMED

APR 1 1998

113




PHOTO LOOKING S'LY

PHOTO LOOKING W'LY


INSIDE LID

MICROFILMED
MAR 15 1998


Traserra-Rodriguez, Jr.
30 April 1998 1100 hrs.
47-08251

(EAST WELL) A47-11771

2/3



BOTH, FLOW METER & PSI
GAGE DID NOT WORK.




Haggma-Rodriguez, Jr.
30Apr98 1100 hrs.
47-08251

3/3



DAIRY BARN



MILK PICKED UP
ONCE, COWS MILKED
TWICE.

DISCONTINUED
FARM

Haagsma - Rodrigues, Jr
30 April 98 1106 hrs.
47-08251



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 25, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

HERCULANO ALVES
FRANCES ALVES
JOHN RODRIGUES JR
911 3 4000 N
BUHL ID 83316

RE: ASSIGNMENT OF PERMIT 47-08251

Dear Permit Holder(s):

We acknowledge receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership. A computer generated report is enclosed for your information.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address **PRIOR TO** July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JM
JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

Enclosure

MICROFILMED

MAR 17 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 21, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

HERCULANO ALVES
FRANCES ALVES
JOHN RODRIGUES JR
911 E 4000 N
BUHL ID 83316

RE: Assignment of Permit 47-08251

Dear Permit Holder(s):

On November 19, 1998 we wrote you explaining that a \$25.00 filing fee was required to process an Assignment of Permit. To date we have had no reply to that letter (copy enclosed).

There can be no further activity toward the finalizing of your request for assignment until the filing fee has been received in our office.

If you have any questions regarding this matter, please call me at 208-327-7941.

Sincerely,

A handwritten signature in cursive script, reading 'Kari Lynn Townsend'.

Kari Lynn Townsend
Secretary

/k

Enclosure

cc: William R. Hollifield
Attorney at Law

MICROFILMED

MAR 15 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 19, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

HERCULANO ALVES
FRANCES ALVES
JOHN RODRIGUES JR
911 E 4000 N
BUHL ID 83316

RE: Assignment of Permit 47-08251

Dear Permit Holder(s):

We are in receipt of the Assignment of Permit form changing ownership of the above-mentioned permit to you. It appears that the required \$25.00 filing fee was not sent with the form. (I have enclosed a copy of the assignment form we received that has the fee requirement highlighted).

Please forward the \$25.00 filing fee at your earliest convenience along with the enclosed assignment form. Receipt of this fee will enable us to complete the assignment transaction for you.

If you have any questions regarding this matter you may telephone me at 208-327-7941.

Sincerely,

A handwritten signature in cursive script, reading 'Kari Lynn Townsend'.

Kari Lynn Townsend
Secretary

/k

Enclosure

MICROFILMED

MAR 15 1999

Hollifield and Bevan, P.A.

249 Third Avenue East
P.O. Box 66
Twin Falls, Idaho 83303-0066

William R. Hollifield, Attorney at Law
G. Richard Bevan, Attorney at Law

Telephone: (208) 734-5610
Toll Free: (800) 296-5610
Facsimile: (208) 734-8077

November 6, 1998

RECEIVED

NOV 12 1998

DEPARTMENT OF WATER RESOURCES

Georgia Satterlee
State of Idaho, Department of Water Resources
1341 Fillmore Street, Suite 200
Twin Falls, Idaho 83301-3380


Dear Ms. Satterlee:

RE: Permit #⁴37-08251

Enclosed is the original **Assignment of Permit** for the above water right. Please transfer ownership of this permit to Mr. and Mrs. Alves and Mr. Rodrigues as set forth in the assignment. Any transfer fees will need to be paid by the transferees.

Thank you for your assistance in this matter. If you have any questions or require further information to accomplish this transfer, please give me a call.

Sincerely,


WILLIAM R. HOLLIFIELD

ws

Enclosure

VIA HAND DELIVERY

RECEIVED
NOV 09 1998
Department of Water Resources
Southern Region

RECORDED

MAR 15 1999

MEMORANDUM

DATE: May 15, 1998

TO: Water Right File 47-08251

FROM: Shelley W. Keen (SWK)

RE: Field Examination

Georgia Satterlee called this morning to notify me that the field examination occurred as scheduled. The conditions in the order granting the petition for reconsideration have been met.

MICROFILMED

MAR 15 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 22, 1998

TEO ALBERS JR
13437 MOUNTAIN AVE
CHINO CA 91710

RE: Permit 47-08251

Dear Mr. Albers:

Enclosed please find an Order Granting Petition for
Reconsideration of the above mentioned permit.

If you have any questions regarding this matter, you may call me
at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

SWK:klt

Enclosure

MICROFILMED

MAR 15 1998

RECEIVED

APR 15 1998

Department of Water Resources
Southern Region

4-15-98

RECEIVED

APR 20 1998

Department of Water Resources

Dept. of Water Resources,
Shelley Walter Keen,
water rights supervisor,
Re: 47-08251

We're petitioning for reconsideration of a preliminary order of our water rights. The land was purchased on May 2, 1996 by John Rodriguez Jr and Herkie & Frances Albers. The ownership of Tealpus appears as TRANSMUTATION PROPERTIES INC. on the original purchase papers. We received the documents and believed all water rights were done with sale of property. Upon receiving the letter dated 4-8-98 from you we phoned Mr Albers. and he acknowledged he did have papers that had come to him but would have to look for them. So we would have followed them much sooner had we known we were receiving paperwork. Then on Sept 15, 1996 Herkie and Frances Albers jointly deeded their 1/2 ownership

MICROFILMED

MAR 15 1999


to Mary Haagema. This is
Frances Alves mother. She and
John Rodrigues are 1/2 owners.

We are now aware that
we need Georgia Satterlee ~~of~~ a
water resource agent at the
Southern regional office. And have
met with her to perform a
field examination on ~~may~~ April 30.98
at 11:00 AM.

RECEIVED

APR 15 1998

Department of Water Resource
Southern Region

Thank you.

Markie & Frances
Alves
4-15-98

MICROFILMED

MAR 15 1999

MEMORANDUM

DATE: April 10, 1998

TO: Water Right File 47-08251

FROM: Shelley W. Keen *SWK*

RE: Phone call from Herculano Alves

This morning Herculano Alves called to discuss the preliminary order he received in connection with permit 47-08251. I explained the appropriation process to him and impressed upon him the need to petition for reconsideration within fourteen days and to schedule a field examination if he is still interested in this permit. I later spoke with Georgia Satterlee of Southern Region, who told me that Mr. Alves had contacted her about a field examination. I cautioned Georgia to wait until after we have received and granted the petition for reconsideration to do the examination.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

**PHILIP E. BATT
GOVERNOR**

**KARL J. DREHER
DIRECTOR**

April 8, 1998

TEO ALBERS JR
13437 MOUNTAIN AVE
CHINO CA 91710

RE: Water Right 47-08251

Dear Water Right Holder(s):

The accompanying order is a "preliminary order" issued by the department pursuant to section 67-5243 Idaho Code. It can and will become a final order without further action of the department unless a party petitions for reconsideration within fourteen (14) days after issuance as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the hearing officer within fourteen (14) days of the service date of this order. The hearing officer will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the agency.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Director. The Director retains the right to review the preliminary order on his own motion.

MICROFILMED

MAR 15 1998

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to

district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,


Shelley Walter Keen
Water Rights Supervisor

SWK:klt

Enclosure

Kari Lynn.


Please mail a copy of
the order & letter to
Herculano Alves
Address in file. *all E 40007*
Due to ID
93216
10/18/88
10/18/88
10/18/88
S.W. Keen
Note in file that you
have done so.

CERTIFICATE OF MAILING

I hereby certify that on the 8th day of April, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER to the person(s) listed below:

Water Right 47-08251

TEO ALBERS JR
13437 MOUNTAIN AVE
CHINO CA 91710


Kari Lynn Townsend
Secretary

4
MICROFILMED
MAR 15 1998

S1
4/92

IDAHO DEPARTMENT OF WATER RESOURCES

STAFF ANALYSIS SHEET FOR BENEFICIAL USE FIELD EXAMS: PERMIT NO. 47-08251

A. Items To Be Placed In Exam File (Items A & B to be Completed by Compiler)

- (X) Blank Field Report & Notice of Completed Exam
- (X) Copy of App. for Permit, Approved Permit, Amendments, Orders, Assignments, Proof of Beneficial Use, SRBA Claim (Claim Filed? _____ Required? _____)
- (X) Well Inspection Form, Dairy Water-Use Worksheet (if applicable)
- (X) Well Log(s) & Groundwater Measurement Analysis Form (if applicable)
- (X) Copy of Orthophotoquad Map
- () 660-scale Aerial Photo (Examiner Will Obtain If Applicable)
- (V) Government Lot Plats (If Applicable)

B.1. P/D Overlap - Yes or (No?) If Yes, Include Copy of Overlapping Rights & Claims

If Yes, Type of Overlap: () Add Acres or Uses to Existing System
() Increase Rate of Flow or Volume

B.2. P/U Overlap - Yes or (No?) If Yes, Include Copies of Overlapping Rights & Claims

If Yes, Type of Overlap: () Increase Rate of Flow or Volume
() Add Supplemental Water Source
() Increase Acres Within Tracts

C. Field Exam Appointment Made:

Date _____ Time _____ Place _____

Contact Person & Phone _____

D. Post-Exam Review & Processing

Exam Completed _____ Notice of Completion Turned In _____

Field Report Completed _____
Signature of Examiner & Date _____

Field Report Reviewed by Sr. Agent _____ (Initial & Date)

Field Report Reviewed by Region Mgr. 3/16/98 ADm (Initial & Date)

Field Report Sent to S.O. _____ Region Card File Updated _____

MICROFILMED

MAY 15 1998

Phone No. (904) 393-8184

EXAM DATE :

Relationship to Permit Holder:

3. Source: tributary to

1. Other water rights with the same place of use:

2. Other water rights with the same point of diversion:

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

MICROFILMED

NOV 19 1963

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

1.
D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size


4.

Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).

Aerial Photo Attached _____
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.D. as applicable.

[illegible]

MICROFILMED
 APR 15 1999

Additional Computation Sheets Attached

2. Volume Calculations for Other Uses:

G. VOLUME CALCULATIONS

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} =$

1. Recommended Amounts

Period of Use
From
To

Annual Volume
V (a1a)

2. Recommended Amendments

Add P.D. as reflected above

Add P.U. as reflected above

TERMINATE
PERMIT

Field Examiner's Name

Date _____

SEAL

Date 12 Jan 98

MICROFILMED

061 5 1 3794

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1341 Fillmore Street, Suite 200
Twin Falls, Idaho 83301-3380

ADDRESS SERVICE REQUESTED

RECEIVED
JAN 05 1998
Department of Water Resources
Southern Region

HERCULANO ALVES
911 E 4000 N
BUHL ID 83316

RETURNED TO SENDER
NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

CERTIFIED

1759

12-16-97
12/22/12

TRANSMISSION VERIFICATION REPORT

TIME : 01/06/1998 14:11
NAME : IDWR SOUTHERN REGION
FAX : 2087363037
TEL : 2087363033

DATE, TIME	01/06 14:09
FAX NO./NAME	919093938784-244305
DURATION	00:01:10
PAGE(S)	02
RESULT	OK
MODE	STANDARD

MICROFILMED

MAR 15 1999

TRANSMITTAL COVER SHEET

OMNIFAX G66

TO: Teo Albers, Jr.

Fax # (909)393-8784

COMMENTS: Our office rcvd. your faxed message stating that the property was sold approximately two years ago. In order to transfer your name off of the permit, an ASSIGNMENT OF PERMIT needs to be completed.

TOTAL PAGES SENT: 2

DOCUMENT DESCRIPTION: _____

FROM: IDAHO DEPARTMENT OF WATER RESOURCES
1341 Fillmore Street, Suite 200
Twin Falls ID 83301-3380

PHONE: 736-3033

FAX: 736-3037

SENDER: Georgia Satterlee

CHARGES:

One (1) free copy per request, cover sheet not counted. Two (2) or more copies per request will cost \$0.25 per page. (\$0.50 minimum)

Please consider this document as a billing statement.

The charge for your fax copies is: 0

Please remit to the above address.

COMMENTS: Letter sent w/ Assignment of Permit form on 22 December 1997.

Faxed transmission is the second attempt.

Herculano Alves never responded to letters, certified, etc.

Permit will be considered for cancellation.

MAR 15 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 22, 1997

Teo Albers
14470 S. Euclid Avenue
Chino, CA. 91710

RE: Permit #47-08251

Dear Mr. Albers,

Thank you for your faxed message stating that the property was sold approximately two years ago. In order to transfer your name off of the permit, the enclosed Assignment of Permit needs to be completed.

The original permit holder (in the name of Teo Albers) may assign all or part of the permit to someone else. The permit holder must clearly indicate what is to be assigned. The water right permit is personal property of the holder.

In order for the right to remain valid, all necessary paper(s) and/or document(s) need to be completed to change permit holder(s). Unless an assignment or a written power-of-attorney is part of the file, the permit holder will receive all necessary papers associated with the permit.

Thank you for your attention to the above matter.

Cordially,

A handwritten signature in cursive script that reads "Georgia Satterlee".

Georgia Satterlee
Water Resource Agent

MICROFILMED

MAR 15 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

December 15, 1997

PHILIP E. BATT
GOVERNORKARL J. DREHER
DIRECTORTeo Albers
14470 S. Euclid Avenue
Chino, CA. 91710Herculano Alves
911 E. 4000 N.
Buhl, ID. 83316

RE: Permit #47-08251

Dear Mr. Albers,

According to our records, Mr. Herculano Alves is leasing the permit #47-08251 from you. The permit is appurtenant to property located at 911 East 4000 North in Buhl, Idaho. I have made several attempts to contact Mr. Alves either by leaving telephone messages or writing letters. All the attempts have been to no avail.

In order to license the permit, I need to schedule an appointment to perform a field examination. If the examination cannot be completed due to the lack of response of the applicant (including the lessee) the permit can be considered for cancellation.

Your immediate response to this matter will be appreciated.

Cordially,

Georgia Satterlee
Water Resource Agent

DEAR GEORGIA:

THIS PROPERTY WAS SOLD TO THE
ABOVE APPROXIMATELY 2 YRS AGO.

THANK YOU,

MICROFILMED

MAR 15 1998

Line	Number of Article	Name of Addressee, Street, and Post-Office Address	Indicate type of mail		Check appropriate block for		Affix stamp here if issued a certificate of mailing or for additional copies of this bill	
			☐ Registered ☐ Insured ☐ COD ☐ Certified	☐ Express Mail	☐ Registered Mail: ☐ With Postal Insurance ☐ Without Postal Insurance	POSTMARK AND DATE	Due Sender if C.O.D.	R. R. Fee
1	1758	Geo Albers	GS/12-15-97					
2	1759	HERCULANO ALVES	47-08251					
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
Total Number of Pieces Listed by Sender		Total Number of Pieces Received at Post Office	POSTMASTER, PER (Name of receiving employee)		The full declaration of value is required on all domestic and international mail. The maximum indemnity payable for nonnegotiable documents is \$50,000 per piece subject to a occurrence. The maximum indemnity payable on Express Mail is \$500. The maximum indemnity payable is \$25,000 for Registered Mail. Special handling charges apply only to parcels. Special delivery service also includes special handling service.			

FORM MUST BE COMPLETED BY TYPEWRITER, INK OR BALL POINT PEN

MICROFILMED

MAR 13 1999

6/9/94

COMMUNICATION DOCUMENTATION

This form is to be used to document public record information requests regarding any SRBA claim or claims. The form may also be used to document IDWR communications requesting information regarding any SRBA claim or claims when the request is not made in writing or the claim verification report is not readily available to document the request. This form is to be filed in all relevant claim files or a central office file.

IDWR Employee/Agent Georgia Satterlee

DATE

December 11, 1997 1:54pm

CUSTOMER

Herculano Alves

SUBJECT: 47-08251

phone call (.) walk-in (.)

I went by the property today. Did not get an answer on the door at the house and I could not find anybody at the milking barn. I left my business card on the doors.

On Mr. Alves door was a note from someone else wanting their money, so this may be a permit holder who may need another avenue of persuasion.

MICROFILMED

MAR 13 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 24, 1997

Herculano Alves
911 E. 4000 N.
Buhl, ID. 83316

RE: Permit 47-08251

Dear Mr. Alves,

This is the second letter regarding the above permit number. I would like to make an appointment to perform a field examination.

According to our records, Proof of Beneficial Use was filed in January 1993. Although the permit is in the name of Teo Albers, Jr., you are listed as the Lessee and the representative person for the department to contact.

I would appreciate acknowledgement from you. Please contact me at (208)736-3033 at your earliest convenience.

Cordially,

A handwritten signature in cursive script that reads "Georgia Satterlee".

Georgia Satterlee
Water Resource Agent

MICROFILMED

MAR 16 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1341 Fillmore Street, Suite 200, Twin Falls, ID 83301-3380

Phone: (208) 736-3033 FAX: (208) 736-3037

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 27, 1997

Herculano Alves
911 E. 4000 N.
Buhl, ID. 83316

RE: Permit 47-08251

Dear Mr. Alves,

After several attempts by phone to schedule an appointment, I am writing to let you know I would like to make an appointment to perform a field examination on the above permit. Please see enclosed profile report of said permit.

According to our records, Proof of Beneficial Use was filed in January 1993. Although the permit is in the name of Teo Albers, Jr., you are listed as the Lessee and the representative person for the department to contact.

I would appreciate acknowledgement from you to schedule an appointment. Please contact me at (208)736-3033 at your earliest convenience.

Cordially,

Georgia Satterlee
Water Resource Agent

MICROFILMED

MAR 15 1998

February 5, 1993

TEO ALBERS
13437 MTN AVE
CHINO CA 91710

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 47-08251

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECORDED

FEB 17 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 47-08251 Reviewed by Rlg Date 2/2/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? stock-400
no Address same as permit? commercial dairy
yes Proof timely received? Correct Uses? _____
If not, complete calculation below.

SOURCE OF WATER

_____ Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 47-90-S-074
500 Amount paid for permit yes Correct?
data Well log in the file?
copy

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address 13437 Mtn. Ave. 2/2/93 Rlg Proof Made 2/2/93
2/5/93 Rlg

PERMIT NUMBER 47-90-S-0074-000 OWNER CODE 0 NAME & ADDRESS TWP RGE SEC TRACT LOT COUNTY
14470 S EUCLID CHINO, CA 10S 14E 07 NW NW TWIN FALLS

Subdivision Location and Description:
Subdivision Name:
Well Site Address:
City, State:
Geographic Location:
Accuracy Code:
Lat: : : N
Long: : : W

Proposed Use of Well: Other
Proposed Casing Diameter: In. Proposed Depth: Ft.

Well Use Comments: UNKNOWN
Firm Name: EATON DRILLING & PUMP SERVICE INC
Official: LARRY M NIELSON

Driller License No: 0026
Receipt No. Receipt Date Fee

Permit Status:
Verbal Issue Date:
Date Received:
Date Approved:
Proposed Start Date:
Extension Date:
Extension Expiration:

Permit Remarks:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 47-90-S-0074-000
Water Right No:
Injection Permit No:

Nature of Work: NEW WELL
Construction Method: ROTARY & AIR
Number of Monitor Wells:
Casing Diameter: 6 In. Static Water Level: 34 Ft. Actual Start Date: 09/04/1990
Depth of Casing: 19 Ft. Temperature: 85 F. Well Finish Date: 09/04/1990
Total Depth: 144 Ft. Production Rate: GPM Log Received Date: 10/18/1990
Screen Installed? Certification Date: Field Inspection Date: Inspector:

Well Log Remarks:

December 31, 1992

TEO ALBERS
14470 S. EUCLID
CHINO CA 91710

PROOF DUE NOTICE

RE: PERMIT NO. 47-08251

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



FEB 17 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 20, 1991

TEO ALBERS
14470 S. EUCLID
CHINO, CA 91710

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 47-08251

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
MAR 22 1991

APPLICATION FOR PERMIT REVIEW

Application #: 47-8251
Date: 2-15-91

Reviewer: Pam Skaggs

- ✓ Existing:
- ✓ No - 26A-P17
 - Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
 - ✓ Groundwater:
 - GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
 - ✓ LT. 0.7 cfs - N/A
 - ✓ Drilling Permit:
 - Approved w/permit - P99
 - Not included *already approved* - 046-P23(All GW, even existing wells)
 - ✓ Location:
 - Water Districts - WD No. _____
 - Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
 - Groundwater - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag - C (1 or Blank)
 - ✓ Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr or Irr & Dom)
 - Non Trust - 048-049
 - River Basins:
 - (Surface Water) - Water District Control Condition &....
 - Boise (63) - 11D-P72
 - Payette (65) - 047-P04, 059-P71
 - SNAKE (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
 - Use:
 - Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
 - Power - Use Power Review
 - Mining - 06A, 006, 010, 09E-P10 & 054(req.)
 - Storage - 18A-P for multiple measuring devices(In W.D.), 18B-P09(Size)
 - Rec. & Aesthetic - 027(Non-Consumptive)
 - Domestic - 021(restricted areas)
 - Ownership:
 - Non land owner - 004
 - Protested:
 - Agreement - 020
 - Minimum Stream Flow:
 - Overlapping uses - 029-P20
 - ✓ Beneficial Use Due Date: - 03-01-1993
 - ✓ Other Conditions Recommended IF GWMA Condition. (See Remarks)

FILED
MAR 28 1991

Signature
2-17-91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

GF
Albers, Ted

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY A. G. Gundersen DATE 9/10/90 APPLICATION NUMBER 47-68251

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt ***PROPOSED PRIORITY DATE 9/4/90 11:30 AM.

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

_____ Date Requested

RECEIVED
JAN 25 1991

Department of Water Resources

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from:

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other <u> </u>

Project impacts/implications report

COMMENTS



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

27-Nov-1990

R. KEITH HIGGINSON
Director

RECEIVED

DEC 17 1990

Department of Water Resources
Southern Region Office

TIMES NEWS
PO BOX 548
TWIN FALLS ID 83301

Re: Re-publication of legal ad

Gentlemen:

Enclosed please find a legal that we need to re-publish at no cost to the Department due to errors by your newspaper.

Enclosed please find copies of the original legal ad with the errors marked in red.

Please note that a galley was received and reviewed by this office on October 23, 1990. A telephone call was made to Reba on October 23, 1990 for corrections to appear in the October 25 publication. However, the affidavit received indicates that no corrections were made as requested.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Mary Baldwin

Mary Baldwin
Secretary/Office Coordinator

FILED
MAR 28 1991

Enclosures

Mary,

The corrections as requested were made. Unfortunately when I did the affidavit, I used the first publication of the legal, rather than the corrected one. I'm enclosing a tearsheet for Oct. 25. Sorry for the inconvenience this has caused you. If you have any questions - please call.

Sincerely,

Linda Capps McQuire

27-Nov-1990

TIMES NEWS
PO BOX 548
TWIN FALLS ID 83301

Re: Re-publication of legal ad

Gentlemen:

Enclosed please find a legal that we need to re-publish at no cost to the Department due to errors by your newspaper.

Enclosed please find copies of the original legal ad with the errors marked in red.

Please note that a galley was received and reviewed by this office on October 23, 1990. A telephone call was made to Reba on October 23, 1990 for corrections to appear in the October 25 publication. However, the affidavit received indicates that no corrections were made as requested.

If you have any questions or if this office can be of further assistance, please feel free to contact us.

Very truly yours,

Mary Baldwin
Secretary/Office Coordinator

Enclosures

MICROFILMED

MAR 28 1991

IN AND FOR THE
COUNTY OF
TWIN FALLS,
MAGISTRATE DIVISION
Case No. 18214
ANOTHER SUMMONS
STATEWIDE COLLEC-
TIONS INC.

Plaintiff

vs

WILLARD T PRICE

Defendant

The State of Idaho sends greetings to the above named defendant.

You are hereby notified that a complaint has been filed against you in the district court of the State of Idaho, in and for the county of TWIN FALLS, (in the Magistrate Division thereof) by the above named Plaintiff and you are directed to file a written answer or written motion in defense to the said complaint within twenty days of the service of this summons; and you are further notified that unless you do so within the time herein specified, the plaintiff will take judgment against you as prayed in said complaint.

The nature of the claim against you is an account assigned to the plaintiff for collection.

WITNESS My hand and seal of said District Court this 4th day of October, 1990.

RICHARD A. PENCE,

CLERK

BY S/Pam Earnhart

Deputy, Magistrate Court

PUBLISH: Thursday, October 25, and November 1, 8 and 15, 1990.

IN THE DISTRICT
COURT OF THE FIFTH
JUDICIAL DISTRICT OF
THE STATE OF IDAHO,
IN AND FOR THE
COUNTY OF

TWIN FALLS,
MAGISTRATE DIVISION
Case No. CV90 800 M
ANOTHER SUMMONS
STATEWIDE COLLEC-
TIONS INC.

Plaintiff,

vs

ROBERT SMITH

AND

JERI LYNN SMITH,
SPOUSE

Defendants

The State of Idaho sends greetings to the above

named defendants.

You are hereby notified that a complaint has been filed against you in the district court of the State of Idaho, in and for the county of TWIN FALLS, (in the Magistrate Division thereof) by the above named Plaintiff and you are directed to file a written answer or written motion in defense to the said complaint within twenty days of the service of this summons; and you are further notified that unless you do so within the time herein specified, the plaintiff will take judgment against you as prayed in said complaint.

The nature of the claim against you is an account assigned to the plaintiff for collection.

WITNESS My hand and seal of said District Court this 4th day of October, 1990.

RICHARD A. PENCE,

CLERK

BY S/Pam Earnhart

Deputy, Magistrate Court

PUBLISH: Thursday, October 25, November 1, 8 and 15, 1990.

INVITATION TO BID

The Twin Falls Highway District will accept sealed bids for the "1991 Gravel Crushing Project" on or before November 2, 1990, at 1:30 p.m., at 1234 Highland Ave. East, Twin Falls, ID 83303-0605, at which time they will be publicly opened and read aloud. The bid price shall include all labor, material and equipment necessary to complete the project in a workmanlike manner.

Plans, specifications and forms may be examined at the Twin Falls Highway District Office.

This Public Works Project is not financed in whole or in any part by Federal Aid Funds.

Bid proposals will be accepted from those contractors (Prime contractors, subcontractors and/or specialty contractors) who, prior to the bid opening hold current licenses as public works contractors in the State of Idaho.

The Twin Falls Highway District reserves the right

to accept or reject any or all bids or to accept the bid deemed best suited to the needs of the District.

Clyde Burney,
Twin Falls Highway
District Director
PUBLISH: Thursday, October 18 and 25, 1990.

INVITATION TO BID

The Castleford Jt. School District #417 will accept sealed bids at Castleford School District Office located in the high school building, at 500 Main St., Castleford, ID 83321 (telephone 537-8511) until 6:00 pm on Tuesday, November 6, 1990. Immediately thereafter, all bids will be publicly opened and read aloud in the presence of the bidders.

Bids shall consist of: Elementary school energy conservation measures including a new boiler and hot water lines, new electrical lighting and insulation to nine (9) classrooms; and completion of two (2) partially completed rooms.

Bidders may inspect the school site at 500 Main St., Castleford, ID from 8:00 am to 4:00 pm, Monday through Friday.

Disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, religion, sex or national origin in consideration for an award of any contract entered into pursuant to his advertisement.

Bidding instructions, conditions and complete specifications are available at McClure Engineering, 507 Main Ave. West, Twin Falls, ID 83303. Telephone (208) 734-9015.

PUBLISH: Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, Sunday, Monday, Tuesday, and Wednesday, October 22, 23, 24, 25, 26, 27, 28, 29, 30 and 31, 1990.

INVITATION TO BID

Sealed bids will be received by the City of Twin Falls, Idaho, at the office of the Deputy City Clerk

until 2:00 o'clock P.M., prevailing local time, on November 1, 1990, at which time they will be opened publicly and read in the Council Chambers of City Hall, 321 Second Avenue East, Twin Falls, Idaho.

Bids will be received for the purchase of Computer Hardware that effectively integrates records, processing, computer aided dispatch, arrest/booking and criminal investigations into a computer based information system.

Bids must be submitted on bid forms provided by the City of Twin Falls. Bid forms are available at City Hall, Room 23, 321 Second Avenue East, Twin Falls, Idaho.

Sharon M. Bryan, Deputy City Clerk

City of Twin Falls, Idaho

PUBLISH: Thursday, October 25 and November 1, 1990.

NOTICE OF
AMENDMENT TO A WA-
TER PERMIT
NO. 47-7803B

Notice is hereby given that Mike &/or Debra Courtnay of Twin Falls, ID are the holders of Approved Permit No. 47-7803B authorizing the diversion of .50 cubic feet per second of water from ground water in the NE1/4NE1/4, S24, T12S, R16E; NW1/4NE1/4, S24, T12S, R16E; SE1/4NE1/4, S24, T12S, R16E; NE1/4SW1/4, S24, T12S, R16E; NW1/4SW1/4, S24, T12S, R16E; SW1/4SW1/4, S24, T12S, R16E; SE1/4SW1/4, S24, T12S, R16E; NE1/4SE1/4, S24, T12S, R16E; NW1/4SE1/4, S24, T12S, R16E; SE1/4SE1/4, S24, T12S, R16E; SW1/4SE1/4, S24, T12S, R16E; SE1/4SE1/4, S24, T12S, R16E; NE1/4NE1/4, S25, T12S, R16E; NW1/4NE1/4, S25, T12S, R16E; NE1/4NW1/4, S30, T12S, R17E; Lot 1(NW1/4NW1/4), S30 T12S, R17E; Lot 2 (SW1/4NW1/4), S30, T12S, R17E; SE1/4NW1/4, S30, T12S, R17E; NE1/4SW1/4, S30, T12S, R17E; Lot 3 (NW1/4SW1/4), S30, T12S,

R17E; County of Twin Falls, to be used for irrigation of 78 acres within SW1/4NE1/4, NE1/4SW1/4, NW1/4SE1/4, S24, T12S, R16E.

The permit holder has applied to the Department of Water Resources for an Amendment to the Permit, to increase the amount of water on new place of use and change Place of Use as follows:

Amount: .50 cfs

Period of Use: 3/15 to 11/15

Point of Diversion: NE1/4NE1/4, S35, T12S, R16E; Twin Falls County. Place of Use: 78 acres within W1/2NW1/4, S36, T12S, R16E.

Any protest against approval of the amending of Permit No. 47-7803 Part as set forth above must be filed with the Idaho Department of Water Resources, 222 Shoshone Street East, Twin Falls, ID 83301 on or before November 12, 1990.

R. Keith Higginson, Director

PUBLISH: Thursday, October 25, and November 1, 1990.

NOTICE OF
APPLICATION
FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

ALBERS, TEO 47-08251
14470 SOUTH EUCLID
CHINO, CA 91710

Source:
GROUNDWATER

Diversion Pt: LOT 1
(NWNW) SEC 7 T 10S R 14E

Use: STOCKWATER

(.200 CFS)

COMMERCIAL

(.200 CFS)

Total Diversion:

(.200 CFS)

Date Filed: 9/4/1990

In: T10S R14E S07 Lot 1
(NWNW)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before NOVEMBER

RECEIVED

OCT 23 1990

Department of Water Resources
Southern Region Office

Times News

10/18 10/25

10/23/90

Telephoned

Times News

(Reba) on 10/23/90.

w/correction.

Will be run correctly on 10/25.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

SEPTEMBER 28, 1990

TIMES NEWS
P.O. BOX 548
TWIN FALLS, ID 83303-548

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 5, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

MAR 28 1991

47-08251

ALBERS, TEO
14470 SOUTH EUCLID
CHINO, CA 91710

Source: GROUNDWATER

Diversion Pt: LOT 1 (NWNW) Sec 7 T 10S R 14E

Use: STOCKWATER	(.200 CFS)
COMMERCIAL	(.200 CFS)
Total Diversion:	(.200 CFS)

Date Filed: 9/ 4/ 1990

In: T10S R14E S07 Lot 1 (NWNW)

MICROFILMED

MAR 28 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

28-Sep-1990

R. KEITH HIGGINSON
Director

TEO ALBERS
14470 SOUTH EUCLID
CHINO CA 91710

Re: Application for Permit No. 47-08251

Dear Applicant (s):

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned the above referenced identification number. Please refer to this number in all further correspondence.

This office will be advertising the application in the Times News on 10/18 & 10/25/90. A period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Gary Funderburg
Sr. Water Resource Agent

GF:MB

MICROFILMED

MAR 28 1991

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Teo Alberts
2. Mailing Address 14470 S. Euclid, Chino, Ca 91710
Telephone ED 714-393-8784
- ☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location NW 1/4 NW 1/4, or Gov't Lot No. 1
Sec. 7, Twp. 10S, Rge. 14E, County Twin Falls
Street Address of Well Site 5 West 1 South 8th Bldg, 900E 4000 N
Lot, block and subdivision _____
4. Proposed use of well:
- ☐ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic.
- ☐ Injection
- ☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
- A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9
- B. Proposed Surface Diameter 6" Proposed Maximum Depth 250'
- C. Anticipated bottom hole temperature:
- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)
6. Construction Start Date 1st part of Sept.
7. Anticipated Well Driller Esten Drilling & Pump Service, Inc.
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Teo Alberts Jr. Date 8/30/90
- Title _____
(Owner, Firm Representative, Other)

RECEIVED
MAR 28 1991

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Amended

Date 9/4/90

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

RECEIVED
MAR 28 1991

Larry O. Holman
Signature of Authorized Department Representative

MANAGER, SOUTHERN REGION
Title

Receipt No. SD12626 Receipted by JH Fee \$200. Date 9-4-90

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

Drilling permit No. 47-90-S-074

Water right No. 47-08251

REQUEST FOR EXPEDITED ISSUANCE OF A DRILLING PERMIT

Teo Allens, Applicant, requests issuance of a drilling permit prior to approval of a water right to withdraw water from the well.

The request is made for the following reason(s):

Need to have well drilled so dairy can be built, Driller is now available

Applicant understands that the drilling permit does not constitute a water right and does not authorize diversion or use of water from the well.

Applicant acknowledges that by accepting a drilling permit and commencing construction he accepts all risk that the well may not ultimately be approved for use.

Date ☒ 8/30/90

RECEIVED

MAR 28 1991

Signature ☒ Teo Allens Jr.
Applicant