

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

Carol Arthur being first duly sworn on oath
deposes and says that he/she is manager
of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

#1879

Appl. Water Rights

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 15 day of may, 19 91
and ending on the 22 day of may, 19 91
and that said notice was published in said newspaper.

Dated: May 29, 1991
Carol A. Arthur

Subscribed and sworn to before me this 29 day
of May, 19 91.

Lina Vandenberg
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 4-11-97

NOTICE OF APPLICATION
FOR WATER RIGHTS

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

98-07688

LEVIG, LESLIE H.

MALTHANER, RON

HCR 60 BOX 31

KINGS ROW

BONNERS FERRY, ID 83805

Source: UNNAMED STREAM

Tributary: BANE CREEK

Diversion Pt: SESW Sec 35 T 63N

R01E

Use: IRRIGATION (480 CFS)

IRRIGATION STORAGE (13.00

AF)

IRRIGATION FROM STORAGE

(13.00 AF)

Total Diversion: (480 CFS)

Date Filed: 5/6/1991

In: T63N R01E S35 NESW SESW

NESE NWSE

93.0 ACRES TOTAL

For additional information
concerning the property location,
call the Northern Regional Office at
765-4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before JUNE 3, 1991.


R. KEITH HIGGINSON,

Director

BFH #1879 May 15, 22, 1991

X ASAP


OK
5/31/91



MICROFILMED


AUG 09 1991

Water Right 98-07688



this is the
land in the
question -

County Boundaries Boundary tadots
GCDB63N01E GCDB




0.5 Miles



MICROFILMED
JUN 16 2004

و



98-07688



Pump
at
P2



Filters for
drip lines



PV

MICROFILMED
JUN 16 2004

98-07688



Pump
at
P2



Filters for
drip lines



PV

MICROFILMED
JUN 16 2004

Levig Dam

D98-7148

4/9/91



Dam + Spillway
from the right
abutment



Looking downstream
from the dam
crest.

MICROFILMED
JUN 16 2004

Levig Dam
098-7148
4/28/88



View of the dam from the right abutment,
the spillway is in the foreground

MICROFILMED
JUN 16 2004

Levig Nam
D98-7148
4/28/88



Reservoir
Area



Downstream
Slope

MICROFILMED
JUN 16 2004

98-07688

63N

62N

34 35

3 2

MICROFILMED
JUN 16 2004

SW



SE

21

DANIELS

T-2


LARSEN


EVIG

H.C. LEVIG

T-9

ASHWORTH





R.01E
R.02E


98-07688

T.63N., R.01E., Sec. 35

T.63N.
T.62N.

MICROFILMED
JUN 16 2004

SCALE 1:24 000



98-07688

PERMIT #



PD

IN STREAM
STORAGE



PD



PD
MICROFILMED
JUN 16 2004

98-07688

PERMIT #



PD



IN STREAM
STORAGE

PU



PU

NOTED
JUN 16 2004

6 2'98

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 98-07688

Priority: May 06, 1991

Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume: 38.2 AF

It is hereby certified that LESLIE H LEVIG
HCR 60 BOX 31
KINGS ROW
BONNERS FERRY ID 83805
And/Or
ESTATE OF RON MALTHANER
RR 6 BOX 92
MANSFIELD OH 44903-9805

have complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 06, 1991; and have submitted Proof of Beneficial Use on June 10, 1994. An examination indicates that the works have a diversion capacity of 0.09 cfs of water from:

SOURCE

UNNAMED STREAM

Tributary: BANE CREEK

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	04/01 to 10/31	0.09 CFS	38.2 AF

LOCATION OF POINT OF DIVERSION:

UNNAMED STREAM SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 35, Twp 63N, Rge 01E, B.M., BOUNDARY County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
63N 01E 35																30.0	30.0
Total Acres:																	30

CONDITIONS OF APPROVAL

1. Rights 98-07148 and 98-07170 are also diverted through the point of diversion described above.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 19th day of March, 2003.


for **KARL J. DREHER**
Director

MICROFILMED

JUN 16 2004

RECEIVED
JUN 10 1994
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 98-07688 Telephone No. 267-2176-Work
267-2028
2. Name(s) of Permit Holder(s): RON MALTHANER, AND/OR LESLIE H. LEVIG
3. Post Office Address: HCR 60 BOX 31 Kings Row, Bonners Ferry
83805
4. Source of Water: UNNAMED STREAM
- a. If ground water, well driller's name: _____ Date drilled: _____
- b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

IRR. STORAGE, IRRIGATION, IRR FROM STORAGE

6. Total rate and/or volume for which proof is submitted 0.48 cfs 13.0 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes 1 No Installed? Yes No
OR
Flow Measurement Port: Required? Yes 1 No Installed? Yes No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

LESIE LEVIG 267-2176
Name Telephone No.

SAM
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/7/94 Leslie H. Levig
Date Signature (and title if on behalf of a company or organization)

DEC 15 1994

State of Idaho
Department of Water Resources

NO. 98-07688

Proposed Priority: May 6, 1991 Maximum Diversion Rate: 0.48 CFS
This is to certify, that **RON MALTHANER**

LESLIE H. LEVIG
HCR 60 BOX 31
KINGS ROW
BONNERS FERRY, ID 83805

has applied for a permit to appropriate water from:

UNNAMED STREAM tributary of BANE CREEK

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/15	0.48 CFS	
IRRIGATION STORAGE	01/01 to 12/31		13.0 AF
IRRIGATION FROM STORAGE	04/01 to 10/15		13.0 AF
	Totals	0.48 CFS	

LOCATION OF POINT(S) OF DIVERSION: SESW Sec. 35, Township 63N, Range 01E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
63N	01E	35	NESW	39	SESW	5	NESE	9	
			NWSE	40					93

Total number of acres irrigated: 93

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

APR 08 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 98-07688

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of June, 1991.



R. Keith Higginson, Director

for

APR 20 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: RON MALIHANER 208-000-0000
Address: HCR 60 BOX 31
KINGS ROW
BONNERS FERRY, ID 83805

AND/OR

Name: LESLIE H. LEVIG 208-267-2028
Address: HCR 60 BOX 31
KINGS ROW
BONNERS FERRY, ID 83805

2. Source: UNNAMED STREAM Trib. to: BANE CREEK

3. Location of Point of Diversion: SESW Sec. 35, Township 63N, Range 01E
BOUNDARY County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	10/15	0.480		
IRRIGATION STORAGE	01/01	12/31			13.00
IRRIGATION FROM STORAGE	04/01	10/15			13.00

5. Total quantity to be appropriated is:
0.480 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
PUMP AND PIPELINE
- Height of storage dam 17 feet; active reservoir capacity 13.00
acre-feet; total reservoir capacity 13.00 acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is inches; proposed depth of well is
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 years.

8. Description of proposed uses:

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
63N 01E 35	NESW 39	SESW 5	NESE 9	93
	NWSE 40			

Total number of acres irrigated: 93

Place of Use: IRRIGATION FROM STORAGE, same as IRRIGATION use

10. Describe any other water rights used for the same purposes.
98-07148 & 98-07170

11. a. Who owns the property at the point of diversion?
APPLICANT
- b. Who owns the land to be irrigated or place of use?
APPLICANT
- c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lester W. Leving
Applicant

Received by RAM Date 5/6/91 Time 10:45 Preliminary check by TDK

Fee \$ 45.00 Receipted by RAM # N4473 Date 5/6/91

Publication prepared by me Date 5/8/91 Published in 5/15+22/91

Publication approved me Date 5/31/91

AUG 09 1991



T63N R1E

Smith Lake

BOUNDARY

NATIONAL

WHEELER RD

FAWN LANE ROAD

Spring

Spring

Dixie Springs

Bonnie Creek

Trail

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

Carol Arthur being first duly sworn on oath
deposes and says that he/she is manager
of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

#1879

Appl. Water Rights

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 15 day of may, 1991
and ending on the 22 day of may, 1991
and that said notice was published in said newspaper.

Dated: May 29, 1991

Carol A. Arthur

Subscribed and sworn to before me this 29 day
of May, 1991.

Julia Vandenberg
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 4-11-97

NOTICE OF APPLICATION
FOR WATER RIGHTS

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

98-07688

LEVIG, LESLIE H.
MALTHANER, RON
HCR 60 BOX 31
KINGS ROW

BONNERS FERRY, ID 83805

Source: UNNAMED STREAM

Tributary: BANE CREEK

Diversion Pt: SESW Sec 35 T 63N

R01E

Use: IRRIGATION (480 CFS)

IRRIGATION STORAGE (13.00
AF)

IRRIGATION FROM STORAGE
(13.00 AF)

Total Diversion: (480 CFS)

Date Filed: 5/6/1991

In: T63N R01E S35 NESW SESW

NESE NWSE

93.0 ACRES TOTAL


For additional information
concerning the property location,
call the Northern Regional Office at
765-4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before JUNE 1, 1991.

R. KEITH HOGAN, Jr.
Director

BFH #1879 May 15, 22, 1991

X ASAP



MAY 29 1991

WL 98-7688

18
24
No such
number

IDAHO DEPARTMENT OF WATER RESOURCES
1301 North Orchard St.
P.O. Box 83720
Boise, ID 83720-0098
(208) 327-7900

ESTATE OF RON MALTHANER
RR 6 BOX 92
MANSFIELD OH 44903-9805

NO SUCH
NUMBER

RECEIVED

MAR 27 2003

Department of Water Resources

MICROFILMED

JUN 15 2004



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

March 19, 2003

LESLIE H LEVIG
HCR 60 BOX 31
KINGS ROW
BONNERS FERRY ID 83805

ESTATE OF RON MALTHANER
RR 6 BOX 92
MANSFIELD OH 44903-9805

RE: License No. 98-7688 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

JUN 15 2004

CERTIFICATE OF SERVICE


I hereby certify that on March 19, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

98-7688

**LESLIE H LEVIG
HCR 60 BOX 31
KINGS ROW
BONNERS FERRY ID 83805**

**ESTATE OF RAN MALTHANER
RR 6 BOX 92
MANSFIELD OH 44903-9905**



**Kari Lynn Townsend
Secretary**

MICROFILM

JUN 9 8 2004

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

APPROVED: [Signature]
DATE: 5/5/2016

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APPEAL FILED
JUL 15 2006



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 18, 2003

LESLIE H LEVIG
HCR 60 BOX 31
KINGS ROW
BONNERS FERRY ID 83805

RE: Permit No. 98-07688

Dear Mr. Levig:

We are preparing the above referenced permit for licensing and find we have a question regarding your irrigation use under this permit. I have enclosed a map of the property in question that is under this permit. I have outlined the area I need more information on.

Our examiner recommended that we issue a license for the irrigation of approximately 28 acres under this permit. When I created a shape in GIS (Geographic Information System) for your property (identified in red) I found 30 acres could be licensed. However, we are wondering if you also irrigate the NE corner of your property that is along the highway. We have conflicting information in our records that show you did irrigate this property in 1998; however, the most recent examination conducted in August of 2002, did not include this land as part of your irrigated property. The Boundary County tax lot information shows that you are still the owner of this property. If you still irrigate this area we need to know so we can finish up the licensing review.

Our examiner also noted that Mr. Malthaner is now deceased. If you wish to remove his name from this right, please complete the enclosed assignment of permit form and return it to me with a \$25.00 filing fee. Please note that the assignment form must be signed in the presence of a notary public.

Please let me know within the next 2 weeks if the property in question is still being irrigated or not. If I don't hear from you by March 4th I will assume that you no longer irrigate those lands, or wish to remove Mr. Malthaner's name, and will recommend a license for the 30 acres found by our examiner. If you have any questions in regard to this matter, please do not hesitate to contact me at (208)327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

KW:k
Enclosures

MICROFILMED


2003 5 28

Water Right 98-07688



this is the question -

County Boundaries Boundary Taxlots
GCDB63N01E GCDB



0 0.5 Miles

MID-POINT LABEL

JAN 1 1998

Comment Report

98-7688

1. kwalker 2/11/2003 Place of use

Comment: When I created the GIS shape for this place of use I came up with 30 acres of irrigation. The examiner found approximately 28 acres during his exam. I recommend we license 30 acres per GIS shape.

2. kwalker 2/11/2003 Point of Diversion

Comment: Examiner determined that pd was located in NWSE, S35 but in narrative said it was same point as Rts. 98-7170 and 98-7148. That pd is located in SESW, S35 as permitted. I have made this correction on proposed license.

3. kwalker 2/12/2003 Storage Parameters

Comment: The storage applied for under this permit has been licensed under Rt. 98-07170. The last dam inspection in the file was in 1997 which was 3 years after proof was submitted on this permit. Dam safety found the capacity of the dam to be only 9 acre feet in 97 and Rt. 98-7170 covers this amount. No additional storage developed under this permit.

RECEIVED

2003-02-11

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 30 2002

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 98-07688

1. Owner: Lesha H. Leary Phone No. (208) 267-2176

Current Address: HCR 60 Box 31 Kings Row, Bonners Ferry Id. 83805

2. Accompanied by: Zed Hansen EXAM DATE: 8-7-02

Address: HCR 60 box 1 Bonners Ferry Id. 83805 Phone No. (208) 267-7626

Relationship to Permit Holder: Leases this land from Leary

3. Source: Unnamed stream tributary to Bane Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: 98-07170 + 98-07148

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SE	35	63N	01E	Boundary	USGS 7.5 min Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
63N	01E	35														28			28

'02 exam

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	TECO	52	n/c	Cummins	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS

Permit Holder Ron Maltzman is deceased
Now Just Levia Levig. Most of the
land on this permit has been sold.
The point of diversion has been sold, along
with storage ponds. The only land still
in use by Levig is 28 acres NW $\frac{1}{4}$ SE $\frac{1}{4}$.
John Dredger now owns point of diversion
and storage and is covered under 98-0170 and
98-07148. Mr. Dredger under an agreement
with Levig supplies water to irrigate 28 acres
NW SE 35 ~~on~~ Levig leases this land to Ted
Hansen (are you following this?)

All irrigation on this piece is drip line

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JUN 16 2006

SEAL

MICROFILMED

9002 9 6 0000

Reviewer

Date _____

I. AUTHENTICATION

Field Examiner's Name:

Date _____

Wagner & Associates Date 9/26/02

Change P.D. as reflected above

Change P.U. as reflected above

Add P.D. as reflected above

Add P.U. as reflected above

Other _____
None _____

2. Recommended Amendments

Beneficial Use

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 84 \times 3 = 84$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 109 \times 213 \times 1.9835 = 38$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} = 38$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

Measured Method: 25 lines (deep) at a time met each line has 200 holes at 1/2 gal/hr = 100 gal/hr x 25 lines = 2500 gal/hr

$$\frac{2500 \text{ gal/hr}}{60 \text{ min}} = 41.6 \approx 42 \text{ gpm} = 0.9 \text{ cfs}$$

T 484

38.0

Apple Creek

MICROFILMED

JUL 1 6 2004

T 485

34.0

Quillia


08-01-68

Apple Creek

08-01-68

45.5


Apple Creek



98-07688



Pump
at
PQ



Filters for
drill lines




PV

MICROFILMED
JUN 15 2004

98-07688



Pump
at
PQ



Filters for
drumlines



PV

MICROFILMED

JUN 15 2004

DAM SUMMARY SHEET

September 10, 1997

LEVIG
98 - 7148

INVENTORY _____ A
BASIN _____ 98
DAM NUMBER _____ 7148
FED ID NUMBER _____
DAM NAME _____ LEVIG
COUNTY _____ BOUNDARY
STREAM _____ TR-BANE CREEK
REGION _____ N
PURPOSE _____ I
RISK CATEGORY _____ 3
SIZE CATEGORY _____ 3
Q-Q SECTION _____ SESW
SECTION _____ 35
TOWNSHIP _____ 63N
RANGE _____ 01E
LATITUDE DEC _____ 48.7620
LONGITUDE DEC _____ 116.2981
DAM TYPE _____ EARTH
STORAGE CAPACITY _____ 9.00 ACFT
HEIGHT _____ 15.00 FT
DRAINAGE AREA _____ 2.50 SQMI
RESERVOIR AREA _____ 2.00 AC
YEAR COMPLETED _____ 1976
CREST ELEVATION _____ 2,180.00 MSL
CREST LENGTH _____ 100.00 FT
SPILLWAY TYPE _____ RPCHAN
SPILLWAY DEPTH _____ 3.00 FT
SPILLWAY CAPACITY _____ 0.00 CFS
OUTLET TYPE _____ CMP
OUTLET SIZE _____ 12 IN
OUTLET CAPACITY _____ 0.00 CFS
IDF _____ Q50
IDF MAGNITUDE _____ 0.00 CFS
RELEASE CAPACITY _____ 0.00 CFS

CONDITION _____ GD
MAINTENANCE _____
INSPECTION DATE _____ 0897 MO/YR
CERTIFICATE EXP DATE - 0000 MO/YR
LAST RISK EVALUATION - 0897 MO/YR
SURVEY DATE _____ MO/DD/YR
CALL UP DATE _____ 4/ 1/02 MO/DD/YR
CERT ISSUE DATE _____ MO/DD/YR
INSPECTION INTERVAL _____ 5YR
PHASE 1 INSP DATE _____
OPERATION PLAN _____ N
SEISMIC ANALYSIS _____ N
RESTRICTED _____
JOINT INSPECTION _____
QUAD NUMBER _____ A58
QUAD NAME _____ RITZ

DAM OWNER _____ LESLIE H LEVIG
ADDRESS - 1 _____
ADDRESS - 2 _____ ROUTE 1 BOX 573
CITY _____ BONNERS FERRY
STATE _____ ID
ZIP CODE _____ 83805
ZIP SUFFIX _____
PHONE _____ 2672136
AREA CODE _____ 208

GENERAL REMARKS : ALSO HAS 18" CMP STANDPIPE SPILLWAY INTO 12" CMP OUTLET.

TECHNICAL REMARKS :

RESTRICTIONS :

ALTERNATE CONTACTS :



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 8, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Leslie H. Levig
Route 1, Box 573
Bonners Ferry, ID 83805

RE: Levig Dam

D98-7148

Dear Mr. Levig:

In 1988, the Department advised you the referenced dam would be re-examined (approximately every five years) to ascertain whether the downstream risk has changed, or the size of the project has increased. The site was last examined on August 1, 1997, which revealed the downstream area is still low risk, and the size of the dam has not changed; therefore, the project is still excluded from the Department's regulation in accordance with the provisions in Section 42-1711, Safety of Dams Statutes, Idaho Code.

To forego costly repairs, we encourage you to eliminate woody vegetative growth on the embankment (spray/cut and burn or remove brush and trees). Also, maintain the cross section of the dam, and eradicate rodents as necessary. We recommend all large animal burrows be backfilled with suitable soil material, compacted in place, and eroded areas, which may develop on the embankment, be repaired by adding fill or granular material or rock riprap as necessary to maintain the integrity of the dam. The spillway capacity should be preserved by maintaining the cross section and a depth of at least 3.0 ft. Debris and growth need to be routinely removed from the channel to maintain adequate spillway capacity. Adequate freeboard should be maintained by keeping the top of the dam at a uniform elevation.

Please notify the Department if there is further development of the area directly below the dam, or if you propose to raise the dam to increase its storage capacity. Also advise if the ownership changes.

Should you have any questions, please contact Dave LePard, phone 769-1450, in our Northern Regional Office in Coeur d'Alene.

Sincerely,

A. Michael Stubblefield

A. Michael Stubblefield, P.E.
Dam Safety Section

cc: IDWR - Northern Region

SEP 15 1997

MICROFILMED

JUN 15 2004

Levy Dam

A98-7148

4/9/91



Dam + Spillway
From the right
abutment



Looking downstream
from the dam
crest.

MICROFILMED

JUN 15 2004



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 18, 1988

Leslie H. Levig
Route 1, Box 573
Bonners Ferry, ID 83805

RE: Levig Dam

D98-7148

Dear Mr. Levig:

The Department has regulated your small dam located in SE $\frac{1}{4}$, SW $\frac{1}{4}$, Section 35, T63N, R1E, Boundary County, for some time. However, this letter is to advise you that certain small (low hazard) dams will not be regulated by the Department, after July 1, 1987, since the Safety of Dams Statutes were amended during the 1987 Legislative Session.

Since your dam is small (stores less than 10 acre-feet of water) and a recent examination of the downstream area indicates the hazard class is low, the dam will not be regulated at this time, and we will discontinue routine inspections.

Approximately every five (5) years the Department will re-examine the site to determine whether the hazard class has changed, or the size of the dam has been increased such that the dam again comes under the jurisdiction of the Department. Please notify the Department if there is further development of the area below the dam, or if you propose to raise the dam to increase its storage capacity.

We recommend you continue to maintain the embankment to assure safe operation in the future. Routine maintenance should include clearing the dead vegetation and small trees from the dam embankment. If you have any questions, contact either Dave LePard (phone 765-4639) in our Northern Regional Office in Coeur d'Alene, or me (phone 334-7957) in the Dam Safety Section in our State Office in Boise.

Sincerely,

David H. Hollingshead

DAVID H. HOLLINGSHEAD
Dam Safety Section

DHH:ldt(DS5-1.68)

CC: IDWR - Northern Region


MICROFILMED

JUN 15 2004

MICROFILMED

JUN 27 1989

Levig Dam
098-7148
4/28/88



View of the dam from the right abutment,
the spillway is in the foreground

MICROFILMED
JUN 16 2004

Levig Num
098-7148
4/28/88



Reservoir
Area



Downstream
slope

MICROFILMED
JUN 16 2004

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 06 1998

Department of Water Resources

98-07688

A. GENERAL INFORMATION

Permit No.

1. Owner: Leslie H. Levig Phone No. (208) 267-2028

Current Address: HCR 60 Box 31 Kingslow Bonanza Ferry Id 83808

2. Accompanied by: Leslie Levig EXAM DATE: 6-2-98

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: unnamed stream tributary to Bane Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SW	35	63N	01E	Boundary	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:

Indicate Method of Determination


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
63N	01E	35									38			7	8	33			86

MICROFILMED

JUN 9 3 2006

98 exam

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	RE/Ren/c	50	mod 740767	Coeval	2 1/2" x 4" out

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
poly sonic						

2. Measurements:

MICROFILMED

NOV 19 1964



1

SC

STANLEY

HILL

38


38

38

38

FILMED 16 2004

3



R. 02E

R. 01E

Smith Lake

WHEELER RD

NATIONAL

NIKSU

ROAD

FAUN LANE


ROAD

KING ROW

BONNERS FERRY

2781 III NE

SCALE 1:24 000



98-07638

T. 63N., R. 01E., Sec. 35

T. 63N.

T. 62N.

98-07688

PERMIT

PD

IN STREAM
STORM

PD

PD

NOV 16 2001

98-07688

PD

IN STREAM
STORAGE

pu

pu

MAINTENANCE
JAN 15 2004

E. NARRATIVE/REMARKS/COMMENTS

The pump is capable of running 2 sections of 4" line approx 25 heads each. The way it was set up it was necessary to take two measurements with the polysonic meter. On the first leg 114.63 GPM. On the second leg 100 gallons per min.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 15 2004

F. FLOW CALCULATIONS

Measured Method:

Additional Co:

$$214.63 \times 1.133681 = 244.78 = 48cfs$$

$$214.63 \text{ gpm}$$

627

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 86 \times 3 = 258$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 48 \times 177 \times 1.9835 = 187.6$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} = 187.6$$

2. Volume Calculations for Other Uses:

$$450 \text{ ft} \times 150 \text{ ft} \times 12 \text{ ft} \times .4 = 324000 = 74 \text{ af}$$

$$\frac{435560}{324000} = 1.344$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Navigation
Irrigation Storage
Floodplain Storage

Period of Use
From To

04-01 10-15

04-01 12-31

04-01 10-15

Rate of Diversion

Q (cfs)

.48

Annual Volume

V (afa)

187.6

7.4

187.6

Totals:

.48

187.6

2. Recommended Amendments

Change P.D. as reflected above

Change P.U. as reflected above

Add P.D. as reflected above

Add P.U. as reflected above

None

Other

I. AUTHENTICATION

Field Examiner's Name

W. J. ...

Date

Date 7-1-98

Reviewer

SEAL

RECEIVED
JUN 5 1998

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Polysonic 214.63 gpm

$$\frac{214.63 \times .133681}{60} = .478 = .48 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 86 \times 3 = 258$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .48 \times 197 \times 1.9835 = 187.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 187.6$$

2. Volume Calculations for Other Uses:

stream storage

$$450 \text{ ft} \times 150 \text{ ft} \times 12 \text{ ft} \times .4 = \frac{324000}{43560} = 7.4 \text{ af}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
<i>Irrigation</i>	<i>04-01</i>	<i>10-15</i>	<i>.48</i>	<i>187.6</i>
<i>Irrigation Storage</i>	<i>01-01</i>	<i>12-31</i>		<i>7.4</i>
<i>Irrigation from Storage</i>	<i>04-01</i>	<i>10-15</i>		
Totals:			<i>.48</i>	<i>187.6</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Wayne Baldwin Date 7-1-98

Reviewer _____ Date _____

SEAL

 MICROFILMED
 JUN 15 1998

June 23, 1994

LESLIE H. LEVIG
RON MALTHANER
RR 6 BOX 92
MANSFIELD OH 449039805

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 98-07688

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

DEC 15 1994

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 98-07688 Reviewed by Jef Date 6-22-94

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Irr., Irr. Storage
Correct Uses? yes

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100.00 Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
☒ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received			
Date proof due		-	
No. of days late		=	
Priority Date		+	
New Priority Date			

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X

Proof Made 6-10-94

April 30, 1994

LESLIE H. LEVIG
RON MALTHANER
RR 6 BOX 92
MANSFIELD OH 449039805

PROOF DUE NOTICE

RE: PERMIT NO. 98-07688

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures



RE: Address Update

Ron Malthaner
RR 6 Box 92
Mansfield, OH 44903-9805

Also, the approved Permit was resent to Mr. Malthaner's new address.

AUG 09 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 NORTH ORCHARD STREET
BOISE, IDAHO 83706-2237



*Please Permit
us to use address*

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

98-07688
RON MALTHANER
HCR 60 BOX 31
KINGS ROAD
BONNERS FERRY

ID 80025

7-15-91

*Boundary County license
office has the same
Bonners Ferry address
and an additional
address for Malthaner's
Ohio.*

AUG 09 1991



*RR6 Box 92
Manassah, Ohio*



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 3, 1991

LESLIE H. LEVIG
RON MALTHANER
HCR 60 BOX 31
KINGS ROW
BONNERS FERRY, ID 83805

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 98-07688

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

AUG 09 1991

Application #: 98-7688
Date: 6-26-91

Pam Skaggs

☒ No

- 26A-P17
- P16

Proof not submitted

Proof submitted

GT. 0.2 cfs

LT. 0.2 cfs

Drilling Permit:

Approved w/permit

Not included

Water Districts

Surface water

Groundwater

Irrigation Districts

Canal Co. Areas

Drainage Districts

Boise Front (63)

✓Swan Falls Flag

Trust

Non Trust

River Basins:

(Surface Water)

Boise (63)

Pavette (65)

Snake (01, 02 & 03)

Use:

Fish Propagation

Power

Mining

✓ Storage

Rec. & Aesthetic

Domestic

Ownership:

Non land owner

Protested:

Agreement

✓Beneficial Use Due Date: -
Other Conditions Recommended

07-01-1994

AUG 09 1991

No. a
4/87-4/91n

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: IDK DATE 5-20-91 APPLICATION NUMBER: 98 7688

APPLICANT: MALTHANER

REQUIRED INFORMATION

- (1). ☒ Name and Address:
(2). ☒ Source:
(3). ☒ Point of diversion including county:
(4). ☒ Quantity: ☒ Nature of proposed use: ☒ Period of use
(5). ☒ Total Quantity:
(6). ☒ Description of diverting works:
(7). ☒ Time required for beneficial use of water:
(8). ☒ Proposed uses:
(9) ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership
(13). ☒ Map:
☒ Signature: ☒ Acknowledgment Letter
☒ Fee: (Amount, receipt number and date recorded on application)
☒ Overlap Review: Attachments? (Y) (N) Remarks: (Y) (N)

ADDITIONAL INFORMATION

Yes No
☒ Field check: Checked by: Field report attached
☒ Critical ground water area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send letter for additional fish information:
☒ Send letter for additional power information:
☒ Diversion greater than 5 cfs of 500 af: Supplemental Analysis Sheet Attached
☒ Well drilling permit required: # - - -N-

Processing

Yes No
☒ In form for advertising: Proposed priority date 5/6/91
☒ Statewide advertising: (10.00 cfs or more, 1,000 afa or more.)

Send Copies to

Yes	No	Yes	No	Yes	No
☒		☒		☒	
<u>Adj. Bureau</u>		<u>G. W. Prot. Div.</u>		<u>USFS</u>	
☒		☒		☒	
<u>Idaho F & G</u>		<u>Idaho Dept. Lands</u>		<u>Panhandle N. F.</u>	
☒		☒		☒	
<u>Coeur d'alene</u>		☒		<u>Coeur d'alene</u>	
☒		☒		☒	
<u>Lewiston</u>		☒		<u>Clearwater N. F.</u>	
		☒		<u>Orofino</u>	
☒		☒		☒	
<u>Idaho H & W</u>		☒		<u>Nez Perce N. F.</u>	
☒		☒		<u>Grangeville</u>	
<u>Coeur d'alene</u>		☒			
☒		☒			
<u>Lewiston</u>		☒			

98-07688

LEVIG, LESLIE H.
MALTHANER, RON
HCR 60 BOX 31
KINGS ROW
BONNERS FERRY, ID 83805

Source: UNNAMED STREAM

Tributary: BANE CREEK

Diversion Pt: SESW Sec 35 T 63N R 01E

Use: IRRIGATION (.480 CFS)
 IRRIGATION STORAGE (13.00 AF)
 IRRIGATION FROM STORAGE (13.00 AF)
 Total Diversion: (.480 CFS)

Date Filed: 5/ 6/ 1991

In: T63N R01E S35 NESW SESW NESE NWSE

93.0 ACRES TOTAL

AUG 09 1991