


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald C. Pihl
(Applicant)

PLEASE CHANGE YOUR
RECORDS TO INDICATE OUR
NEW ADDRESS. IT WAS
CHANGED BECAUSE OF 911
REQUIREMENT.

THIS AFFECTS 2
WATER RIGHTS.

98-07687

98-07686.

RECEIVED

MAY 11 1998

Department of Water Resources

RONALD C. & MARIANNE DIEHL
1142 W. ELMIRA RD.

SANDPOINT, ID 83864

WR 2 database updated

5.19.98


Ret MICROFILMED

JAN 11 1999

RECEIVED

MAY 11 1998

Department of Water Resources
Adjudication Bureau



NATIONAL FOREST

BOUNDARY CO
BONNER CO

KANIKSU
NATIONAL FOREST

NATIONAL FOREST

3483T
KANIKSU

MCARTHUR LAKE STATE
WILDLIFE
MANAGEMENT AREA

2256T

BM
2132

2169T

2158T

9

2151T

⊕ 1-4

Elmira

BM 2148

10

+ 2260AT

2269T

2988AT

2289T

2154T

16

BM
2145

15

98-07687

T. 59N., R. 01W.,

Sec. 04

MICROFILMED
JAN 11 1999

DIEHL, RONALD

BM
2151

1-5 ⊕

+ 2677AT

W287
BM 2147

2153T


2253T

2266T

22

2241AT

BM
2149



PERMIT # 98-07687



pu



pu



pu

MICROFILMED
JAN 11 1999

PERMIT # 98-07687



pu



pu



pu

MICROFILMED
JAN 11 1999

PERMIT #

98-07687



PJ

Pressure Tank
for Irrigation



PJ



PJ

MICROFILMED
JAN 11 1999

PERMIT #

98-07687



PV



Pressure Tank
PERR 541



PV



PV

RECEIVED
JAN 11 1999

8-28-97

- UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



Ronald C. Rich
(Applicant)

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 98-07687

Priority: March 7, 1991

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

9.8 AF

This is to certify, that RONALD C DIEHL
MARIANNE DIEHL

1100 W ELMIRA RD.

SANDPOINT ID 83864

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 7, 1991; and has submitted Proof of Beneficial Use on May 14, 1993. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

DEEP CREEK

tributary to KOOTENAI RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	9.7 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
FIRE PROTECTION	01/01 to 12/31	0.02 CFS	
	Totals	0.02 CFS	9.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 4, Township 59N, Range 01W
BONNER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
59N	01W	4	SENW	8		8

Total number of acres irrigated: 8

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED
JAN 11 1994

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 98-07687

CONDITIONS OF APPROVAL AND REMARKS

4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 4th day of MAY, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED
JAN 1 1998

RECEIVED

MAY 19 1993

Department of Water Resources


OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 5/14/93

Receipt No. 16535

Receipt by [Signature]



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 98-07687 Telephone No. 208-263 1200
2. Name(s) of Permit Holder(s): RONALD C. DIEHL & MARIANNE DIEHL
3. Mailing Address: 1100 W. ELMIRA RD. SANDPOINT ID 83864
4. Source of Water: DEEP CREEK

If **GROUNDWATER**, Well Driller's Name: — Date Drilled: —

OPTIONAL:

Pump horsepower: 1/2 Pressure (psi): 30-50 Dynamic pumping level (ft.): —

5. Extent of Use (as authorized by the permit):

Domestic — (No. of households) Stockwater — (No. and type of stock)

Irrigation X (No. of acres) Other FIRE PROTECTION

6. Total rate and/or volume for which proof is submitted .20 cfs OR — acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? — Yes — No — Installed? — Yes — No

OR

Flow Measurement Port: Required? — Yes — No — Installed? — Yes — No

8. Fee Enclosed: \$ 50.- (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

RON or MARIANNE DIEHL 208 263 1200
Name Telephone No.

1100 W. ELMIRA RD SANDPOINT ID 83864
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

5-14-93
Date

Ron Diehl
Signature (and title, if on behalf of a company or organization)

Marianne Diehl JUL 08 1993

State of Idaho
Department of Water Resources

NO. 98-07687

Proposed Priority: March 7, 1991 **Maximum Diversion Rate:** 0.20 CFS

This is to certify, that **RONALD C. DIEHL**
MARIANNE DIEHL
1100 W. ELMIRA RD.
SANDPOINT, ID 83864

has applied for a permit to appropriate water from:

DEEP CREEK tributary of KOOTENAI RIVER

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.20 CFS
STOCKWATER	01/01 to 12/31	0.01 CFS
FIRE PROTECTION	01/01 to 12/31	0.20 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SESENW Sec. 4, Township 59N, Range 01W
BONNER County

<u>PLACE OF USE:</u>		IRRIGATION							
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
59N	01W	4	SE	14		NESW	2		16
Total number of acres irrigated:									16

PLACE OF USE: STOCKWATER
TWN RGE SEC

59N 01W 4 SENW

PLACE OF USE: FIRE PROTECTION
TWN RGE SEC

59N 01W 4 SENW NESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.

DECLASSIFIED

AUG 09 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 98-07687

CONDITIONS/REMARKS:

4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Stockwater use is for 10 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

15th day of July, 1991

R. Keith Higginson
for R. Keith Higginson, Director

RECEIVED

AUG 09 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Ronald C. & Marianne Diehl Phone (208) 263-1200
Post office address 1100 W. Elmira Rd. Sandpoint, ID 83864
2. Source of water supply Deep Creek which is a tributary of Kootenai River
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 4 Township 59N Range 1W B.M. Bonner County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.20 for Stockwater purposes from Jan 1 to Dec 91 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 for Fire Protection purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Pump and pressure tank
to sprinklers, ect.
 - b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total
reservoir capacity NA acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is NA inches; proposed depth of well is NA feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

AUG 09 1991

a. Hydropower; show total feet of head and proposed capacity in KW.

b. Stockwatering; list number and kind of livestock.

d. Domestic; show number of households.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

	7/13	7/14	7/15	7/16	7/17		
--	------	------	------	------	------	--	--

[illegible]

91

NONE

Applicant

Applicant


applicant to make this filing.

100-443887-100

~~1001 6 3 307~~

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald C. Pihl
(Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by PS Date 3/7/91 Time 12:30pm Preliminary check by TK
Fee \$ 45.00 Received by PS Date 3/7/91 # 2004364 Date 3/7/91
Publication prepared by [Signature] Date 4/24/91 Published in Idaho Water Resources Date 5/2+9/91
Publication approved by [Signature] Date 8/10/91

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____.

61X

1000 5

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Karel Miller being first duly sworn on oath
deposes and says that he/she is Bookkeeper
of the Bonner County Daily Bee, a newspaper printed and
published at Sandpoint, Bonner County, Idaho; that the
said newspaper has been continuously and uninterruptedly
published in said Bonner County during a period of 12
months prior to the first publication of the hereto attached
notice of publication in the case of:

Regal Notice

as it was published in the regular and entire issue of the
said paper for a period of 21 consecutive weeks,
commencing on 2 day of May, 19 91
and ending on the 9 day of May, 19 91
and that said notice was published in said newspaper.

On this 13 day of May in the year
of 91, before me, a Notary Public, personally
appeared Karel Miller,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

[Signature]
Notary Public for Idaho

Residing at Sandpoint

My commission expires: 10/22/93

RECEIVED

JUN 05 1991

NORTHERN REGION
IDWR

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08637
T G & Z INC.
31621 APPLEWAY RD.
PARMA, ID 83660

Source: SPRING
Tributary: CLARK FORK RIVER
Diversion Pt: NENESW Sec 28 T
55N R 03E

Use: STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.060 CFS)
Date Filed: 4/15/1991
In: T55N R03E S28 NESW
96-08638
MC CORMICK, DONALD L.
4900 SHINGLE MILL RD.
SANDPOINT, ID 83864
Source: BOYER SLOUGH

Tributary: PEND OREILLE LAKE
Diversion Pt: NWSWNE Sec 6 T
57N R 01W

Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 4/8/1991
In: T57N R01W S06 SWNE
10.0 ACRES TOTAL

96-08639
LAZAR, STEVEN G.
3925 PINE ST.
SANDPOINT, ID 83864
Source: UNNAMED STREAM
Tributary: CHUCK SLOUGH
Diversion Pt: NESW Sec 20 T 57N

R 02W

Use: AESTHETIC (20.00 AF)
Total Diversion: (20.000 CFS)
Date Filed: 4/18/1991
In: T57N R02W S20 NESW
96-08640

BORACCI, PETER
MC CATHREN, KELLY
PO. BOX 132
NINE MILE FALLS, WA 99026
Source: PACK RIVER
Tributary: PEND OREILLE LAKE
Diversion Pt: SESESE Sec 25 T
59N R 02W

Use: IRRIGATION (.010 CFS)
STOCKWATER (.010 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 4/10/1991
In: T59N R02W S25 SESE
1.0 ACRES TOTAL

98-07686
DIEHL, RONALD C.
DIEHL, MARIANNE
1100 W. ELMIRA RD.
SANDPOINT, ID 83864
Source: GROUNDWATER
Diversion Pt: SESENEW Sec 4 T
59N R 01W

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/7/1991
In: T59N R01W S04 SENW
98-07687

DIEHL, RONALD C.
DIEHL, MARIANNE
1100 W. ELMIRA RD.
SANDPOINT, ID 83864
Source: DEEP CREEK
Tributary: KOOTENAI RIVER
Diversion Pt: SESENEW Sec 4 T
59N R 01W

Use: IRRIGATION (.200 CFS)
STOCKWATER (.200 CFS)
FIRE PROTECTION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 3/7/1991
In: T59N R01W S04 SENW NESW
16.0 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before MAY 20, 1991.

R. KEITH HIGGINSON,
Director
SNP #4073 May 2, 9, 1991

073

PLEASE CHANGE YOUR
RECORDS TO INDICATE OUR
NEW ADDRESS. IT WAS
CHANGED BECAUSE OF 911
REQUIREMENT.

THIS AFFECTS 2
WATER RIGHTS.

98-07687

98-07686

RECEIVED

MAY 11 1998

Department of Water Resources

RONALD C. & MARIANNE DIEHL
1142 W. ELMIRA RD.

SANDPOINT, ID 83864

WR 2 database updated
5.19.98

Ret MICROFILMED

JAN 11 1999

RECEIVED

MAY 11 1998

Department of Water Resources
Adjudication Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 4, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RONALD C DIEHL
MARIANNE DIEHL
1100 W ELMIRA RD.
SANDPOINT ID 83864

RE: WATER RIGHT NO. 98-07687

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED

JUN 11 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

JAN 1 1978

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


JAN 11 1983

CERTIFICATE OF MAILING

I hereby certify that on the 4th day of May, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 98-07687

RONALD C DIEHL
MARIANNE DIEHL
1100 W ELMIRA RD.
SANDPOINT ID 83864


Kari Lynn Townsend
Secretary

RECORDED

MAY 11 1998

MEMORANDUM

TO: File 98-07687

FROM: Sharla

DATE: April 30, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 98-07687 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use:

T59N, R1W, S4 - SENW (8 acres)

The place of use is located within the same 40-acre tract as the point(s) of diversion; the examiner inadvertently listed the place(s) of use as the SENE, rather than the SENW.

Examiner: Wayne Baldwin

Exam Date: August 28, 1997

RECORDED

JUN 11 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 98-07687

DATE 4/30/98

REVIEWER: SHARLA

NAME
Address

Change/OK

SOURCE

Does change clarify orig. intended source? If no, Void permit

POINT OF DIV

Change (Para P39 - gov P40/P47) Add (P45/P42)

W32 (multiple in 1/4)

W36 (overlap)

W59 (subd. desc)

Overlaps:

Right(s):

File reviewed Profile reports printed

PLACE OF USE

Change (P41 - gov P43/P47) Add (P41/P42)

W60 (subd. desc)

W27 (ppu acre limit)

*examiner's written desc.
disagrees w/ map*

Overlaps:

Right(s):

File reviewed Profile reports printed

RATE OF DIV

Permitted Rate .20 cfs

Fee limit .20 cfs \$50.00

Measured .02 cfs

Theoretical

.02 cfs

Recommended Total Div Rate .02 cfs

WATER USES

Irr

Stock

Fire

TOTALS

OK

.02 cfs

.01 cfs

.02 cfs

 cfs

 cfs

.02 cfs

9.7 af

.1 af

N/A af

 af

 af

9.8 af

Irrig -

overlap (R58-R61, R62-R65, R66-R69)

supp. gw (WB7/065/079)

overlap spec. combined rts (W35)

<1acre (W31)

Domestic

(W01/WB5/070/071/075)

Power

(W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077) Wtr Quality (081/R07)

Flow rate .02 cfs X 246 days X 1.98 = 9.7 af

REMARKS

ADD'L CONDITIONS

 Watermaster Control WD#

 GW Measurement/Measuring Device

 Others Trust (052/R55 - remove 051)

Non-trust (048/049)

Advance Priority yes no

SRBA Claim N/A

Adjust Memo

Amend letters

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

9807687

A. GENERAL INFORMATION

Permit No.

1. Owner: Ronald & Marianne Dieh Phone No. (208) 263-1200

Current Address: 1100 W. Elmira Rd Sandpoint Id 83864

2. Accompanied by: Ronald Dieh EXAM DATE: 8-28-97

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Deep Creek tributary to Footenai River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	NW	04	59N	01W	Bonner	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
59N	01W	04				08												08	
						S													
						F													

MICROFILMED

JAN 17 1999

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	5	not eq 1/2	Baldor	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

INFORMED

JAN 1 1983

E. NARRATIVE/REMARKS/COMMENTS

Pump is located on bank, a 1" PVC line travels west to shed with pressure tank inside. Portable sprinklers are moved around to different locations. Not all 8 acres are irrigated at once.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JAN 11 1969

SEAL


Reviewer _____ Date _____
Field Examiner's Name Wayne Decker Date 8-17-87

I. AUTHENTICATION

Change P.D. as reflected above _____
Change P.U. as reflected above _____
Add P.D. as reflected above _____
Add P.U. as reflected above _____
None _____
Other _____

2. Recommended Amendments

Beneficial Use		Period of Use		Rate of Diversion		Annual Volume	
<u>5000</u>		<u>03-15</u>		<u>.02</u>		<u>9.7</u>	
<u>5000</u>		<u>01-01</u>		<u>.01</u>		<u>.1</u>	
<u>5000</u>		<u>01-01</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>12-31</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	
<u>5000</u>		<u>11-15</u>		<u>.02</u>		<u>.1</u>	



98-07687
T. 59N., R. 01W.,
Sec. 04
DIEHL, RONALD


T. 59N, R. 01W.,
Sec. 4

Sec. 4


ORDAY

PERMIT #

98-07687



pu




pu

pu

NOV 1 1998

PERMIT # 98-07687




pu

pu

pu

JAN 1 1991

PERMIT # 9B-D7687



PU

PRESSURE TANK
SIL
PRT


PU

PU

8 28 '97

PERMIT

98-07687



PU

Pressure Tank
S41
Per

PU

PU

828'97

May 28, 1993

RONALD C. DIEHL
MARIANNE DIEHL
1100 W. ELMIRA RD.
SANDPOINT ID 83864

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 98-07687

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

UNRECORDED

JUL 08 1993

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 98-07687 Reviewed by Klg Date 5/19/93

GENERAL CONSIDERATIONS

Yes Name same as permit?
Yes Address same as permit?
Yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

fire protection
irrigate
Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
Ground water source
NA Drilling permit required?
/ Copy in the file? Drilling Permit No. _____
/ Amount paid for permit _____ Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

Yes Required?
50 Amount Submitted
Yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date ✓

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

Proof Made

5/14/93
5/28/93 Klg

April 30, 1993

RONALD C. DIEHL
MARIANNE DIEHL
1100 W. ELMIRA RD.
SANDPOINT ID 83864

PROOF DUE NOTICE

RE: PERMIT NO. 98-07687

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

JUL 08 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 16, 1991

RONALD C. DIEHL
MARIANNE DIEHL
1100 W. ELMIRA RD.
SANDPOINT, ID 83864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 98-07687

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

MAILED 10 17 1991
AUG 09 1991

APPLICATION FOR PERMIT REVIEW

Application #: 98-7687

Reviewer: Pam Skaggs *PS*

Date: 7-2-91

✓ Existing:

✓ No

Complete in 1 year - 26A-P17
P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

GT. 0.2 cfs - 01G-P03, 01C-P03 (existing well)

LT. 0.2 cfs - N/A

Drilling Permit:

Approved w/permit - P99

Not included - 046-P23 (All GW, even existing wells)

✓ Location:

Water Districts - WD No. _____

Surface water - 005, 005-01H-P01 (LT.2 w/pump)
005-01J-P08 (GT.2)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓ Swan Falls Flag - _____ (1, Blank or Other)

Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

✓ Beneficial Use Due Date: - 07-01-1993
Other Conditions Recommended _____

AUG 09 1991

[Handwritten signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICANT: DIEHL

(1). (✓) Name and Address:
(2). (✓) Source:
(3). (✓) Point of diversion including county:
(4). (✓) Quantity: (✓) Nature of proposed use: (✓) Period of use
(5). (✓) Total Quantity:
(6) ~~IDK~~ (✓) Description of diverting works:
(7). (✓) Time required for beneficial use of water:
(8) ~~IDK~~ (✓) Proposed uses:
(9) ~~IDK~~ (✓) Place of use or acres irrigated:
(10). (✓) Other Water Rights:
(11). (✓) Ownership
(13) ~~IDK~~ (✓) Map:
(✓) Signature: (✓) Acknowledgment Letter
(✓) Fee: (Amount, receipt number and date recorded on application)
(✓) Overlap Review: Attachments? (Y)____ (N) ✓ Remarks: (Y)____ (N) ✓

Yes No

☒ Field check: Checked by: _____ Field report attached _____

☒ Critical ground water area:

☒ Groundwater management area:

☒ Send dam safety information:

☒ send letter for additional fish information:

☒ Send letter for additional power information:

☒ Diversion greater than 5 cfs of 500 af: Supplemental Analysis Sheet Attached

☒ Well drilling permit required: ~~# 98-88-N-23~~

Yes No
☒ In form for advertising: Proposed priority date 5/7/91
☒ Statewide advertising: (10.00 cfs of more, 1,000 afa or more.)

RECEIVED
JUN 18 1991

Yes	No		Yes	No	
☒	☐	Adj. Bureau	☒	☒	G. W. Prot. Div.
☐	☐	Idaho F & G	☐	☒	Idaho Dept. Lands
☐	☒	Coeur d'Alene	☐	☒	BLM
☐	☒	Lewiston	☐	☒	Other
☐	☐	Idaho H & W	☐	☒	
☐	☒	Coeur d'Alene	☐	☒	
☐	☒	Lewiston	☐	☒	

Yes	No	
		USFS
<u> </u>	<u> </u> ✓	Panhandle N. F.
		Coeur d'alene
<u> </u>	<u> </u> ✓	Clearwater N. F.
		Orofino
<u> </u>	<u> </u> ✓	Nez Perce N. F.
		Grangeville

Application Number 98-7687

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ ☐ Additional information received:
☐ ☒ Notice of pending void order issued: Final date of order response. _____
☐ ☒ Comments added
☐ ☒ Maps Copied
☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

- ☒ ☐ Publication dates and paper recorded on application:
☐ ☒ Protests received, Final date for protest 5/20/91
☐ ☐ Recommendations attached:
☐ ☒ Measuring device required:
☒ ☐ Measuring port required:
☐ ☒ Water delivered by water master? District # _____
☐ ☒ Special conditions of approval or cover letter: (see additional info. below)

Approval Recommended by: RAA Date 6/13/91

STATE OFFICE REVIEW RAA

☐ See remarks for additional information. By _____ Date _____

REMARKS

98-07687

DIEHL, RONALD C.
DIEHL, MARIANNE
1100 W. ELMIRA RD.
SANDPOINT, ID 83864

Source: DEEP CREEK

Tributary: KOOTENAI RIVER

Diversion Pt: SESENW Sec 4 T 59N R 01W

Use: IRRIGATION	(.200 CFS)
STOCKWATER	(.200 CFS)
FIRE PROTECTION	(.200 CFS)
Total Diversion:	(.200 CFS)

Date Filed: 3/ 7/ 1991

In: T59N R01W S04 SENW NESW

16.0 ACRES TOTAL

RECORDED
INDEXED

AUG 09 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

APPROPRIATION APPLICATION ACKNOWLEDGEMENT

Re: Water Appropriation Application # 98-7687

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. You will be notified by mail of the Directors decision.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

RECEIVED
APR 29 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

March 14, 1991

Mr. Ron Diehl
1100 W. Elmira Rd.
Sandpoint, Id. 83864

Re: Appropriation Application

Dear Mr. Diehl:

The Idaho Department of Water Resources has received your two Application For Permit To appropriate The Public Waters Of The State Of Idaho and your filing fees in the amount of \$75.00 for which receipts #N-004363 and #N-004364 are enclosed. However I regret to inform you that the applications are not acceptable in their present form, so I am returning them to you for clarification or completion of the following:

Item #2: You can not file on two separate sources with the same application, unless the system collects both sources and conveys them together to the places of use. The description of the Deep Creek diversion works does not give enough detail to determine if this is the case, so I have deleted the spring.

Item #3: The legal description of the point of diversion must be described by 10 acre parcel (for example ... SE $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$) Section, Township and Range as established by the public land survey. This item must reflect the same location as indicated on item #13.

If you are contemplating more than one diversion you must list those points in this item. If the legal description is the same, list the number of points contemplated within each legal description.

Item #6.a: On the Deep Creek Application, you must describe the method you plan to use to appropriate the water for aesthetic purposes.

Item #8: This item must be completed by fully describing exactly what aesthetic use is to be made of the water.

Item #9: You must indicate the location of the aesthetic use by placing a "J" in the appropriate block.

Item #13: An application is not acceptable without a map or plat of sufficient scale (not less than two inches equal to one mile) to show the proposed project. I have taken the liberty of providing a map of the section you indicated. The point of diversion and place of use must be labeled and the place of use must be outlined as well. The point of diversion and place of use must agree with items #3 and #9.

Mr. Ron Diehl
Page Two
March 14, 1990

The Application must be completed and returned to this office with any other information you deem appropriate within 30 days of the above date. Failure to communicate with this office within that time may result in the voiding of your application.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King

Sr. Water Resource Agent


Enc: App (2)
Receipt (2)

AUG 09 1991

TOM:

THIS IS A REAPPLICATION
OF AN EXPIRED PERMIT.
THE EXPIRED PERMIT
98-7357 WAS ISSUED
8 DEC 80 & EXPIRED
1 DEC 85.

THANKS,
Ron Dick



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant RONALD C. & MARIANNE DIEHL Phone 208 263 1200
Post office address 1100 W. ELMIRA RD. SANDPOINT ID 83864
(SPRING)
2. Source of water supply DEEP CREEK which is a tributary of KOOTENAI RIVER
SLAKES
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 4 Township 59N Range 1W B.M. BONNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
~~IRRIGATION, FIRE PROTECTION,~~
Amount .32 for AESTHETIC purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 102 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .32 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .32 for FIRE PROTECTION purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .32 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP & SPRINKLERS

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

AUG 9 1991

- | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|-------------|--|--|--|
| | | | | | | | | | | AUG 09 1991 | | | |
|--|--|--|--|--|--|--|--|--|--|-------------|--|--|--|

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald C. Rich
(Applicant)

Received by Mr Date 3/7/91 Time 12:30 PM Preliminary check by _____
Fee \$ 45.00 Received by Mr # N 4364 Date 3/7/91
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:



AUG 09 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. _____

To appropriate the public waters of the State of Idaho

1. Name of applicant RONALD C. & MARIANNE DIEHL Phone 208 263 1200
Post office address 1100 W. ELMIRA RD. SANDPOINT ID 83864
(SPRING)
2. Source of water supply DEEP CREEK which is a tributary of SLIKES KOOTENAI RIVER
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 4 Township 59N Range 1W B.M. BONNER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .32 for IRRIGATION FIRE PROTECTION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 102 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .32 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .32 for FIRE PROTECTION purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .32 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PUMP & SPRINKLERS
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

AUG 10 1987