




3 053.55
38.50

6410

T62N RZE

RZE
MICROFILMED
MAR 30 1995

4-3857

10-6-50

2

3873

100

Dec. 18.
1850

640

1870

505

2

637.18 Sicily

302

1020

Sec 74

37.50

4

4

W

4

5

6

21

✓

5

#98-07680

MR. KOEHN
HOME
(P.U.)



SYSTEM HOLDING
TANK 7000 GAL.



MICROFILMED

MAR 30 1995

● #98-07680



MR. KOEHN'S
P. D. OUT OF
FRY CREEK



MR. KOEHN'S
STILL WELL FOR THE
SUBMERGIBLE PUMP



MICROFILMED
MAR 30 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07680

Priority: September 28, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that THOMAS KOEHN

HCR 85 BOX 171-K

BONNERS FERRY ID 83805

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 28, 1990; and has submitted Proof of Beneficial Use on January 29, 1993. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from:

FRY CREEK

tributary to KOOTENAI RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 18, Township 62N, Range 02E
BOUNDARY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

62N 02E 18 Lot 3(NWSW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Rights 98-07373C, 98-07373D and 98-07373E are also diverted through the point of diversion described above.
6. The total combined rate of diversion under this right and Rights 98-07373C, 98-07373D and 98-07373E shall not exceed 0.06 cfs.
7. Domestic use is for 1 home.

MAR 8 0 1995


State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 98-07680

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of FEBRUARY, 1995.

Acting for


R. Keith Higginson, Director



MAR 8 0 1995

State of Idaho
Department of Water Resources

RECEIVED
FEB 04 1995

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 98-07680

Date of Priority: September 28, 1990 Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

Comes now THOMAS KOEHN
HCR 85 BOX 171-K
BONNERS FERRY ID 83805

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 98-07680, and requests that the permit be changed as follows:

Source: FRY CREEK tributary to KOOTENAI RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 18, Township 62N, Range 02E
BOUNDARY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

62N 02E 18 Lot 3(NWSW)

RECEIVED
MAR 30 1995

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at Bonnors Ferry, Id., this 7 day of February, 1995.

Thomas O. Koehn
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 98-07680

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50⁰⁰ Received by RT # C032129 Date 2-9-95


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 98-07680 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Rights 98-07373C, 98-07373D and 98-07373E are also diverted through the point of diversion described above.
6. The total combined rate of diversion under this right and Rights 98-07373C, 98-07373D and 98-07373E shall not exceed 0.06 cfs.
7. Domestic use is for 1 home.

Witness my hand this 14TH day of FEBRUARY, 1995.


R. Keith Higginson, Director

APR 20 1995

RECEIVED

JAN 29 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 98-07680 Telephone No. 208 267-7422
2. Name(s) of Permit Holder(s): Thomas D Koehn
3. Mailing Address: HCR 85 Box 171-K Bonners Ferry Idaho 83805
4. Source of Water: Fry Creek

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)
Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 50.⁰⁰ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Thomas D. Koehn 208-267-7422
Name Telephone No.
HCR 85 Box 171-K Bonners Ferry Idaho
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAY 24 1993

1-26-93
Date

Thomas D. Koehn
Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 98-07680

Proposed Priority: September 28, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **THOMAS KOEHN**
HCR 85

BONNERS FERRY, ID 83805

has applied for a permit to appropriate water from:

FRY CREEK

tributary of **KOOTENAI RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NWSW), Sec. 18, Township 62N, Range 02E
BOUNDARY County

PLACE OF USE: DOMESTIC
TWN RGE SEC

62N 02E 18 NWSW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

18th day of January, 1991.

R. Keith Higginson
R. Keith Higginson, Director

for
MICROFILMED

FEB 08 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant THOMAS KOENN Phone 267-3591
Post office address HCR 85 Box — BONNERS FERRY, ID. 83805
2. Source of water supply FRY CR. which is a tributary of BOOTEWAH R.
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SW 1/4, Govt. Lot 3
Sec. 18 Township 62N Range 2E B.M. ADUNOARY County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. DIVERSION STRUCTURE,
PUMP TO STORAGE TANK THEN PUMPED TO HOME

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECORDED

FEB 08 1991

12. Remarks:

10. Describe any other water rights used for the same purposes as described above. 98-1813 IS FOR 3 DIFFERENT HOMES ON SAME SYSTEM
11. a. Who owns the property at the point of diversion? LYLE UNION
b. Who owns the land to be irrigated or place of use? APPLICANT
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. WRITTEN AGREEMENT

Total number of acres to be irrigated -

TWP	RANGE	SEC.	NEW				NW¼				SW¼				SE¼			
629	2E	18	NEW	NW¼	SW¼	SE¼	NEW	NW¼	SW¼	SE¼	NEW	NW¼	SW¼	SE¼	NEW	NW¼	SW¼	SE¼

ponding place of use below. See instructions for standard symbols.

9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

SEU8
T62N
R2C

+ PPH

RECEIVED

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas D. Koeh
(Applicant)

(Applicant)

MICROFILMED
FEB 08 1991

e. Other:

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved _____ Date _____ 10/29/90

Publication prepared by _____ Date _____ 10/18/90

Published in _____ 10/18/90

Received by _____ # _____ 24119

Date _____ 9/28/90

Preliminary check by _____

Time _____ 1:45 pm

Date _____ 9/28/90

Received by _____

Fee \$30.00



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 15, 1995

THOMAS KOEHN
HCR 85 BOX 171-K
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07680

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
FEB 16 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 24, 1995

THOMAS KOEHN
HCR 85 BOX 171-K
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07680

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact me. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAR 20 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 7, 1994

Sandra Koehn
HCR 85 Box 171-K
Bonners Ferry, Idaho 83805

RE: Permit 98-07680

Dear Ms. Koehn:

Thank you for your telephone call yesterday. As we discussed, I have enclosed some documents from your water right file.

Your **Application for Permit** was submitted to the Department on September 28, 1990. It indicates that you wanted to develop a water right with a point of diversion from Fry Creek at Govt. Lot 3 (NWSW) of Sect. 18, T62N, R2E.

Your **Permit to Appropriate Water** was approved on January 18, 1991. It allowed you to develop a water right with a point of diversion at Govt. Lot 3 (NWSW) of Sect. 18, T62N, R2E, as you requested.

The **Beneficial Use Field Report** was completed on July 22, 1993. The Department's field examiner found your point of diversion from Fry Creek to be actually in the NESW of Sect. 18, T62N, R2E. A copy of the examiner's map is attached to the back of your copy of his report.

After you have reviewed our documentation, if you still believe that the Department's findings are in error, I will be happy to review any evidence you have. Otherwise, because your point of diversion is in a location other than your permit allowed, you must complete your **Application for Amendment** before the Department can issue a license for your water development. Please submit your amendment within fourteen (14) days.

You also expressed concern that water right licenses 98-07373C and 98-07373D were issued with points of diversion at Govt. Lot 3 (NWSW) of Sect. 18, T62N, R2E. Our records show that the owners of those rights were notified in 1991 that they can change their legal points of diversion through the water right transfer process. Neither has done so yet.

RECEIVED
MAR 30 1995

Sandra Koehn
Permit 98-07680
December 7, 1994
Page 2

If you have any questions, please contact me at 208-327-7946 in Boise.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

SWK

Enclosures:

- Copy of Application for Permit
- Copy of Permit
- Copy of Beneficial Use Field Report

31-1994
DEC 9 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 28, 1994

THOMAS KOEHN
HCR 85 BOX 171-K
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07680

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact me. My telephone number is (208) 327-7947.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

MAR 30 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 28, 1994

THOMAS KOEHN
HCR 85 BOX 171-K
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07680

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Jim Johnson'.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

RECEIVED
MAR 30 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 98-07680 DATE 10-26-1994

NAME	Yes <u> </u> No <u>✓</u>	Or Address Change?
PRIORITY DATE	<u> </u> <u>✓</u>	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	<u> </u> <u>✓</u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u>✓</u> <u> </u>	Amendment needed? <u>Change to NESW - NO GOV LOT</u> Overlaps? <u>98-07373 C, D, + E</u>
PLACE OF USE	<u> </u> <u>✓</u>	Amendment needed? <u>Add GOV LOT 3</u> Overlaps? <u> </u>
DIV RATE	<u> </u> <u>✓</u>	Permit/fee limits: <u>.04 CFS</u> Meas Q = <u> </u> Theo Q = <u>.06 CFS</u> Recommend: <u>.04</u> <u>Standard @ .04</u> Combined rates exceed capacity <u>YES - CONDITION</u>
ANNUAL VOLUME	<u> </u> <u>✓</u>	Season of use: <u>1-1 to 12-31</u> Calculations: <u>INT/EXT @ 1.2</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u>NO</u>
USES	<u> </u> <u>✓</u>	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
REMARKS	<u>WB 1 & WB 36 (EDIT)</u>	Multiple p/d(s) in 1/4 1/4? <u> </u> Other <u>98-07373 C/D/E</u>
CONDITIONS	<u> </u> <u>✓</u>	Measuring/Locking Devices <u> </u> Watermaster control - District <u> </u> Irrigation Overlap <u> </u> Water Quality <u> </u> Other <u> </u> Heat/Cool/ Fish verified <u> </u>
COMMENTS:	<u>Verified p/d location with overlapping licenses.</u> <u>AMEND P/D</u>	

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NA</u>
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>	Adjustment Memo Needed	<u>NO</u>
			LICENSE	
			1ST AMENDMENT LETTER	<u>P39 + P38</u>
			FINAL AMENDMENT LETTER	<u>P47</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 30 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 98-07680

1. Owner: THOMAS KOEHN Phone No. (208) 267-7422

Current Address: HRR 85 BOX 171 K BONNERS FERRY, ID 83805

2. Accompanied by: THOMAS KOEHN EXAM DATE: 7-22-93

Address: SAME Phone No. SAME

Relationship to Permit Holder: OWNER

3. Source: FRY CREEK tributary to KOOTENAI RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: 98-07373

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
(BC) 03			NE	SW	18	62N	2E	BOUNDARY	U.S.G.S. TOPO., MEESKE-12

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
62N	2E	18									D								

MAR 30 1995

(BC)

MAR 30 1995

NONE

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		2HP		CYCLONE	SUBMERSIBLE PUMP

4.

Scale: 1" = _____
X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
X Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

F.R. CRELLIN
P.B.

E. NARRATIVE/REMARKS/COMMENTS

THE POINT OF DIVERSION IS CLEARLY
IN THE NESW ¼ SEC. 18, T. 62N, R. 02E.

THE POINT OF USE IS ON THE LEGAL
DISCRIPTION GIVEN.

Have conditions of permit approval been met? ☒ yes ☐ no

MAR 30 1995

SEAL

Reviewer

Date _____

Field Examiner's Name _____

Don M. Kunz Date 8-16-93

I. AUTHENTICATION

Change P.D. as reflected above

Add P.D. as reflected above _____
 Add P.U. as reflected above _____
 None _____
 Other _____

2. Recommended Amendments

Beneficial Use	From Period of Use To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
POMESTIC	01-01 12-31	0.04	1.2
Totals:		0.04	1.2

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

NON F

$V =$ Smaller of V_{LR} and $V_{DR} =$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times [\text{Days in Irrigation Season}] \times 1.9835 =$$
$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:


→ NOT


Measured Method:

Answer

Additional Computation Sheets Attached

F. FLOW CALCULATIONS






T62N R2E

MAR 20 1995

#98-07680

MR. KOEHN
HOME
(P.U.)



SYSTEM HOLDING
TANK 7000 GAL.



RECEIVED
MAR 30 1995

● #98-07680



MR. KOEHN'S
P. D. OUT OF
FRY CREEK



MR. KOEHN'S
STILL WELL FOR THE
SUBMERGIBLE PUMP



RECEIVED
FBI
JUL 20 1995

February 5, 1993

THOMAS KOEHN
HCR 85
BONNERS FERRY ID 83805

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 98-07680

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECORDED

MAY 24 1993

November 30, 1992

THOMAS KOEHN
HCR 85
BONNERS FERRY ID 83805

PROOF DUE NOTICE

RE: PERMIT NO. 98-07680

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

MAY 24 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 22, 1991

THOMAS KOEHN
HCR 85
BONNERS FERRY, ID 83805

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 98-07680

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

FEB 08 1991

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

Carol Arthur being first duly sworn on oath
deposes and says that he/she is Manager
of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the
hereto attached notice of publication in the case of:

#98-07678, 07679 + 07680

#1722

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 17 day of Oct, 19 90
and ending on the 24 day of Oct, 19 90
and that said notice was published in said newspaper.

Dated: October 25, 1990

Carol A. Arthur

Subscribed and sworn to before me this 25 day
of Oct, 19 90.

Anna Thomas
Notary Public for Idaho

Residing at Bonners Ferry

My Commission expires: 12-1-1994

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

98-07678
BRUSSMAN, JOHN A.
BRUSSMAN, MARTHA
P.O. BOX 8
BONNERS FERRY, ID 83805
Source: GROUNDWATER
Diversion Pt: SESW Sec 3 T 61N R
03E

Use: IRRIGATION (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.060 CFS)

Dated Filed: 9/27/1990
In: T61N R03E S03 SESW
2.0 ACRES TOTAL

98-07679
CITY OF MOYIE SPRINGS
P.O. BOX 573
MOYIE SPRINGS, ID 83845
Source: GROUNDWATER
Diversion Pt: NWSE Sec 15 T 62N R
02E
Use: MUNICIPAL (1.340 CFS)
Total Diversion: (1.340 CFS)

Date Filed: 10/1/1990
In: The place of use is located within
the city limits of Moyie Springs.

98-07680

KOEHN, THOMAS
HCR 85
BONNERS FERRY, ID 83805
Source: FRY CREEK Tributary:
KOOTENAI RIVER

Diversion Pt: LOT 3 (NWSW) Sec 18
T 62N R 02E

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 9/28/1990
In: T62N R02E S18 NWSW

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or

before NOVEMBER 5, 1990.
R. Keith Higginson, Director

1722 October 17, 24, 1990

MAILED
FEB 08 1991

RECEIVED
OCT 26 1990
NORTHERN REGION
IDWR

98-07680

KOEHN, THOMAS
HCR 85
BONNERS FERRY, ID 83805

Source: FRY CREEK

Tributary: KOOTENAI RIVER

Diversion Pt: LOT 3 (NWSW) Sec 18 T 62N R 02E

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 9/28/ 1990

In: T62N R02E S18 NWSW

RECORDED

FEB 08 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

APPROPRIATION APPLICATION ACKNOWLEDGEMENT

Re: Water Appropriation Application

98-07680

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho, as well as the required appropriation filing fee, for which your Receipt is enclosed. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.


If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. You will be notified by mail of the Directors decision.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

Enc: Receipt

FEB 06 1988