

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



PERMIT # 98-07651

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

PD



Pumphouse



Pumphouse



RECEIVED
SEP 01 1993

PD

Pumphouse



Pumphouse



SEP 01 1993

PD

Pumphouse

Pumphouse



SEP 01 1993

PERMIT # 98-07651

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

pu



pu



pu

RECEIVED
SEP 01 1993



E

Royal
R
R

pu

pu

pu

RECEIVED
SEP 01 1993



pu

pu

pu

RECEIVED

SEP 01 1993



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07651

Priority: February 2, 1989

Maximum Diversion Rate:

0.10 CFS

Maximum Diversion Volume:

3.4 AF

This is to certify, that CONSOLIDATED FARMS INC
DBA ELK MOUNTAIN FARMS
ONE BUSCH PLACE
701 LYN
ST LOUIS MO 63118

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated February 2, 1989; and
has submitted Proof of Beneficial Use on September 24, 1990. An examination indicates
that the works have a diversion capacity of .100 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.10 CFS	3.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSESW , Sec. 8, Township 65N, Range 01W
BOUNDARY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

65N 01W 7

NESE

SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 1 dwelling, 1 maintenance shop, and 8 apartments.

MICROFILMED

SEP 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07651

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9th
day of AUGUST, 1993.

Acting for *Norman O'Young*
R. Keith Higginson, Director

SEP 01 1993

APPROVED

State of Idaho
Department of Water Resources

RECEIVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 98-07651

JUL 06 1993
Department of Water Resources

Date of Priority: February 2, 1989

Maximum Diversion Rate:
Maximum Diversion Volume:

0.10 CFS
3.4 AF

Comes now
DBA ELK MOUNTAIN FARMS
ONE BUSCH PLACE
701 LYN
ST LOUIS MO 63118

CONSOLIDATED FARMS INC

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 98-07651, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.10 CFS	3.4 AF
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NWSESW, Sec. 8, Township 65N, Range 01W BOUNDARY County	
<u>PLACE OF USE:</u> DOMESTIC			
<u>TWN RGE SEC</u>			
65N 01W	7	NESE	SESE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this _____ day of _____, 19____.

RECEIVED

SEP 01 1993


(Signature)

V.P. & G.M.

6-28-93

State of Idaho
Department of Water Resources

RECEIVED

JUL 06 1993

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 98-07651

FOR DEPARTMENT USE ONLY

Preliminary check by BC Fee \$20.00 Receipted by CH # C028275 Date 8/3/93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 98-07651 with the following;

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 1 dwelling, 1 maintenance shop, and 8 apartments.

Witness my hand this 9TH day of August, 1993.


Acting for R. Keith Higginson, Director

RECEIVED

SEP 01 1993



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE



The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 98-7651 Telephone No. 314/577-9970

Name(s) of Permit Holder(s): Consolidated Farms, INC. (d/b/a Elk Mt. Farms, Inc.)

Post Office Address: One Busch Place (701 Lyn.), St. Louis, MO 63118

Source of Water: Groundwater

If ground water, well driller's name: United Drilling Date drilled: Mar 1989

Extent of Use:
Domestic 11 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .1 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: June 6, 1990

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? X Yes No

OR

Flow Measurement Port: Required? X Yes No Installed? Yes No

Fee Enclosed: \$ 50. (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Brad Studer or Richard Boisselle 208/267-8569
Name Telephone No.

P. O. Box R, Bonners Ferry, ID 83805
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 23 1991

9/19/90
Date

Donald W. Klett President, Consolidated Farms, Inc
Signature (and title if on behalf of a company or organization)

RECEIVED

APR 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$15 FEE Received by J. Miller
Date 4-30-90
Receipt # 0016599

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 98-07651Name(s) of Permit Holder: Consolidated Farms, Inc. (dba Elk Mountain Farms)Post Office Address: One Busch Place (701 Lyn) St. Louis, Mo. 63118Telephone No. 314-577-9970Date Proof is Due: June 1, 1990Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)The well is drilled. The permanent pump has not been installed. The distribution piping
is currently being installed. There is also no electrical power at the well.Costing \$ 6,078 (cost of well)

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The total project has not yet been completed. The housing units where the groundwater
will be used are currently being constructed per project schedule.Permit holder(s) request an extension to June, 19 92.
(1 yr. minimum)Donald W. Kluth
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time in which to submit proof of beneficial use is extended to June 1, 1992.

Signed this 4 day of June, 19 90.J. Allen Saxton
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

Consolidated Farms, Inc.
d/b/a - Elk Mountain Farms

1. Name of applicant _____ Phone (314) 822-6565

Post office address 12855 Flushing Meadow Dr., Suite 200 B, St. Louis, MO 63131

2. Source of water supply Groundwater which is a tributary of Columbia River

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____

Sec. 8 Township 65 N Range 1W B.M. BOUNDARY County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount <.1 cfs for Domestic purposes from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) <.1 cfs and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP - JK 2-2-89

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8" inches; proposed depth of well is 300 feet.

d. Is ground water with a temperature of greater than 90°F being sought?

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED
JUL 18 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1-3 BR Manager's House, 8-3 BR Migrant Hsg Units,
1-Maintenance Office
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
65	N 1W	7															D	D	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? _____


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

JUL 18 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

4 JK-2-2-89

JUL 13 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald W. Kloth

(Applicant)

Donald W. Kloth, President
Consolidated Farms, Inc.

Proposed Priority 2/2/89

Received by JK Date 1:50 PM Time 2/2/89 Preliminary check by JK

Fee \$ 30.00 Receipted by JK # N 2297 Date 2-2-89

Publication prepared by JK Date 2/8/89 Published in Commonwealth

Publication approved JK Date 3/2/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7651, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 9th day of May, 1989.

J. Glen Saylor

MICROFILMED

JUL 18 1989

CONSOLIDATED FARMS, INC.

OFFICERS

Raymond E. Goff	Chairman of the Board and Chief Executive Officer
Donald W. Kloth	President
David R. Long	Vice President and General Manager
Paul H. Hoskins	Secretary
JoBeth G. Brown	Assistant Secretary
Gerald C. Thayer	Treasurer
Richard N. Hill	Assistant Treasurer
Albert R. Wunderlich	Tax Controller

DIRECTORS

Raymond E. Goff
Patrick T. Stokes
Donald W. Kloth
Louis L. Werner
David R. Long

The address for the officers and directors is:

One Busch Place
St. Louis, Missouri 63118

MICROFILMED

JUL 18 1989

EFFECTIVE 4/16/86

42-1L

~~MICROFILMED~~

~~JUL 29 1988~~

COPY
FROM FILE
98-7632.
kw
5/1/89



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 9, 1993

CONSOLIDATED FARMS INC
DBA ELK MOUNTAIN FARMS
ONE BUSCH PLACE
701 LYN
ST LOUIS MO 63118

RE: WATER RIGHT NO. 98-07651

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

UNRECORDED

SEP 01 1993



**Busch Agricultural
Resources, Inc.**

ONE OF THE ANHEUSER-BUSCH COMPANIES

RECEIVED

AUG 2 1993

Department of Water Resources

July 22, 1993

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

RE: WATER RIGHT NOS. 98-07631 & 98-07651

Dear Ms. Chapman:

Enclosed please find a check for \$40.00 for the licensing of the water rights permits for Elk Mountain Farms located in Bonners Ferry, Idaho. I apologize for not having included the payment with the signed licensing amendments.

I hope that this will complete all the actions necessary to allow for the issue of the water licenses. If you need anything else or have any questions, please contact me.

Thank you for your assistance in this matter.

Sincerely,

Theresa Lanctot
Environmental/Operations Engineer

cc: Tom Tangaro
Mike Wood
Jerry Wolkowitz

UNRECORDED

SEP 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

July 8, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

THERESA LANCTOT
BUSCH AGRICULTURAL RESOURCES INC
1010 MARKET ST 20TH FLOOR
ST LOUIS MO 63101

RE: WATER RIGHT NOS. 98-07631 & 98-07651

Dear Ms. Lanctot:

We received the signed licensing amendments for the above referenced permits; however, the \$20.00 filing fee for each amendment was not enclosed. For your reference, I will enclose copies of the original amendment letters that reflect the amount due for each permit.

Please return the \$40.00 within 15 days to prevent any further undue delay in licensing these permits. Since I am the one reviewing your permits, please send the payment to my attention and it will help expedite the process.

Thank you for your assistance and if you have any questions, feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Brenda L. Chapman".

BRENDA L. CHAPMAN
Water Resource Agent

Enclosures

MICROFILMED

SEP 01 1993



**Busch Agricultural
Resources, Inc.**
ONE OF THE ANHEUSER-BUSCH COMPANIES

RECEIVED
JUL 06 1993
Department of Water Resources

June 29, 1993

Jim Johnson
State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

RE: WATER RIGHT NO. 98-07631 & 98-07651
ELK MOUNTAIN FARMS

Dear Mr. Johnson:

Enclosed please find the signed amendments for water rights nos. 98-07631 & 98-07651. We are very interested in continuing the permit process to obtain a water license for these two water rights.

If you have any questions or need any additional assistance, please do not hesitate to contact me.

Sincerely,

Theresa Lancot
Environmental/Operations Engineer

cc: Tom Tangaro
Mike Wood
Jerry Wolkowitz
Brad Studer

RECEIVED

SEP 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 22, 1993

CONSOLIDATED FARMS INC
DBA ELK MOUNTAIN FARMS
ONE BUSCH PLACE
701 LYN
ST LOUIS MO 63118

RE: WATER RIGHT NO. 98-07651

Dear Water Right Holder(s):

We previously forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received the amendment. If we do not receive it within fifteen (15) days, we will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced.

If you have any questions, please contact us.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

SEP 01 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 24, 1993

CONSOLIDATED FARMS INC
DBA ELK MOUNTAIN FARMS
ONE BUSCH PLACE
701 LYN
ST LOUIS MO 63118

RE: WATER RIGHT NO. 98-07651

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
SEP 01 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 98-7651
Phone No. 314 577-9970
EXAM. DATE: 7/6/92
Phone No. 267-8569

1. Owner: Consolidated Farms, DBA Elk Mtn. Farms
Current Address: One Busch Place (701 Lyn), St. Louis, MO 63118
2. Accompanied by: Brad Studer
Address: P.O. Box R, Bonners Ferry, ID 83805
Relationship to Permit Holder: Works at Elk Mtn. Farms
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

SEP 01 1993

Scale: 1" = NOT

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Water from the well is pumped to (3) 40 gallon tanks with a 7.5 hp pump where it is delivered to 1 domestic w/lawn, 1 maintenance shop, 8 apts for 48 workers.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Hitachi	7.5	689154E		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		N	W	E	S	08	65N	01W	Boundary Map

6. **Place(s) of Use:**

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
65N	01W	08																	
		07													0			0	

MICROFILMED

Do not use this space

SEP 01 1993

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{(8.8)(0.7)(7.5)}{(2.31)(60PSG) + 35} = 0.27 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

well produces $\approx 40^T \text{ GPM}$
 $\approx 1.0 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 domestic w/ lawn $\approx 1.2 \text{ AF}$
 $(48 \text{ workers})(40 \frac{\text{gal}}{\text{day}})(885 \text{ day/yr}) \approx 2.15 \text{ AF}$
 1 maintenance shop w/ 2 workers $(15 \frac{\text{gal}}{\text{day}}) \approx .03 \text{ AF}$

MICROFILMED

SEP 01 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	~~1.0~~ 10 cfs	3.38 AF
Totals:			~~1.0~~ 10 cfs	3.38 AF 3.4

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Robert Knoblock

Signature

Robert Knoblock

Certification Date

Field Report Preparation Date

7/6/92


CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECORDED

SEP 01 1993

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 98-07651

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 65 N, Rge. 1W Sec. 8, ~~SE~~ SW $\frac{1}{4}$ Gov. Lot _____

2. Owner: Consolidated Farms DBA Elk Mountain Farms

Address: One Busch Place (701 Lgn.), ~~St. Louis~~

City St. Louis, State MO ~~63118~~ 63118

3. Casing $\geq$ 12 inches above ground: Yes _____ No _____

4. Access Port: Y ☒ N _____
Pressure Gauge: Y ☒ N _____
Flowing: Y _____ N ☒

Static Water Level: 35
Casing Diameter: 8"
Temperature: cold


5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y _____ N _____

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : well log attached

MICROFILMED
SEP 01 1993

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>ANHEUSER BUSCH CO'S Inc./Tavern Farm</u> Address <u>PO BOX R BONNERS FERRY, ID 83805</u> Owner's Permit No. <u>98-89-N-2</u> 2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log) 3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) 4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____ 5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>8</u> inches</td> <td><u>1.5</u> feet</td> <td><u>86</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>30</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ clay Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____ 6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name <u>Mine REFINED</u> Lot No. <u>SEP 1 1993</u> County <u>BOUNDARY</u> <u>S.W. 1/4 Sec. 8 T. 65 N.S.R. 1 E(W.)</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>8</u> inches	<u>1.5</u> feet	<u>86</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	7. WATER LEVEL Static water level <u>35</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>cold</u> °F. Quality <u>excellent</u>. Describe artesian or temperature zones below. 8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>40+</u></td> <td><u>300</u></td> <td><u>1hr</u></td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table> 9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Bore Diam.</th> <th>Depth From</th> <th>To</th> <th>Material</th> <th>Water Yes/No</th> </tr> </thead> <tbody> <tr> <td><u>10</u></td> <td><u>0</u></td> <td><u>5</u></td> <td><u>top soil</u></td> <td><u>X</u></td> </tr> <tr> <td><u>10</u></td> <td><u>5</u></td> <td><u>64</u></td> <td><u>silt</u></td> <td><u>X</u></td> </tr> <tr> <td><u>8</u></td> <td><u>64</u></td> <td><u>81</u></td> <td><u>clay, brown</u></td> <td><u>X</u></td> </tr> <tr> <td><u>8</u></td> <td><u>81</u></td> <td><u>110</u></td> <td><u>shale, fractured</u></td> <td><u>XX</u></td> </tr> <tr> <td><u>8</u></td> <td><u>110</u></td> <td><u>210</u></td> <td><u>shale, hard</u></td> <td><u>XX</u></td> </tr> <tr> <td><u>8</u></td> <td><u>210</u></td> <td><u>300</u></td> <td><u>granite, hard green</u></td> <td><u>X</u></td> </tr> <tr> <td colspan="5"><u>NOTE: well to be lined prior to pump installation, Spring 1989</u></td> </tr> <tr> <td colspan="5"><u>240' 6" PVC, PERE 240-300'</u></td> </tr> <tr> <td colspan="5"><u>RECEIVED MAR 8 8 1991 NORTHERN REGION IDWR</u></td> </tr> </tbody> </table> 10. Work started <u>2/23/89</u> finished <u>2/24/89</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>UNITED DRILLING inc.</u> Firm No. <u>414</u> <u>PO 2499</u> Address <u>Coeur d'Alene, ID</u> Date <u>2/27/89</u> Signed by (Firm Official) <u>E. W. R. Vally</u> and (Operator) <u>Jim R. Vally</u>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>40+</u>	<u>300</u>	<u>1hr</u>	_____	_____	_____	_____	_____	_____	Bore Diam.	Depth From	To	Material	Water Yes/No	<u>10</u>	<u>0</u>	<u>5</u>	<u>top soil</u>	<u>X</u>	<u>10</u>	<u>5</u>	<u>64</u>	<u>silt</u>	<u>X</u>	<u>8</u>	<u>64</u>	<u>81</u>	<u>clay, brown</u>	<u>X</u>	<u>8</u>	<u>81</u>	<u>110</u>	<u>shale, fractured</u>	<u>XX</u>	<u>8</u>	<u>110</u>	<u>210</u>	<u>shale, hard</u>	<u>XX</u>	<u>8</u>	<u>210</u>	<u>300</u>	<u>granite, hard green</u>	<u>X</u>	<u>NOTE: well to be lined prior to pump installation, Spring 1989</u>					<u>240' 6" PVC, PERE 240-300'</u>					<u>RECEIVED MAR 8 8 1991 NORTHERN REGION IDWR</u>				
Thickness	Diameter	From	To																																																																																												
<u>250</u> inches	<u>8</u> inches	<u>1.5</u> feet	<u>86</u> feet																																																																																												
_____ inches	_____ inches	_____ feet	_____ feet																																																																																												
_____ inches	_____ inches	_____ feet	_____ feet																																																																																												
_____ inches	_____ inches	_____ feet	_____ feet																																																																																												
Number	From	To																																																																																													
_____ perforations	_____ feet	_____ feet																																																																																													
_____ perforations	_____ feet	_____ feet																																																																																													
_____ perforations	_____ feet	_____ feet																																																																																													
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																													
<u>40+</u>	<u>300</u>	<u>1hr</u>																																																																																													
_____	_____	_____																																																																																													
_____	_____	_____																																																																																													
Bore Diam.	Depth From	To	Material	Water Yes/No																																																																																											
<u>10</u>	<u>0</u>	<u>5</u>	<u>top soil</u>	<u>X</u>																																																																																											
<u>10</u>	<u>5</u>	<u>64</u>	<u>silt</u>	<u>X</u>																																																																																											
<u>8</u>	<u>64</u>	<u>81</u>	<u>clay, brown</u>	<u>X</u>																																																																																											
<u>8</u>	<u>81</u>	<u>110</u>	<u>shale, fractured</u>	<u>XX</u>																																																																																											
<u>8</u>	<u>110</u>	<u>210</u>	<u>shale, hard</u>	<u>XX</u>																																																																																											
<u>8</u>	<u>210</u>	<u>300</u>	<u>granite, hard green</u>	<u>X</u>																																																																																											
<u>NOTE: well to be lined prior to pump installation, Spring 1989</u>																																																																																															
<u>240' 6" PVC, PERE 240-300'</u>																																																																																															
<u>RECEIVED MAR 8 8 1991 NORTHERN REGION IDWR</u>																																																																																															

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

PERMIT # 98-07651


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

PA

Pumphouse

Pumphouse




SEP 01 1993

PD

Pumphouse

Pumphouse



SEP 01 1993

PD

Pumphouse

Pumphouse



SEP 01 1993

PERMIT # 98-07651

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

pu



pu



pu




SEP 01 1993

pu

pu

pu

SEP 01 1993



pu

pu

pu

SEP 01 1993



CONSOLIDATED FARMS INC
DBA ELK MOUNTAIN FARMS
701 LYN
ONE BUSCH PLACE
ST LOUIS MO 63118

February 12, 1991

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 98-07651

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

APR 23 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 98-7651

Date 12-21-90

GENERAL CONSIDERATIONS

Y Name same as permit?
Y Address same as permit? If no, prepare data entry form.
Y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

Y Surface water source
Y Ground water source
Y Drill permit req'd?
N Copy in file? Drill permit no. 98-89-N-2
Y Well log in file?
Y Amt paid for drilling permit? Correct?

LICENSE EXAMINATION FEE

Y Required?
50 Amount submitted?
Y Correct amount?

MEASURING DEVICE

N Measuring device or access port required?
Y Installed?
Y Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

- check out drill permit compliance

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	- <u> </u>
No. of days late	<u> </u>	= <u> </u>
Priority date	<u> </u>	+ <u> </u>
NEW PRIORITY DATE	<u> </u>	= <u> </u>

Drilling Permit No. 98-89-N-2
Water Permit No. _____
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED

JAN 16 1989

(Authorizing Construction of a Well)* Department of Water Resources

1. Applicant Tavern Farm / Anheuser Busch Agricultural Resources, Inc.

2. Address P.O. Box R
Bonniers Ferry, ID 83805 Telephone 267-3622

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 8, Twp. 65N, Rge. 1W, County Boundary,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)

☒ Domestic () Stockwater () Monitoring

() Irrigation () Industrial () Municipal

() Injection () Other, Specify Possible domestic service, drinking
And sanitation only.

5. Well construction information:

☒ New well () Deepen () Replace

Proposed surface diameter 8" Maximum depth unknown
Anticipated bottom hole temperature: _____

☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)

6. Anticipated construction start date Jan 18, 1989

7. Well Driller (if known) United Drilling, Inc.

Address P.O. Box 2499 Coeur d'Alene, ID

8. Applicant's signature Fred Blount

Title Field Representative

Date Jan 11, 1989

FILED

APR 23 1991

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 12 day of January, 1989.

Signed

David D. Lard

Title

MICROFILMED

Received by DL

Fee

\$10

Date

1/12/89

APR 23 1991

Receipt No.

N002247

Construction start extension to

Extension approved by

July 25, 1990

Steven C. Wetzel
EVANS, REANE, KOONTZ, BOYD, SIMKO & RIPLEY
P. O. Box 959
Boise, ID 83701-0959

Dear Mr. Wetzel:

Re: Permit No. 98-7651

The department received your letter of June 6, 1990 along with the Request for Extension of Time showing the original signature of Bradley W. Studer. I've included the form in the file.

Enclosed for your information is a copy of the Request for Extension of Time the department took action on. Proof of beneficial use is due on June 1, 1992.

If you have questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

APR 23 1991

EVANS, KEANE, KOONTZ, BOYD, SIMKO & RIPLEY

A PARTNERSHIP INCLUDING A PROFESSIONAL CORPORATION

ATTORNEYS AT LAW

FIRST INTERSTATE PLAZA, SUITE 301

505 FRONT AVENUE

COEUR D'ALENE, IDAHO 83814

(208) 664-9287

COEUR D'ALENE OFFICE:

FRED M. GIBLER
CHARLES L. A. COX
STEVEN C. WETZEL
ROBERT J. FASNACHT

KELLOGG OFFICE:


WILLIAM F. BOYD
FRED M. GIBLER
CHARLES L. A. COX
JOHN O. COSSEL
111 MAIN STREET
P. O. BOX 659
KELLOGG, IDAHO 83837-0659
(208) 784-1105
TELECOPY (208) 783-7601

BOISE OFFICE:

BLAINE F. EVANS
ROBERT J. KOONTZ
LARRY D. RIPLEY
REX BLACKBURN
BRUCE C. JONES
BARTON L. KLINE
JED W. MANWARING
JAMES D. HOVREN
C. NICHOLAS KREMA
BRETT T. DELANGE
BETTY H. RICHARDSON
DAVID W. GRATTON
JON M. BAUMAN
SPENCER M. REESE

June 6, 1990

Mr. Bob Haines
Department of Water Resources
Northern District
1910 Northwest Blvd.
Coeur d'Alene, ID 83814



SUITE 1701, WEST ONE PLAZA
101 S. CAPITOL BLVD.
P. O. BOX 959
BOISE, IDAHO 83701-0959
(208) 384-1800
FACSIMILE (208) 345-3514

Dear Mr. Haines:

Enclosed please find Request for Extension of Time showing the original signature of Bradley W. Studer. As you recall, the request delivered to your office on May 31, 1990, contained a fax of Brad's signature and my original signature. The enclosed document shows two original signatures. Thanks.

Sincerely,

A handwritten signature in dark ink, appearing to read "Steven C. Wetzel".

STEVEN C. WETZEL

SCW/t1
Enc.


RECEIVED
JUN 11 1990

Department of Water Resources

RECEIVED

APR 23 1991

Form 204
4/86



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by _____
Date _____
Receipt # _____

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 98-07651

Name(s) of Permit Holder: Consolidated Farms, Inc., d/b/a Elk Mountain Farms, Inc.

Post Office Address: 12855 Flushing Meadow Dr., Suite 200B

St. Louis, MO 63131

Telephone No. (314) 577-2432 (Environment Office)
(208) 664-9287 (Attorney)

Date Proof is Due: June 1, 1990

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

- Well was drilled to excess of 300 feet

- Pump was purchased and installed

- Electrical service was purchased and installed

- Water lines installed for use

Costing \$ In excess of \$40,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The utility, Northern Lights, has not completed the final phase of
the electrical service.

ELK MOUNTAIN FARMS

Permit holder(s) request an extension to June 1, 19 91
(1 yr. minimum)

By: Bradley W. Hinder

(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES
EVANS, KEANE, KOONTZ, BOYD,
SIMKO & RIPLEY

IT IS HEREBY ORDERED that the above request for extension of time be

APR 23 1991

By: Steven C. Wetzel

Steven C. Wetzel
Attorney for Elk
Mountain Farms

Signed this _____ day of _____, 19 _____.

WHITE - State Auditor
YELLOW - Remittance Advice
PINK - State Auditor then Agency
GOLDENROD - Agency Copy

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

Date	9306
Date	06/06/90
Code	193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

PAY
TO

CONSOLIDATED FARMS, INC
DBA ELK MOUNTAIN FARMS
ONE BUSCH PLACE
ST. LOUIS, MO 63118

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE
() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	06 50 199	1238	8831		REFUNDS PER RITA FLECK WR #98-7651 6/ 5/90 15.00	15.00	
						15.00	

MICROFILMED
APR 23 1991

NOTE: Final payment must be accompanied by a receiving copy

TOTAL

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor

June 5, 1990

Consolidated Farms, Inc.
dba Elk Mountain Farms
One Busch Place
St. Louis, MO 63118

Gentlemen:

Re: Permit No. 98-7651

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to June 1, 1992.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

In addition, the department actually received two requests for extension of time forms along with two \$15 filing fees. One of the forms and fees was submitted by Steven C. Wetzel of the firm of Evans, Keane, Koontz, Boyd, Simko and Ripley. The department has taken action on one form you submitted and is returning the second form to you. A refund will be prepared and mailed to you at a later date for the \$15 filing fee.

If you have any questions, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

c: Acct. Sec.

MICROFILMED

APR 23 1991

MEMORANDUM

DATE: June 5, 1990

TO: FISCAL SECTION

FROM: Nina Shields or Rita Fleck

RE: REFUND - Permit No. 98-7651

Please prepare a refund of \$15.00 (receipt No. N003798). Attached is a copy of a letter which explains why the refund is necessary.

Also, please reference the identification number on any papers returned to me for the file. Thanks.

Attachments: letter
receipt

APR 23 1991

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 98-7651

Reviewed by *[Signature]*

Date 6-1-90

BASIC INFORMATION

y Date stamp received
y Extension received timely (not too early not too late)
y Fee received and receipted
y Name and signature same as permit
y Address change

BASIS FOR EXTENSION REQUEST

y Has adequate work been completed to demonstrate due diligence?
y Has the cost incurred been adequate to demonstrate an intent to complete the project?
 _____ Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

_____ Is delay by a government agency?
 _____ Is supporting documentation needed to complete the file? _____
 _____ Requested? _____

ACTION TAKEN - *Recommend approval based on due diligence for 2 years*

N/A Reinstate Date extension received _____ = _____
 Proof due date _____ = -
 No. of days late _____ = _____
 Priority date _____ = +
 ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

_____ Change proof due date _____ Address change
 _____ Priority date change

CONSOLIDATED FARMS INC.
DBA Elk Mountain Farms
12855 Flushing Meadow Dr.
Suite 200 B
St. Louis, MO 63131

138599
March 31, 1990

PROOF DUE NOTICE

RE: PERMIT NO. 98-07651

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

APR 23 1991

FROM

J. J.

DATE

10/5/89

TO

File # 98-7651

SUBJECT

Please carbon copy any correspondence regarding
action of this file to:

Steven C. Wetzel, Attorney at Law
505 Front Avenue

Coeur d'Alene, ID 83814

INDEXED
FILED


APR 23 1991

Shant

J. J.

SIGNATURE

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



MICROFILMED
JUL 16 1989

Check the
#1 Busch Place
St. Louis, MO
63118

Per Boundary
County Assessor:

ANK
3128

98-07651
CONSOLIDATED FARMS INC.
DBA ELK MOUNTAIN FARMS
12855 FLUSHING MEADOW DR.
ST. LOUIS MO 63131

RECEIVED
JUN 05 1989

Department of Water Resources

delivered to
wrong suite

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 10, 1989

CONSOLIDATED FARMS INC.
DBA ELK MOUNTAIN FARMS
12855 FLUSHING MEADOW DR.
SUITE 200 B
ST. LOUIS, MO 63131

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 98-07651

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED
JUL 18 1989

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JK DATE: 2-2-89 APPLICATION: 98-7651

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use:
☒ Nature of proposed use: (Include description of use)
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
☒ Fee:
☐ yes ☒ No* In form to receipt:

ADDITIONAL INFORMATION

- | YES | NO |
|--|--------------------------|
| ☒ | ☐ |
| Overlapping place of use: (Describe source & relationship to present application on the back.) | |
| ☒ | ☐ |
| Overlapping point of diversion: | |
| ☒ | ☐ |
| Field check required: Field check by: _____ | |
| ☒ | ☐ |
| Field report attached: | |
| ☒ | ☐ |
| Critical groundwater area: | |
| ☒ | ☐ |
| Groundwater management area: | |
| ☒ | ☐ |
| Send dam safety information: | |
| ☒ | ☐ |
| Send power requirement letter: | |
| ☒ | ☐ |
| Send fish farm requirement letter: | |
| ☒ | ☐ |
| Power residency affidavit: | |
| ☒ | ☐ |
| Power efficiency form: | |
| ☒ | ☐ |
| Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.) | |
| ☒ | ☐ |
| Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) | |
| ☒ | ☐ |
| *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT | |

DATE REQUESTED: _____

☒ Additional information on reverse side:

MICROFILMED

RECEIVED

MAR 23 1989

Department of Water Resources

6861 81 106
MICROFILMED

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☒ I.D. Health and Welfare
☒ I.D. Fish and Game
☒ I.D. Lands
☒ Adjudication Bureau

YES NO

- ☒ U.S. BLM
☒ U.S. Forest Svc.
☒ Water District #
☒ Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 3/6/89
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached:
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District #
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information
Recommended Date of Priority 2/2/89
Recommended by: QVA Date 3/22/89

STATE OFFICE REVIEW

P23 P16 46 04

See below for additional information. By KW Date 5/2/89

ADDITIONAL INFORMATION

Overlap Review Conducted ☒ yes ☐ no (If no, explain)

MICROFILMED
JUL 18 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Dear Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit.

This office is currently in the process of advertising the application in the local county newspaper. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your receipt for the fee involved in filing this application.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enc. - Receipt

MICROFILMED

JUL 18 1989

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Boundary,

Dan Dreyer being first duly sworn on oath
deposes and says that he/she is Editor

of the Bonners Ferry Herald, a newspaper printed and
published at Bonners Ferry, Boundary County, Idaho; that
the said newspaper has been continuously and
uninterruptedly published in said Boundary County during
a period of 12 months prior to the first publication of the

hereto attached notice of publication in the case of:

Applications for Water rights
#1183

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 15 day of Feb, 1989
and ending on the 22 day of Feb, 1989
and that said notice was published in said newspaper.

On this 23 day of Feb in the year
of 1989, before me, a Notary Public, personally
appeared Dan Dreyer,

known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Anna Thomas
Notary Public for Idaho

Residing at Bonners Ferry

My commission expires: 12-1-1994

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

98-07651

CONSOLIDATED FARMS INC.
DBA ELK MOUNTAIN FARMS
12855 FLUSHING MEADOW DR.
SUITE 200 B
ST. LOUIS, MO 63131
Source: GROUNDWATER
Diversion Pt: NWSESW Sec 8 T 65N
R 01W
Use: DOMESTIC (.100 CFS)
Date Filed: 2/02/1989
In: T65N R01W S07 SWSE SESE

98-07652

MAY, GARY E.
699 E. SOUTH TEMPLE #220
SALT LAKE CITY, UT 84102
Source: SMITH CREEK Tributary:
KOOTENAI RIVER
Diversion Pt: NWNE Sec 26 T 65N R
02W
Use: IRRIGATION (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 2/06/1989
In: T65N R02W S26 NWNE

1.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before MARCH 6, 1989.

R. Keith Higginson, Director

#1183 February 15, 22, 1989

RECEIVED

FEB 24 1989

NORTHERN REGION
IDWR

MICROFILMED

JUL 18 1989

98-07651

CONSOLIDATED FARMS INC.
DBA ELK MOUNTAIN FARMS
12855 FLUSHING MEADOW DR.
SUITE 200 B
ST. LOUIS, MO 63131

Source: GROUNDWATER

Diversion Pt: NWSESW Sec 8 T 65N R 01W

Use: DOMESTIC (.100 CFS)

Date Filed: 2/02/1989

In: T65N R01W S07 SWSE SESE

MICROFILMED

JUL 18 1989

EVANS, KEANE, KOONTZ, BOYD, SIMKO & RIPLEY

A PARTNERSHIP INCLUDING A PROFESSIONAL CORPORATION

COEUR D'ALENE OFFICE:

JAMES P. KEANE
STEVEN C. WETZEL
ROBERT J. FASNACHT

KELLOGG OFFICE:

WILLIAM F. BOYD
FRED M. GIBLER
CHARLES L. A. COX

111 MAIN STREET
P. O. BOX 659
KELLOGG, IDAHO 83837-0659
(208) 784-1105
TELECOPY (208) 783-7601

ATTORNEYS AT LAW
FIRST INTERSTATE PLAZA, SUITE 301

505 FRONT AVENUE
COEUR D'ALENE, IDAHO 83814
(208) 664-9287

January 27, 1989

BOISE OFFICE:

BLAINE F. EVANS
ROBERT J. KOONTZ
JOHN S. SIMKO
LARRY D. RIPLEY
REX BLACKBURN
BRUCE C. JONES
BARTON L. KLINE
JED W. MANWARING
JAMES D. HOVREN
C. NICHOLAS KREMA
BRETT T. DELANGE
BETTY H. RICHARDSON
DAVID W. GRATTON

OF COUNSEL
KARL JEPPESEN

SUITE 1701, IDAHO FIRST PLAZA
101 S. CAPITOL BLVD.
P. O. BOX 959
BOISE, IDAHO 83701-0959
(208) 384-1800
FACSIMILE (208) 345-3514

Mr. Tom King
State of Idaho
Department of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814


RE: Consolidated Farms, Inc. dba Elk Mountain Farms, Inc.

Dear Mr. King:

Enclosed please find original Application for Permit for the above-mentioned corporation. Also enclosed please find our firm's check in the amount of \$30.00 which is the required filing fee for such application.

Please advise as to when the application is approved and a permit is issued. Your cooperation will greatly be appreciated.

Sincerely,


STEVEN C. WETZEL

SCW/sc

Enc.

cc: Anheuser-Busch Companies (w/o encs.)



JUL 18 1989

