

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R2 E

T65N

place of use
Pond
Point of Diversion
Section 34

RECEIVED
FILMED

DEC 27 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard A. Hill Trustee
(Applicant)

JUL 22 1996

A. GENERAL INFORMATION

Permit No. 98-07641

1. Owner: Richard A. Villelli Trustee Phone No. 267-7625
Current Address: HRC 61, Box 169, Bonners Ferry, ID 83805
2. Accompanied by: Mrs. Villelli EXAM. DATE: 6/20/90
Address: Same Phone No. Same
Relationship to Permit Holder: Spouse
3. Source: Unnamed Pond tributary to Mojie River

B. OVERLAP REVIEW

1. Other water rights with same place of use: ✓
 _____ ☐ Copies Attached
2. Other water rights with same point of diversion: ✓
 _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Box

MICROFILMED
DEC 02 1996

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).



PROCESSING

- ☒ Yes ☐ No
- ☐ Yes ☒ No
- ☒ Yes ☐ No
- In form for advertising
- Statewide advertising
- Fee amount, receipt date & No. recorded on application

SEND COPIES TO

- ☐ Idaho Dept. of Health & Welfare
- ☐ Idaho Dept. of Fish & Game
- ☐ Idaho Dept. of Lands
- ☐ Adjudication Bureau Unit
- ☐ U.S. BLM
- ☐ U.S. Forest Service
- ☐ Water District
- ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

- ☒ Yes ☐ No
- ☐ Yes ☐ No
- Affidavit of publication received
- Application published correctly. If not, record action taken.
- ☒ Yes ☐ No
- ☐ Yes ☒ No
- Publication dates & paper, recorded on application
- Protests received
- Final date for protest 6/20/88
- ☐ Yes ☒ No
- ☐ Yes ☒ No
- ☐ Yes ☒ No
- ☐ Yes ☒ No
- ☐ Yes ☒ No
- ☐ Yes ☒ No
- Protests, dates, resolution of protest, recorded on application
- Recommendations attached
- Measuring device required
- Access port required
- Will water be delivered by watermaster? If yes, what Dist. _____
- Special conditions of approval or cover letter below. _____

Date of priority recommended 5/13/88 ☐ See below for additional information
By PSH Date 8/18/88

STATE OFFICE REVIEW

P17 26
By KW ☐ See below for additional information
Date 8/26/88

ADDITIONAL INFORMATION

98-7324 SAME SOURCE

allow 2 yrs. for B/U development

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07641

Priority: May 13, 1988

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

3.9 AF

This is to certify, that RICHARD A VILLELLI

HCR 61 BOX 169

BONNERS FERRY ID 83805

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 13, 1988; and has submitted Proof of Beneficial Use on November 16, 1989. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

POND

tributary to MOYIE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.9 AF
FIRE PROTECTION	01/01 to 12/31	0.01 CFS	
	Totals	0.02 CFS	3.9 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 34, Township 65N, Range 02E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
65N	02E	34	NWNE	1.3		1.3

Total number of acres irrigated: 1.3

PLACE OF USE:

FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED
DEC 02 1986

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07641

CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of SEPTEMBER, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED
DEC 02 1996

RECEIVED

NOV 16 1989

No ✓
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by JP 11/2-90

Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 98-7641

Name(s) of Permit Holder: RICHARD A. VILLELLI, TRUSTEE

Post Office Address: HCR 61 - Box 169, Bonners Ferry, ID 83805

Telephone No. 208/267-7625

Source of Water: Unnamed Pond

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation 15 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: August 15, 1989

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ - 0 -
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Richard A. Villelli

208/267-7625

(Name)

(Telephone Number)

HCR 61 - Box 169, Bonners Ferry, ID 83805

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

APR 23 1990

11/8/89

Date

Richard A. Villelli, Trustee
Signature of Permit Holder (and title, if appropriate)

APPROVED

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 3 years years (minimum 1 year).

RECORDED

DEC 27 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Available for fire protection of residence in an
emergency.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
65N	2E	34		1			14												15

Total number of acres to be irrigated 15

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

[Handwritten signature]

DEC 27 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R2 E

tg 5N

Section 34

NO FILMED

DEC 27 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard R. Wall Trustee
(Applicant)

(Applicant)

Proposed Priority 5/13/88

Received by JK Date 5/13/88 Time 10:50A Preliminary check by JK

Fee \$ 30.00 Received by JK # N-74 Date 5/13/88

Publication prepared by JK Date 5/25/88 Published in 6/1 & 8/88

Publication approved JK Date 7/26/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7641, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 30th day of August, 1988.

Director

MICROFILMED

DEC 27 1988

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

98-07641

VILLELLI, TRUSTEE, RICHARD A.

HCR 61 BOX 169

BONNERS FERRY, ID 83805

Source: POND Tributary: MOYIE RIVER

Diversion Pt: NWNE Sec 34 T 65N R 02E

Use: IRRIGATION (.030 CFS)

FIRE PROTECTION (.010 CFS)

Date Filed: 5/13/1988

in: T65N R02E S34 NWNE NENW

15.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Northern Region, Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before JUNE 20, 1988.

R. Keith Higginson, Director

#933 June 1, 8, 1988

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

98-07641

VILLELLI, TRUSTEE, RICHARD A.

HCR 61 BOX 169

BONNERS FERRY, ID 83805

Source: POND Tributary: MOYIE RIVER

Diversion Pt: NWNE Sec 34 T 65N R 02E

Use: IRRIGATION (.030 CFS)

FIRE PROTECTION (.010 CFS)

Date Filed: 5/13/1988

in: T65N R02E S34 NWNE NENW

15.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Northern Region, Government Way, Suite 9, Coeur d'Alene, Idaho 83814 on or before JUNE 20, 1988.

R. Keith Higginson, Director

#933 June 1, 8, 1988

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Boundary

ss.

DAN DREWRY, MANAGING EDITOR FOR JIM THOMPSON

first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

PUBLISHER

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of POND

a #933

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated 6/1/88, 1988, and ending with the issue dated 6/8/88, 1988.

Subscribed and sworn to before me this 9 day of June, 1988.

Wa Ladwig
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

REC-11
DEC 27 1988

IVE

1988

Water Resources
District Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Boundary

ss.

DAN DREWRY, MANAGING EDITOR FOR JIM THOMPSON being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

PUBLISHER

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of POND

a #933

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated 6/1/88, 1988, and ending with the issue dated 6/8/88, 1988.

Subscribed and sworn to before me this 9 day of June, 1988.

W. A. Ladwig
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 30, 1996

RICHARD A VILLELLI
HCR 61 BOX 169
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07641

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

DEC 02 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 98-0764

DATE 9/11/96

REVIEWER: S H A R L A

NAME Change OK Address Change NO
 SOURCE Change ✓ Is change/clarification of originally intended source?
 If not, prepare Notice of Intent to Void
 POINT OF DIV Change ✓ Amendment required NO
 PLACE OF USE Change ✓ Amendment required NO
 Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .04 cfs
 Fee limit .04 cfs *no fee pd as req'd @ time b/a was submitted*
 Measured cfs *sw .04 or less*
 Theoretical .02 cfs *5/32" rainbird sprinklers @ 45 psi = 4.91 gpm x 2*
 Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/ NATURE OF USES

3/15-11/15 season

Use Fire Prot Volume Calculation
1.34 x 3.0 = 3.9 af
N/A af
 af
 af
 SUBTOTAL 3.9 af

Flow rate .02 cfs X days X 1.98 ~~af~~ = 9.7 af
 Total volume recommended 3.9 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS Watermaster Control WD#
 GW Measurement/Measuring Device
R29 Overlap
 Use-specific conditions
 Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo

1st Amend Letter N/A
 2nd Amend Letter

MEMORANDUM

DATE: June 18, 1996
FROM: Allen Beardslee
TO: file - 98-07641
RE: License recommendations

I had a phone conversation with Mr. Richard Villelli on June 18, 1996, concerning the discrepancy of number of acres of irrigation found during our field examination and what he wished to have included in our licensing recommendations.

Mr. Villelli stated during our conversation that his 5 h.p. pump had frozen up at this time and he wasn't irrigating the 14 acre field west of his home. Furthermore, he said that at this time he was not interested in spending the \$3,500 to repair his irrigation system.

The 1.3 acres of lawn and garden irrigation is still in operation and Mr. Villelli said that he used a smaller pump to divert this water. He agreed that he would refile another Application for Permit for the 14 acre field if/when he repaired his 5 h.p. pump.

We recommend that this Water Right Permit be Licensed for the 1.3 acres as listed on Theresa Bright's field examination.

MICROFILMED
DEC 02 1996

Department of Water Resources
48-0711

Permit No. 98-07641

- Phone No. 267-7625

- 4, 1D 83805

2. Accompanied by: Mrs. Vilelli EXAM. DATE: 6/20/90

- Address: Same Phone No. Same

- Relationship to Permit Holder:
- Spouse

- Phone No. Same

1. Other water rights with same place of use: _____

2. Other water rights with same point of diversion: ✓

- ☐
- Copies Attached
- ☐
- Copies of Field Exam's Attached

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

- ☐
- Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED
DEC 02 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 22 1996

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Richard A. Holl: Trust

Permit No. 98-07641
Phone No. 267-7625
ID 83805
KAM. DATE: 6/20/90
Phone No. Same


B.

☐ Copies Attached

☐ Copies of Field Exam's Attached

C.

between components. Indicate weir



Scale: 1" = NTS

MICROFILMED
DEC 02 1995

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 5hp submersible pump, pumps water through a 3/4 inch + 1/2 inch pvc line to 2 hydrants at House. Mrs. Vilelli said they only water area in immediate vicinity of house & garden by means of 3 rainbird #30 (5/32") sprinklers. No more than ~~two~~ sprinklers at a time operate. According to Mrs. Vilelli they water the 1.3 acres usually only twice a week during August. This irrigation is the only domestic use.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Super Six	5		Franklin Elec.	282 2009202

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NW	NE	34	6S	2E	Boundary	Map

6. Place(s) of Use:

Indicate Method of Determination **MAP**

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	2E	34		1.3															1.3

MICROFILMED

DEC 02 1996

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

rainbird 45psi

$$Q = \frac{5 \times 8.8 \times 70}{10 + [(2.3)(45)]} = \frac{30.8}{113.5} = .27 \text{ cfs} \quad \text{1.3 acres} \quad \text{1.3 acres}$$

2. Alternate Method for Checking Purposes:

$$1 \times (5/32 @ 45 \text{ psi}) = 4.68 \text{ gpm} \times 2 = \frac{9.36}{448.8} = .02 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.3 \times 3 = 3.9$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 150 \times 1.9835 = 5.95$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.9$$

2. Volume Calculations for Other Uses:

MICROFILMED
DEC 02 1986

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	5/15	10/15	.02	3.9
Fire Protection	1/1	12/31	.01	
Totals:			.03	3.9


2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None


J. AUTHENTICATION

Field Examiner's Name Theresa J. Bright
Signature Theresa J. Bright
Certification Date 4/16/90
Field Report Preparation Date 6/20/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
DEC 02 1995



MEMORANDUM

TO: File 98-7641


FROM: Sharla

DATE: May 4, 1992

RE: Returned Field Exam

After discussing the permit holder's correspondence with Bob Haynes and Tom King, I returned the field report for the above referenced permit to Northern Region.

MICROFILMED
DEC 02 1996



Villeggi
enterprises
inc.



REALTOR

April 16, 1992

Department of Water Resources

Sharla Curtis, Water Resource Agent
STATE OF IDAHO
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000

REGARDING: PERMIT NO. 98-7641

Dear Ms. Curtis:

I received your letter of April 1, 1992, regarding the above permit.

I am afraid someone has made a mistake. I am not certain who came out from your office in June of 1990 but last summer, someone from your office was out indicating they were verifying our Permit No. 98-7651. At that time, and when I notified you in November of 1989, our sprinkler system for the entire acreage in question was in place. The property in question is sprinkled via hand line and more than 50 lengths of 30', 3" aluminum sprinkler pipe.

The area in question was planted in early spring and again in late summer of 1989 and was planted again during the summer of 1990. We have a decent crop of pasture grass that is grown on the acreage in question that feeds our cattle and horses.

The lengths of sprinkler pipe are on a portable trailer and are available for your department's viewing and have been on the premises.

The only evidence I have that the system was in place were the bills that I paid for the pump in our lake and the electrical system installation. I am enclosing a copy of the check for the used sprinkler pipe that was purchased and the pump which was purchased from H2O Well Service. I hope these are sufficient. If not, I would be glad to provide you with whatever else you might suggest to support the irrigation of that additional acreage.

Thanks for your reconsideration.

Sincerely,

Richard A. Villeggi
RAV/ja

MICROFILMED

DEC 02 1996

Enclosures/2

Check #2185, 7/19/89 - H2O Well Service
#2329, 11/13/89- Bob Shelton

MICROFILMED
DEC 02 1996

RICHARD A. VILLELLI AND MARIE V. VILLELLI
 REVOCABLE TRUST DATED 3/4/83
 WILDERNESS INVESTMENT ACCOUNT
 1001 W. WHITTIER BOULEVARD
 P.O. BOX 2128
 LA HABRA, CALIFORNIA 90631
 PH. (213) 691-3237

DATE	INVOICE	AMOUNT

2185 16-77/1220

PAY One thousand seven hundred sixty-five & 36/100 DOLLARS

CHECK NO.
2185

W20 Wpel Service

DATE
7/19/89

CHECK AMOUNT
1765.36

TO THE
ORDER
OF

UNION BANK
 LOS ANGELES, CALIFORNIA 90014

Richard A. Vilelli

Auth.
Sig.

⑈002185⑈ ⑆122000771⑆ 10053⑈8034⑈

⑈0000176536⑈

MICROFILMED

DEC 02 1989

RICHARD A. VILLELLI AND MARIE V. VILLELLI
REVOCABLE TRUST DATED 3/4/83
WILDERNESS INVESTMENT ACCOUNT
1001 W. WHITTIER BOULEVARD
P.O. BOX 2128
LA HABRA, CALIFORNIA 90631
PH. (213) 691-3237

DATE	INVOICE	AMOUNT

2329 16-77/1220

PAY

Four Hundred and no/100

DOLLARS

CHECK NO.
2329

Bob Shelton

DATE
11/13/89

*50 pieces
Sprinkler tips*

CHECK AMOUNT
400.00

TO THE
ORDER
OF

UNION BANK
LOS ANGELES, CALIFORNIA 90014

Richard Vilelli

Auth.
Sig.

⑈002329⑈ ⑆122000771⑆ 10053⑈8034⑈

⑈00000040000⑈

MICROFILMED

DEC 02 1989

April 1, 1992

RE: Permit No. 98-7641

Richard A. Villelli
HCR 61 Box 169
Bonners Ferry, ID 83805

Dear Mr. Villelli:

I have received your letter concerning irrigation under the above referenced permit.

A license is issued based upon the water delivery system in place at the time of the field inspection. You filed a proof of beneficial use statement in November of 1989 as notification that the system was complete and an inspection could be made. Our field examiner made his inspection in June of 1990. Water was being delivered to 1.3 acres via 3 rainbird sprinklers.

I cannot issue a license for land developed **after** the field inspection. Lands irrigated in excess of the 1.3 acres to be licensed will require the filing of an application for permit. If you have any evidence that the additional 14 acres were irrigated at the time of the inspection, I will withhold license issuance for 15 days to allow you to submit the information.


If you have any questions, please give me a call.

Sincerely,

SHARLA CURTIS
Water Resource Agent

MICROFILMED

DEC 22 1993



villeggi
enterprises
inc.

RECEIVED
MAR 5 1992

REALTOR

Department of Water Resources

DATE: February 26, 1992
FROM: RICHARD A. VILLELLI
TO: STATE OF IDAHO/DEPARTMENT OF WATER RESOURCES
FAX NUMBER: 208/327-7866
ATTENTION: SHARLA CURTIS, TECHNICAL RECORDS SPECIALIST
SUBJECT: WATER RIGHT NO. 98-07641


MESSAGE: If you do not receive all N/A pages (including cover page), please call 208/267-7625.

Dear Sharla:

Please correct the acreage to reflect 15 acres. We have the pipe and sprinklers, and last summer irrigated approximately one acre by the house and 14 acres west of the house.

Thank you.

Richard A. Villeggi

SIGNED:  PAGE 1 OF 1

MICROFILMED

DEC 02 1996

February 19, 1992

RICHARD A VILLELLI
HC 61 BOX 169
BONNERS FERRY, ID 83805

RE: WATER RIGHT NO. 98-07641

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:clh

Enclosure

MICROFILMED
DEC 8 2 55S

LICENSE REVIEW CHECKLIST
Permit No. 98-7641

Date 1/10/92

Name Address change? OK

Priority date Advance? NO
Memo to advance —
Order to reinstate needed? —

Total cfs Fee sufficient for rate recommended? N/A
Limited by capacity? —

Total volume Limited by flow? —
Rate/ac 3.0 afa (irrigation)
Calculations from examiner appropriate? —

Capacity Actual measurement checked ✓
Theoretical checked —

Source Clarification of originally intended source is
the only change allowed - if any other change in
source has occurred, a notice of intent to void
is needed OK

P/D Verify with map ✓ Amendment req'd? NO
Remark needed for more than one per $\frac{1}{4}$ —
Is overlap analysis a consideration in final
recommendations? NO

Uses Period of use for each use compatible with
appropriate maps, data entry standards, etc. ✓
Change(s) in nature of use - amendment req'd —

P/U Verify with map ✓ Amendment req'd? NO
Is overlap analysis a consideration in final
recommendations? NO

Remarks More than one p/d in $\frac{1}{4}$ —
Non-irrig uses —
Special overlap condition —
Other —

Conditions -

Measuring device —
W.Master control —
Overlap 29
Water quality —
Other —

Dates/Misc. -

Water Dist —
App Rec'd —
Proof Rec'd —
Exam Made —

Comments/Memos needed:

License —
10-day —
30-day —

Paragraphs —
Paragraphs 36 37 38 / P49
Paragraphs —

Special correspondence req'd? —

February 12, 1990

RICHARD A. VILLELLI, TRUSTEE
HCR 61 BOX 169
BONNERS FERRY, ID 83805

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 98-07641

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 23 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 98-7641

Date: 2-12-70

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☐ Groundwater
NA 1. well log in file
NA 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ NO Is a measuring device or access port required?
☐ Has one been installed?
☐ Waiver or modification of measuring device requested


Remarks:

proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		
No. of days late		
Priority date		
NEW PRIORITY DATE		

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM




**villeggi
enterprises
inc.**

Please reply to:

HCR61 - Box 169
Bonners Ferry, ID
83805

208/267-7625

November 13, 1989



Gary Spackman, Supervisor
STATE OF IDAHO
Department of Water Resources
Water Allocation Section
Statehouse
Boise, ID 83720

Department of Water Resources

RE: PERMIT NO. 98-07641

Dear Mr. Spackman:

Enclosed is Proof of Beneficial Use, Form 217 completed and signed by Mr. Villelli.

If there are additional requirements, would you please advise our next step toward completing the water application permit.

Please respond to our Bonners Ferry address.

Sincerely,

VILLELLI ENTERPRISES, INC.

Jeanne Adams
Assistant, Richard A. Villelli

RECEIVED

APR 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 98-07641
Name(s) of Permit Holder(s): Richard A. Villalta, Trustee
Post Office Address: HCR 61 Box 169
Bonneville Ferry ID Tel. (208) 267-7625

☐ I hereby certify that construction of diversion works on the above referenced permit began on May 23, 1989 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.


5-23-89
Date

Richard A. Villalta, Trustee
Signature of Permit Holder

R.A. V. Hall

HC RGI Box 169

Bonners Ferry ID. 83805



MICROFILMED

APR 23 1990



RECEIVED

MAY 30 1989

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 31, 1988

RICHARD A. VILLELLI, TRUSTEE
HCR 61 BOX 169
BONNERS FERRY, ID 83805

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 98-07641

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

MICROFILMED

DEC 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY JK DATE 5/13/88 APPLICATION NUMBER 98-7641

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

RECEIVED
AUG 18 1988

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

Department of Water Resources

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☐ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 6/20/88
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

☐ See below for additional information
Date of priority recommended 5/13/88
By PSH Date 8/18/88

STATE OFFICE REVIEW

☐ See below for additional information
By KW Date 8/26/88

ADDITIONAL INFORMATION

98-7324 same source

allow 2 yrs. for B/U development



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

May 27, 1988

Mr. Richard A. Villelli
HCR 61 Box 169
Bonners Ferry, Id. 83805

Re: 98-7641

Dear Mr. Villelli:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned Identification No. 98-7641. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Bonners Ferry Herald. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your Receipt No. 98-7641 for the amount of \$30.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enc. - Receipt

MICROFILMED

DEC 27 1988

VILLELLI, TRUSTEE, RICHARD A.
HCR 61 BOX 169
BONNERS FERRY, ID 83805

Source: POND

Tributary: MOYIE RIVER

Diversion Pt: NWNE Sec 34 T 65N R 02E

Use: IRRIGATION (.030 CFS)
 FIRE PROTECTION (.010 CFS)

Date Filed: 5/13/1988

In: T65N R02E S34 NWNE NENW

15.0 ACRES TOTAL

MICROFILMED

DEC 27 1988