


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T61N R2E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

DEC 17 1988

Lon E. Mansfield
Pres. (Applicant)

PERMIT # 98-07637

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

PD



Sprayers
with
bathrooms



Domestic

RECEIVED

SEP 01 1993



DE

PD

Sprayers
with
bathrooms

Domestic

RECEIVED

SEP 01 1993



DE

PD

Sprayers
with
bathrooms

Domestic

RECEIVED

SEP 01 1993



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07637

Priority: December 14, 1987

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

3.9 AF

This is to certify, that CLIFTY VIEW NURSERY INC

RT 1 BOX 509

BONNERS FERRY ID 83805

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 14, 1987; and has submitted Proof of Beneficial Use on March 4, 1991. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

UNNAMED STREAM

tributary to CABIN CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	3.3 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.02 CFS	3.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 8, Township 61N, Range 02E
BOUNDARY County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

61N 02E 8

NWSW

PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.

RECORDED

SEP 01 1993

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 98-07637

CONDITIONS/REMARKS:

6. Commercial use is for a tree nursery.
7. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 12TH day of JULY, 1993.

Acting for  R. Keith Higginson, Director

SEP 01 1993

RECEIVED
MAR 04 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 98-7637 Telephone No. 208 267 7129
2. Name(s) of Permit Holder(s): Clifty View Nursery, Inc
3. Post Office Address: Rt 1 Box 509 Bonners Ferry Idaho 83805
4. Source of Water: Unnamed stream tributary to Cabin Cr
- a. If ground water, well driller's name: _____ Date drilled: _____
- b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
5. Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other Domestic & Commercial6. Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

OR

Flow Measurement Port: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Lon Menikoff, Clifty View Nursery Inc 267 7129
Name Telephone No.
Rt 1 Box 509 Bonners Ferry, Ida 83805
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

AUG 09 1991

Date

Signature (and title if on behalf of a company or organization)

Feb 27 1991 Lon E Menikoff Pres. Clifty View Nursery
Date Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Clifty View Nursery Inc Phone 267-7129
Post office address RT 1 Box 509 Bonners Ferry, ID 83805
2. Source of water supply Unnamed stream which is a tributary of Cabin Creek
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 8 Township 61N Range 2E B.M. Boundary County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 for Commercial purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. pipeline (GRAVITY FLOW-JK)
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

OCT 17 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1
- e. Other; describe fully. Commercial is for use in tree nursery

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
61N	2E	8									DC								

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Al Farnsworth

b. Who owns the land to be irrigated or place of use? Appl.


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Uses existing system no changes necessary

12. Remarks: _____

OCT 17 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T61N R2E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

UOI 17 199

Lon E. Mansfield
Pres. (Applicant)

Proposed Priority 12/14/87

Received by RENT Date 12/14/87 Time 2:00 PM Preliminary check by JK

Fee \$ 30.00 Receipted by RENT # 41873 Date 12/14/87
Comptroller's Office

Publication prepared by [signature] Date 12/30/87 Published in 1/6-13/88

Publication approved [signature] Date 2/3/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7637, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.


e. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 30th day of MARCH, 1988.

[Signature]
Director [initials]





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 13, 1993


CLIFTY VIEW NURSERY INC
RT 1 BOX 509
BONNERS FERRY ID 83805

RE: WATER RIGHT NO. 98-07637

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

SEP 01 1993

WR0749NP
No. L98-07637

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/07/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CLIFTY VIEW NURSERY INC RT 1 BOX 509 BONNERS FERRY ID 83805 (208) 267-7129	12/14/1987	COMMERCIAL DOMESTIC	01-01 12-31 01-01 12-31	0.02 CFS 0.02 CFS	3.3 AFA 0.6 AFA
TOTAL DIVERSION:					0.02 CFS	3.9 AFA

Water Source: UNNAMED STREAM

Tributary to: CABIN CREEK

Stage: LICENSE

Point(s) of Diversion Capacity: 0.02 CFS

Point(s) of Diversion: T61N R02E S08 SE SW

Place of use Legal Description for: COMMERCIAL

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac	
61N	02E	8	:					:					:					:					:

Place of use location for DOMESTIC is the same location as described for: COMMERCIAL

Pou County: BOUNDARY

~~Non-Irrigation Uses: C/TREE NURSERY~~

Other Water Rights Listing Overlapping Place(s) of use:
98-07082 98-07196A

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.

Remarks: Commercial use is for a tree nursery.
Domestic use is for 1 home.

Dates:	App. Received:	12/14/1987	Priority Date:	12/14/1987
	Proof Due Date:	04/01/1991	Proof Made Date:	03/04/1991
	Exam Made Date:	06/24/1992 ✓	Exam Sent to S.O.:	06/08/1993 ✓
	Licensed Date:			

Misc: Water District Number: Field Exam Fee:

Audit: 07/07/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 98-7637 Date 7-7-93 Brenda Chapman

NAME	Yes <u> </u> No <u>✓</u>	Or Address Change?
PRIORITY DATE	<u> </u> <u>✓</u>	Advance? <u> </u> Memo to Advance <u> </u>
	<u> </u> <u>✓</u>	Order to Reinstate Needed?
SOURCE	<u> </u> <u>✓</u>	Changes? Clarification of Originally Intended source <u> </u>
	<u> </u> <u>✓</u>	Notice of Intent to Void - Source change.
P/D	<u> </u> <u>✓</u>	Amendment Needed? <u> </u>
	<u> </u> <u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u> <u>✓</u>	Amendment Needed? <u> </u>
	<u> </u> <u>✓</u>	Is Overlap Analysis a Consideration?
TOTAL CFS	<u>-NA-</u>	Incorrect Fee for rate recommended?
	<u>-NA-</u>	Disagree/Measurement <u>NONE DONE</u>
	<u>-NA-</u>	Pumping Theoretical $(8.8) \times (.70) \times ()$
	<u> </u> <u>✓</u>	$manning = .02 CFS (+ [2.31 \times])$
	<u> </u> <u>✓</u>	System Capacity <u>.02</u>
	<u> </u> <u>✓</u>	Allowable Amount: <u>.02 CFS</u>
TOTAL VOLUME		Rate/ac <u> </u> AFA Irr. Season <u> </u>
		Standard Irr. Season <u> </u>
		Season Recommended <u> </u>
	<u> </u> <u>✓</u>	Disagree with Examiner's Calculations? <u>SPRAYERS = .5</u>
	<u> </u> <u>✓</u>	$2500 \div 325 \times 365 = 2.8 AF$ <u>DOMESTIC @ .6</u>
	<u> </u> <u>✓</u>	Flow limit: <u>.02</u> $\times 365 \times 1.9835 = 14.5 > 3.9 AF$
USES	<u> </u> <u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u> <u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u> <u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	Non-Irr. Uses <u>COMMERCIAL + DOMESTIC</u>
	<u> </u> <u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u> <u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u> <u>✓</u>	Measuring Devices <u> </u> Dates/Misc <u> </u>
	<u> </u> <u>✓</u>	W/Master Control <u> </u> Water Dist <u> </u>
	<u> </u> <u>✓</u>	Irrigation Overlap <u>12-14-87</u> App Rec'd <u> </u>
	<u> </u> <u>✓</u>	Water Quality <u>6-24-92</u> Exam Made <u> </u>

COMMENTS: Reduce amount

RECOMMENDED	CFS	VOL
Irrigation	<u> </u>	<u> </u>
Domestic	<u>.02</u>	<u>.6</u>
Stockwater	<u> </u>	<u> </u>
<u>Commercial</u>	<u>.02</u>	<u>3.3</u>

LICENSE ✓
AMEND

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 10 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 98-07637
1. Owner: Clifty View Nursery Inc. Phone No. 267-7129
Current Address: Rt. 1, Box 509, Bonners Ferry, ID 83805
2. Accompanied by: Lonnie Merrifield EXAM. DATE: 6/24/92
Address: _____ Phone No. _____
Relationship to Permit Holder: President
3. Source: _____ tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

MICROFILMED

SEP 01 1993

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1 PVC pipe is placed in stream and gravity fed to serve a domestic residence and commercial use for washing down trees

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
gravity					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SW	8	61N	2E	Boundary	Map

6. Place(s) of Use:

Indicate Method of Determination

Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
61N	02E	8									D								
											C								

MICROFILMED

SEP 01 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \left(\frac{0.463}{6.010} \right) \left(\frac{1}{12} \right)^{2.667} \left(\frac{340}{3000} \right)^{1.5} \Rightarrow \text{Mannings formula}$$

2. Alternate Method for Checking Purposes:

0.05

= .02 cfs max
for Domestic
or Commercial

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

: Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 Domestic $\Rightarrow$ 0.6 AF

25 employees (shift/2 shifts) commercial sprayers $\Rightarrow$ 0.5 AF
(50 gal/emp/shift)

= 2.8 AF

RECEIVED

SEP 01 1993

[illegible]

1. Recommended Amounts

2. Recommended Amendments

- ## J. AUTHENTICATION

Signature

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.**

100-300000

SEP 01 1993

PERMIT # 98-07637

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS

PD

Sprayers
with
bathrooms

Domestic

SEP 01 1993




DE

PD

Sprayers
with
bathrooms

Domestic

SEP 01 1993




DE

PD

Sprayers
with
bathrooms

Domestic



SEP 01 1993



April 16, 1991

CLIFTY VIEW NURSERY INC.
RT. 1 BOX 509
BONNERS FERRY, ID 838050000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 98-07637

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

AUG 09 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 98-7637

Date 4-16-91

GENERAL CONSIDERATIONS

y Name same as permit?
y Address same as permit? If no, indicate below.
y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

y Surface water source
 Ground water source
 Drill permit req'd?
 Copy in file? Drill permit no.
 Amt paid for drilling permit? Correct?
 Well log in file?

LICENSE EXAMINATION FEE

y Required?
No Amount submitted?
 Correct amount?

MEASURING DEVICE

 Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

138063
January 31, 1991

CLIFTY VIEW NURSERY INC.
RT. 1 BOX 509
BONNERS FERRY, ID 838050000

PROOF DUE NOTICE
RE: PERMIT NO. 98-07637

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
JAN 31 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
APRIL 01, 1988

CLIFTY VIEW NURSERY INC.
RT. 1 BOX 509
BONNERS FERRY, ID 83805

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 98-7637

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

OCT 17 1988

**NOTICE OF APPLICATION FOR
WATER RIGHT**

The following applications have
been filed to appropriate the public
waters of the state of Idaho:

98-7637

Clifty View Nursery, Inc.
Rt. 1 Box 509, Bonners Ferry, Id.
83805

Source: Unnamed Stream trib. to
Cabin Creek

Diversion pt.: SESW Sec 08 T 61N
R 02E Use: COMMERCIAL (0.040
CFS) DOMESTIC (0.040 CFS)

Date filed 12-14-1987

In: NWSW Sec 08 T 61N R 02E

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, 4055 Govern-
ment Way, Suite 9, Coeur d'Alene,
Idaho, 83814 on or before January
25, 1988.

R. Keith Higginson, Dir.
Pub. 1-6, 13 No. 798

**NOTICE OF APPLICATION FOR
WATER RIGHT**

The following applications have
been filed to appropriate the public
waters of the state of Idaho:

98-7637

Clifty View Nursery, Inc.
Rt. 1 Box 509, Bonners Ferry, Id.
83805

Source: Unnamed Stream trib. to
Cabin Creek

Diversion pt.: SESW Sec 08 T 61N
R 02E Use: COMMERCIAL (0.040
CFS) DOMESTIC (0.040 CFS)

Date filed 12-14-1987

In: NWSW Sec 08 T 61N R 02E

The permits will be subject to all
prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, 4055 Govern-
ment Way, Suite 9, Coeur d'Alene,
Idaho, 83814 on or before January
25, 1988.

R. Keith Higginson, Dir.
Pub. 1-6, 13 No. 798

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Boundary

ss.

DAN DREWRY, MANAGING EDITOR FOR JIM THOMPSON being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

PUBLISHER

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of WATER
a #798

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated 1/6/88, 1988, and ending with the issue dated 1/13/88, 1988.

Subscribed and sworn to before me this 15 day of OCT 17 1988, 1988.

Wa Drewry
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Boundary

ss.

DAN DREWRY, MANAGING EDITOR FOR JIM THOMPSON being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

PUBLISHER

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of

WATER

a

#798

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated 1/6/88, 1988, and ending with the issue dated 1/13/88, 1988.

Subscribed and sworn to before me this

15 day of

Jan

, 19 88

W A Ludwig
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

98-7637

CLIFTY VIEW NURSERY INC.

RT. 1 BOX 509, BONNERS FERRY, ID 83805

Source: UNNAMED STREAM trib. to CABIN CREEK

Diversion Pt: SESW Sec 08 T 61N R 02E

Use: COMMERCIAL (0.040 CFS)
DOMESTIC (0.040 CFS)

Date Filed: 12/14/1987

In: NWSW Sec 08 T 61N R 02E

RECEIVED

OCT 17 1988