


[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp.	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GRAVITY				

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

State of Idaho
Department of Water Resources

Draft**Water Right License****Draft****WATER RIGHT NO. 85-15349****Priority:** October 18, 2001**Maximum Diversion Rate:** 0.01 CFS

It is hereby certified that ROY TODD STALEY

PO BOX 115

PECK ID 83545 has complied with the terms and

conditions of the permit, issued pursuant to Application for Permit dated October 18, 2001; and has submitted Proof of Beneficial Use on September 02, 2004. An examination indicates that the works have a diversion capacity of 0.01 cfs of water from:

SOURCE

UNNAMED STREAM

Tributary: BIG CANYON CREEK

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	

LOCATION OF POINT(S) OF DIVERSION:

UNNAMED STREAM

SE1/4SW1/4

Sec. 11, Twp 36N, Rge 01W, B.M.

NEZ PERCE County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
36N	01W	11																	X

CONDITIONS OF APPROVAL

- Domestic use is for 1 home.
- The irrigation occurring under this domestic use shall not exceed 1/2 acre.
- The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
- Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this _____ day of _____, 2006.

KARL J. DREHER
Director

85-15349

T36N R1W Section 11




Place of Use



Point of Diversion








85-15349

STALEY



PD

PJ

E. NARRATIVE/REMARKS/COMMENTS

Domestic use is for outside
domestic uses only. Lawn, car wash ect

Have conditions of permit approval been met? ☒ yes ☐ no

Measured Method:

Additional Computation Sheets Attached

Additional Computation Effects Attached

Shells to 2200 gal in 24 hrs = 91.66 gph
= 1,539 pm
 $\frac{1.53 \times .133681}{60} = .003 \text{ cfs}$

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{10cm}}$$

$$V_{DB} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.B.} \text{ and } V_{D.B.} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Domestic	01-01	12-31	0.01	0.6
Totals:				

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name Wayne Baldus Date 9-28-06

Reviewer Gregory J. [Signature] Date 11-29-06

SEAL