


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Keith Jensen
(Applicant)
Naomi N. Jensen

22-7035

**AFFIDAVIT OF
PUBLICATION**

State of Idaho

County of Fremont

ss.

Dorothy D. Hunsaker

being first duly sworn, upon his
oath, deposes and says:

That he is the owner
of The Chronicle-News, a news-
paper as defined by Idaho
Codes Annotated, section 58-106,
as amended, and that said
newspaper is a weekly news-
paper printed and published at
St. Anthony, in Fremont County,
Idaho, having a general circula-
tion in said county, and that
said newspaper has been print-
ed and published as a weekly
newspaper in said county for
more than 78 consecutive weeks
prior to the first publication of
the attached notice, advertise-

ment or publication of

Notice of Application
For Public Waters

And affiant further says that
said notice, advertisement or
publication, as per clipping
attached, was published in said
newspaper, in the regular and
entire issue thereof, and not in
any supplement issue thereof,

for Two consecutive is-
sues thereof; first publication

having been made on the 18

day of June, 1970,

and the last publication on the

25 day of June

1970.

And affiant further says that at
the times herein mentioned said
newspaper was made up of at
least four pages of at least five
columns each, printed from
type matter, of at least seven-
teen and three-fourths inches
deep.

Dorothy D. Hunsaker
Subscribed in my presence and

sworn to before me this 25th

day of July,

1970.

Philip D. Hunsaker
Notary Public for the
State of Idaho, resi-
(SEAL) dence and post office
address: St. Anthony,
Idaho.

**NOTICE OF APPLICATION
FOR PERMIT TO AP-
PROPRIATE THE PUBLIC
WATERS OF THE
STATE OF IDAHO**

Notice is hereby given that
Keith Jergensen and Naomi N.
Jergensen, P. O. Box 289, St.
Anthony, Idaho, have on June 1,
1970, submitted Application No.
22-7035 to appropriate the public
waters of a groundwater source.

The application proposes a
maximum diversion and ap-
propriation of 600 cubic feet per
second of water to be diverted
by well, pump and sprinkler
system within the NE1/4SW1/4
Sec. 13, T. 7N, R. 41E, B.M.,
Fremont County, and is to be
used within the NW1/4, N1/2SW-
1/4, Sec. 13; N1/2NE1/4, Sec.
14, T. 7N, R. 41E, B.M. for the
irrigation of 320 acres from April
1 to October 15.

Any permit issued pursuant to
this application will be subject
to ALL PRIOR WATER RIGHTS
and subject to the CONTROL
OF A STATE WATERMASTER.
Any protest against this appli-
cation must be filed with the Ida-
ho Department of Reclamation on
or before July 6, 1970.

R. KEITH HIGGINSON
State Reclamation
Engineer

(C.N. JUNE 18, 25, 1970)

RECEIVED
JUL 15 1970
Department of Water Administration

22-7035





Diagram of System



N-2-W



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 22-7035 Priority June 1, 1970 Amount 2.6 cfs

THIS IS TO CERTIFY, that REMINGTON PRODUCE INC.
of St. Anthony, Idaho, has complied with the terms and conditions of Permit
No. 22-7035 issued pursuant to Application for Permit dated June 1, 1970,
and has submitted proof to the Department of Water Resources on April 29, 1974,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.6 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>October 15</u> at <u>2.6</u> cfs and <u>987</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 2.6 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
987 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, Twp. 7N,
Rge. 41E, B.M. in the County of Fremont

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SE $\frac{1}{4}$	SW $\frac{1}{4}$	
7N	41E	13					38	38	39	39	39	40			233
		14	38	11											49

Total number of acres irrigated 282

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 14th day of
April, 19 81.

Director

RECEIVED
APR 30 1974

State of Idaho

Department of Water Administration

ASSIGNMENT OF PERMIT

WATER ADMINISTRATION

I, Arvid Jergensen, hereby assign to Remington Produce Inc.

of St. Anthony, Idaho 83445

Address

CHECK ONE

☒ All my right, title, and interest, in and to Permit No. 22-7035
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the State
of Idaho. (Describe that portion of the permit being assigned by list-
ing the acreage within each 40-acre subdivision, the point of diversion
and the amount of water in cubic feet per second for direct diversion,
or acre feet for storage.)

Made this 1st day of March, 19 74.

Arvid Jergensen
Permit Holder

Naomi Jergensen
Spouse of Permit Holder

State of Idaho)
County of Madison) ss.

On this 4th day of March, 1974, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

Lee B. Boyd
Notary Public residing at
Rexburg, Idaho 83440

My commission expires: 8/18/75

22-7035

Identification No. 22-7035

Application No. _____

ASSIGNED TO: REMINGTON PRODUCE, INC.
4/30/74 St. Anthony,
Idaho 83445

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Keith Iversen and Naomi N. Iversen
post office address P.O. Box 289 St. Anthony, Idaho 83445
2. Source of water supply Well which is a tributary of _____
3. a. Location of point of diversion is NE 1/4 of SW 1/4 of Section 13 Township 7N
Range 41E B.M. Fremont County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ 1/4
of _____ 1/4 of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 6 for Irrigation purpose from April 1 to October 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. (6) Six cubic feet per second and/or 2700 gal/Min
- b. _____ acre feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 350 H.P. Pump directly into
buried main line and then to sprinkler system

- b. Height of storage dam None feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

- b. Estimated construction cost is \$ 40,000.

8. Description of proposed uses:

- a. If water is **not** for irrigation:

- (1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M. _____

- (2) Amount of power to be generated: _____ hp under _____ feet of head.

- (3) List number of each kind of livestock to be watered _____

- (4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

- (5) If water is to be used for other purposes describe: _____

22-7035

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7N	41E	13					40	40	40	40	40	40							240
7N	41E	14	40	40															80

Total number of acres to be irrigated 320


c. Describe any other water rights used for the same purposes None

9. a. Who owns the property at the point of diversion Keith Lergensen & Naomi M. Lergensen
 b. Who owns the land to be irrigated or place of use Keith Lergensen & Naomi M. Lergensen
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N½ NE¼ Section 14, T. 7N. R. 41E BM being purchased from Elva O. Swensen by contract of sale in favor of Keith Lergensen & Naomi M. Lergensen

10. Remarks Pump: 350 H.P. Electric
2700 gal/min

Lift: 500 feet

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Keith Jensen
 (Applicant)
Naomi N. Jensen

22-7035

Received by Date 6-1-70 Time 8:00 a.m.
Preliminary check by DAK Fee \$ 45.00
Receipted by Date 6-1-70
Publication prepared by Date 6-10-70
Published in Lemont County Chronicle Times
Publication dates 6-18 + 25-70
Publication approved Date 7-22-70
Priority reduced to Reason

Protests filed by:

Copies of protests forwarded by
Hearing held by Date
Recommended for approval denial by DAK DAK

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7035, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 75.
- c. Other: The permit holder shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons:

Witness my hand this 23rd day of July, 19 70.

P. Keith Higgs
State Reclamation Engineer

DEPARTMENT OF RECLAMATION

STAFF ANALYSIS

Application No.	22-7035	Name	Keith & Naomi N. Jergensen
Source	groundwater		
Point of Diversion	NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 13, T. 7N, R. 41E, B.M., Fremont County		
Quantity	6.0	Use	irrigation
		Period	April 1 - Oct. 15
Quantity		Use	
		Period	
Quantity		Use	
		Period	
Well Size		Diameter	
		Proposed Depth	
Use	320 acres		
Date Forwarded	6-11-70	Date Returned	6-18-70
		Received by	D. M.

RECOMMENDATIONS: WATER TABLE IS STABLE IN THE AREA (W.B. # 11). Very few well logs have been filed for the local area. Development of the ground water resource is apparently limited.

ALLOWED	Qty.	6.0	Use	IRRIG.	Period	Apr. 1 to Oct. 15	AF	960	AFA	3.0
MAXIMUM	Qty.	6.4	Use	IRRIG	Period	Apr. 1 to Nov. 1	AF	960	AFA	3.0
	Qty.		Use		Period		AF		AFA	

ACTION: Approved X Denied _____

Conditions of approval or reason for denial: _____

INVESTIGATION By Norman C. Young Title WR I II

Date 6-17-70

**AFFIDAVIT OF
PUBLICATION**

State of Idaho

County of Fremont

ss.

Dorothy D. Hunsaker

being first duly sworn, upon his
oath, deposes and says:

That he is the owner
of The Chronicle-News, a news-
paper as defined by Idaho
Codes Annotated, section 58-106,
as amended, and that said
newspaper is a weekly news-
paper printed and published at
St. Anthony, in Fremont County,
Idaho, having a general circula-
tion in said county, and that
said newspaper has been print-
ed and published as a weekly
newspaper in said county for
more than 78 consecutive weeks
prior to the first publication of
the attached notice, advertise-

ment or publication of

Notice of Application
For Public Waters

And affiant further says that
said notice, advertisement or
publication, as per clipping
attached, was published in said
newspaper, in the regular and
entire issue thereof, and not in
any supplement issue thereof,

for Two consecutive is-
sues thereof; first publication

having been made on the 18

day of June, 1920,

and the last publication on the

25 day of June

1920.

And affiant further says that at
the times herein mentioned said
newspaper was made up of at
least four pages of at least five
columns each, printed from
type matter, of at least seven-
teen and three-fourths inches
deep.

Dorothy D. Hunsaker
Subscribed in my presence and

sworn to before me this

day of July

1920.

Phyllis Hope Goodale
Notary Public for the
State of Idaho, resi-
(SEAL) dence and post office
address: St. Anthony,
Idaho.

22-7035



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 15, 1981

Remington Produce Inc.
St. Anthony,
Idaho 83445

Dear Sirs,

RE: License No. 22-7035

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr
Enclosure





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 26, 1981

Remington Produce Inc.
At. Anthony,
Idaho 83445

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 22-7035, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.6 cfs Source: groundwater

The maximum quantity diverted shall not exceed 987 acre feet per year.

Point(s) of diversion: NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13, Twp. 7N, Rge. 41E, B.M.

Beneficial use: Irrigation of 233 acres within the NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 13; 49
acres within the NE $\frac{1}{4}$, Sec. 14, Twp. 7N, Rge. 41E.

Priority date established: June 1, 1970

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

1968

MAI 1974
Phone _____

Post office address St. Anthony, ID 83445

Person to contact Kent Remington

Department of Water 624-2243
Phone
Eastern District

Permit No. 22-7035
Examination for b/u

TOTAL ACREAGE 320





Diagram of System



Remington Rooduck

N-2-W



NOT TO SCALE

DATE OF EXAM 6/25/79

ACREAGE

Found

Recommended

282 Ac ✓

282 Ac ✓

Irrigation Requirement 3.5 Ac Ft/Ac

USE

Irrigation Q= 2.6 c.f.s.

V= 987

AF/Ann. from

April 1

to

Oct. 15

Domestic Q= c.f.s.

V=

AF/Ann. from

to

Livestock Q= c.f.s.

V=

AF/Ann. from

to

Is water co-mingled? yes no X

Name source: n/a

twp. N/S, Rge E/W, B.M., Sec. Sub. 1/4 1/4

County

Exchange? yes no X

Name source exchanged with: n/a

twp. N/S, Rge E/W, B.M., Sec. Sub. 1/4 1/4

County

Point of injection: n/a

twp. N/S, Rge E/W, B.M., Sec. Sub. 1/4 1/4

County

Point of exchange: n/a

twp. N/S, Rge E/W, B.M., Sec. Sub. 1/4 1/4

County

Total Q measured 2.60 cfs Method of measurement Annubar

Total Q recommended 2.60 cfs Meter No. 10.01 Type Annubar Condition new

Total V recommended 987 AF/Ann.

Recommended Amendments:

P.D.

Place of Use

Other

None

MEASUREMENT CALCULATION:

$(\text{inside dia. pipe})^2 (3.85) \sqrt{\text{inches}} = (10)^2 (3.85) \sqrt{9.2} = 1167 \text{ gpm} = 2.60 \text{ cfs}$ capacity

$3.5 \text{ ACP/ac} \times 282 \text{ ac} = 987$ $2.60 \text{ cfs} \times 1.9835 \text{ cfs AF/day} \times 198 \text{ days} = 1021$

SYSTEM DESCRIPTION:

Water is diverted by a General Electric Tri Clad Induction motor, 350 HP. S/N - 5K6317XC220A, 3 ph. S/N - EDI-522001 and by a Layne & Bowler pump, 2200 gpm rating, S/N - D16340, 8 - 1/4 mile land line.

REMARKS:

System described by Plant Remington
No conflicting groundwater rights

Examiner's Signature John D. Carlson

Date 2/28/80

Checked by Anthony R. Kozlowski

Date 2/29/80

Approved by Rolando

Date 3/25/81



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

C. Stephen Allred
Director

June 7, 1977

RE: Permits No. 22-7057 and 22-7035

Remington Produce Inc.
142 East 4th, Box 410
St. Anthony, Idaho 83445

Gentlemen:

Personnel from this office have attempted to complete the field examinations necessary to finalize the water permits and collect data required for the licensing of the wells.

Measuring devices of a type approved by this Department have not been installed at the points of diversion, and because of this non-compliance the priority date that you have established for these ground water sources may be in jeopardy.

This office will hold the field report until June 30, 1977. If at that time we have not received notification that the measuring devices have been purchased and/or installed, we will forward our findings to the State Office for final action. If the measuring devices have been installed, please contact me to set up an appointment to do a re-exam.

Compliance with the conditions on your permits is the only way a license can be issued pursuant to the Idaho Code for your water right developments and the land included under your permits.

If you have any questions, please feel free to contact me.

Very truly yours,

Anthony R. Kozlowski
ANTHONY R. KOZLOWSKI
Water Resource Agent

ARK:CW

May 7, 1974

C

Re: Permit No. 22-7035

C

Remington Produce Inc.
St. Anthony,
Idaho 83445

Gentlemen:

We acknowledge receipt of the assignment conveying the above referenced permit to you. The assignment has been recorded and the Department's records changed. Please be advised that proof of beneficial use has been made on this permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

We note that in reviewing this proof affidavit that a measuring device has not been installed as required by the conditions of approval of your permit. This measuring device must be installed by the time our examiner makes the exam, or your water rights cannot be confirmed by the issuance of a license. We are enclosing a list of the types of measuring devices approved by this office.

If you have any questions concerning the field exam, please contact our Eastern District Office at 1515 Lincoln Road, Idaho Falls, Idaho.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:JG
Enclosure

22-7035

May 7, 1974

Re: Permit No. 22-7035

Keith & Naomi N. Jergensen
2600 Maywood Dr.
Salt Lake City, Utah 84109

Dear Mr. & Mrs. Jergensen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

We also acknowledge receipt of the assignment conveying this permit to Remington Produce Inc. of St. Anthony, Idaho. The assignment has been recorded and the Department's records changed.

If you have any questions concerning this matter, please contact us.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:JG

22-7035-

RECEIVED

APR 29 1974

WATER ADMINISTRATION
Area Office

Identification No. _____

Permit No. 22-7035

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Keith Jergensen and Naomi N. Jergensen
b) Post Office Address 2600 Maywood Dr. Salt Lake City, Utah 84109
2. Permit Number 22-7035
3. Date of Priority that you are prepared to establish June 1, 1970
4. a) Source from which water was appropriated Well
b) Location of the point of diversion: NE 1/4 SW 1/4, Section 13
Township 7 North, Range 41 EBM Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 6cfs for Irrigation purposes from April 1 to Oct 15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 6 cfs cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: 350 H.P. pumping directly into buried main line and then into sprinkler system.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: None
b) Describe the agreement or understanding by which you take water from the works: None
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 750 foot well, 62 feet of casing, 350 HP electric motor, static water level 220 feet. Turbine bowl pump setting 500 feet below the surface.
b) Describe the type and size of measuring device which you have installed at your point of diversion: Measuring weir to be installed.
c) Give well drillers name and address and date the well was completed Kent Remington and Bryce Goulding, St. Anthony, Idaho 83445

Exam typed

5/2/74 by ja

22-7035

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

10. Remarks:

(Signature)

County of Madison)

Notary Public residing at Rexburg, Idaho

8/18/75

My commission expires _____

July 23, 1970

Re: Permit No. 22-7035

Keith & Naomi N. Jergensen
P.O. Box 289
St. Anthony, Idaho 83445

Dear Mr. & Mrs. Jergensen:

Enclosed is a copy of your approved Application for Permit No. 22-7035. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

C. Stephen Allred
Deputy Director

CCA:kh

Enclosures: Copy of permit
Receipt No. 4700 for \$45
2 informational letters

22-7035

June 10, 1970

Re: Application for Permit No. 22-7035 - Keith & Naomi N. Jergensen

Fremont County Chronicle News
44 North Bridge
St. Anthony, Idaho 83445

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enc: Legal notice

*Bill submitted
9-16-70
dr*

22-7035

NOTICE OF APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Keith Jergensen and Naomi N. Jergensen,
P.O. Box 289, St. Anthony, Idaho, have on 6/1/70 June 1, 1970,
submitted Application No. 22-7035 to appropriate the public waters of
a groundwater source
The proposed uses are

The application proposes a maximum diversion and appropriation of 6.0
cubic feet per second and of water to be diverted by well, pump and
sprinkler system within the NE 1/4 SW 1/4 Sec. 13,
T. 7N, R. 41E, B.M., Fremont County,

and is to be used within the NW 1/4, NE 1/4 SW 1/4, Sec. 13; NE 1/4, Sec. 14, T. 7N,
R. 41E, B.M. for the irrigation of 320 acres from April 1 to October 15

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before July 6, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Fremont County Chronicle News, St. Anthony, Idaho,
on June 18 and June 25, 1970

22-7035

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

May 21, 1970

RECEIVED
1970
Department of Reclamation

Re: Application for Permit

Mr. & Mrs. Keith Jergensen
P.O. Box 289
St. Anthony, Idaho 83445

Dear Mr. & Mrs. Jergensen:

We are returning your Application for Permit as there is a discrepancy in the point of diversion. Item 3a lists the point of diversion as being in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 13, T. 7 N., R. 41 E., B.M. Your map on page 3 shows the point of diversion as being in the NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 13. As soon as this matter is clarified, we shall continue to process your application.

Very truly yours,

Dorian Clay

DORIAN CLAY
Appropriation Examiner

DC:kh

Enclosure

5-27-70
*Please this oversight.
Correct point of diversion
is NE $\frac{1}{4}$ SW $\frac{1}{4}$ 13-7-41*
Keith Jergensen

22-7035

May 21, 1970

Re: Application for Permit

Mr. & Mrs. Keith Jergensen
P.O. Box 289
St. Anthony, Idaho 83445

Dear Mr. & Mrs. Jergensen:

We are returning your Application for Permit as there is a discrepancy in the point of diversion. Item 3a lists the point of diversion as being in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 13, T. 7 N., R. 41 E., B.M. Your map on page 3 shows the point of diversion as being in the NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 13. As soon as this matter is clarified, we shall continue to process your application.

Very truly yours,

DORIAN CLAY
Appropriation Examiner

DC:kh

Enclosure

22-7035

April 30, 1970

Mr. Keith Jergensen
Suite 1100, University Club Bldg.
Salt Lake City, Utah 84111

Dear Mr. Jergensen:

Enclosed herewith is an application for permit form and instructions on how to complete this form. We understand that you have already had your well drilled. You should be advised that under Idaho state law you are required to obtain a water permit before using ground-water.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:kh
Enclosures

22-7035