


North

11. Map of proposed project:

Twp 7 No. Rge 41 E.B. M.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert L. Reynolds
(Applicant)

22-7031

**AFFIDAVIT OF
PUBLICATION**

State of Idaho

County of Fremont

ss.

Dorothy D. Hunsaker

being first duly sworn, upon his
oath, deposes and says:

That he is the Owner
of The Chronicle-News, a news-
paper as defined by Idaho
Codes Annotated, section 58-106,
as amended, and that said
newspaper is a weekly news-
paper printed and published at
St. Anthony, in Fremont County,
Idaho, having a general circula-
tion in said county, and that
said newspaper has been print-
ed and published as a weekly
newspaper in said county for
more than 78 consecutive weeks
prior to the first publication of
the attached notice, advertise-

ment or publication of

Notice of
Application

And affiant further says that
said notice, advertisement or
publication, as per clipping
attached, was published in said
newspaper, in the regular and
entire issue thereof, and not in
any supplement issue thereof,

for Two consecutive is-
sues thereof; first publication

having been made on the 19
day of March, 1970,

and the last publication on the
26 day of March

1970.

And affiant further says that at
the times herein mentioned said
newspaper was made up of at
least four pages of at least five
columns each, printed from
type matter, of at least seven-
teen and three-fourths inches
deep.

Dorothy D. Hunsaker
Subscribed in my presence and

sworn to before me this 4th

day of April,

1970.

Phillip Happerditzel
Notary Public for the
State of Idaho, resi-
(SEAL) dence and post office
address: St. Anthony,
Idaho.

RECEIVED

APR 28 1970

Department of Reclamation

**NOTICE OF APPLICATION
FOR PERMIT TO AP-
PROPRIATE THE PUBLIC
WATERS OF THE
STATE OF IDAHO**

Notice is hereby given that
Robert L. Reynolds, Route 1,
Box 162, St. Anthony, Idaho, has
on February 25, 1970, submitted
Application No. 22-7031 to ap-
propriate the public waters of
a groundwater source.

The application proposes a
maximum diversion and appro-
priation of 8.0 cubic feet per
second of water to be diverted by
pump and sprinkler system with-
in the NE1/4NE1/4 of Sec. 15,
T. 7N, R. 41E, B.M., Fremont
County, and is to be used within
the S1/2SW1/4, SW1/4SE1/4, Sec.
11; N1/2NE1/4, NW1/4, Sec. 14;
NE1/4, Sec. 15, T. 7N, R. 41E,
B.M. for the irrigation of 497
acres from June 1 to October 30.

Any permit issued pursuant to
this application will be subject
to ALL PRIOR WATER RIGHTS
and subject to the CONTROL OF
A STATE WATERMASTER. Any
protest against this application
must be filed with the Idaho De-
partment of Reclamation on or
before April 6, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer

(C.N. MARCH 19, 26, 1970)

22-7031




Diagram of System

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 22-7031 Priority Feb. 25, 1970 Amount 4.79 cfs

THIS IS TO CERTIFY, that ROBERT L. REYNOLDS
of St. Anthony, Idaho, has complied with the terms and conditions of Permit
No. 22-7031 issued pursuant to Application for Permit dated February 25, 1970,
and has submitted proof to the Department of Water Resources on August 7, 1974,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.79 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>June 1</u> to <u>Oct. 30</u> at <u>4.79</u> cfs and	<u>1,232 acre feet or</u> <u>3.5 af per acre</u>	
	from _____ to _____ at _____ cfs and		
	from _____ to _____ at _____ cfs and		
	(both dates inclusive)		

Subject, however, to the condition that no more than 4.79 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1,232 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 15,
Twp. 7 N, Rge. 41 E, B.M. in the County of Fremont

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7 N	41 E	11										34	36				34		104
		14		23			40	39	6	26									134
		15	39	39	22	14													114

Total number of acres irrigated 352

A measuring device of a type approved by the Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 18 day of
September, 19 76.

Director

Identification No. 22-7031
Application No. _____

1176 J. L. HAWKINS JR.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT
To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Robert L. Reynolds
post office address Route 1, Box 162, St. Anthony, Idaho 83445
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 15 Township 7 N
Range 41 E B.M. Fremont County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 8 cfs for irrigation purpose from June 1 to October 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 8 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
200 H.P Elec. Pump 8" discharge through mainline to run 4 miles of sprinkler
pipe.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 20 inches; proposed depth of well is 450 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 30,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

LICENSE ISSUED FOR 4.79 SEC. FY.

22-7031

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7 N	41E	15	40	40	40	285													148.5
		14	40	40			40	40	285	40									228.5
		11										40	40				40		120.0

Total number of acres to be irrigated 497.0

c. Describe any other water rights used for the same purposes None

9. a. Who owns the property at the point of diversion Self


b. Who owns the land to be irrigated or place of use Self owns N.E. ¼ of S. 15, T7 R.41

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing The other land is under a written lease

10. Remarks

11. Map of proposed project:

Twp 7 No. Rge 41 E.B. m.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

22-7031

Received by 11 Date 2-25-70 Time 9:00 a
Preliminary check by DM Fee \$ 55.00
Received by 11 Date 2-25-70
Publication prepared by de Date 3-11-70
Published in Fremont Co. Chronicle News
Publication dates 3-19 + 26-70
Publication approved de Date 4-28-70
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DM Fee de

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7031, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 75.
- c. Other: The permit holder shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 1st day of May 19 70.

P. Kirk Higgins
State Reclamation Engineer

DEPARTMENT OF RECLAMATION

STAFF ANALYSIS

Application No. <u>22-7031</u>		Name <u>Robert I. Reynolds</u>	
Source <u>Groundwater</u>			
Point of Diversion <u>NE 1/4 NE 1/4, Sec. 15, T. 7N, R. 41E, B.M., Fremont County</u>			
Quantity <u>8.0</u>	Use <u>irrigation</u>	Period <u>June 1 - October 30</u>	
Quantity _____	Use _____	Period _____	
Quantity _____	Use _____	Period _____	
Well Size <u>20</u>	Diameter	Proposed Depth <u>450</u>	Feet
Use <u>irrigation of 497 acres</u>			
Date Forwarded <u>3-9-70</u>		Date Returned <u>3-12-70</u>	Received by <u>[Signature]</u>

RECOMMENDATIONS: LOCATED @ 3 MILES N.E. OF TETON
AND @ 1/4 MILE FROM TETON RIVER - NO
RECORDED W.L. DECLINES IN AREA. NO WELLS IN
IMMEDIATE AREA - ALSO NO WELLS TO THIS DEPTH
SITE @ 50' ABOVE ELGIN RIVER - MAY HAVE PROBLEM
WITH INTERFERENCE W/ RIVER NOT ENOUGH DATA

Qty. <u>8.0</u>	Use <u>IRR 497'</u>	Period _____	AF _____	AFA _____
Qty. _____	Use _____	Period _____	AF _____	AFA _____
Qty. _____	Use _____	Period _____	AF _____	AFA _____

ACTION: Approved X Denied _____

Conditions of approval or reason for denial: _____

INVESTIGATION By [Signature] Title Asst. Rec. Eng.

Date 3-10-70

22-7031

**AFFIDAVIT OF
PUBLICATION**

State of Idaho

County of Fremont

ss.

Dorothy D. Hunsaker

being first duly sworn, upon his
oath, deposes and says:

That he is the owner
of The Chronicle-News, a news-
paper as defined by Idaho
Codes Annotated, section 58-106,
as amended, and that said
newspaper is a weekly news-
paper printed and published at
St. Anthony, in Fremont County,
Idaho, having a general circula-
tion in said county, and that
said newspaper has been print-
ed and published as a weekly
newspaper in said county for
more than 78 consecutive weeks
prior to the first publication of
the attached notice, advertise-

ment or publication of

Notice of
Application

And affiant further says that
said notice, advertisement or
publication, as per clipping
attached, was published in said
newspaper, in the regular and
entire issue thereof, and not in
any supplement issue thereof,

for Two consecutive is-
sues thereof; first publication

having been made on the 19

day of March, 1970,

and the last publication on the

26 day of March

1970.

And affiant further says that at
the times herein mentioned said
newspaper was made up of at
least four pages of at least five
columns each, printed from
type matter, of at least seven-
teen and three-fourths inches
deep.

Dorothy D. Hunsaker
Subscribed in my presence and
sworn to before me this

day of April,

1970.

Phyllis Hopperchitzel

Notary Public for the
State of Idaho, resi-
(SEAL) dence and post office
address: St. Anthony,
Idaho.

RECEIVED



22-7031

September 20, 1978

Re: Permit No. 22-7031

Robert L. Reynolds
Route 1, Box 162
St. Anthony, ID 83445

Dear Mr. Reynolds:

Enclosed herewith is a copy of the water right license issued on the above referenced permit.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:mef

Enc.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

August 25, 1976

Mr. Robert L. Reynolds
Route 1, Box 162
St. Anthony, ID 83445

Re: Permit No. 22-7031

Dear Mr. Reynolds:

Pursuant to my phone conversation with Jerry Reynolds, this is to advise that our examiner found the following land being irrigated under the above referenced permit:

Twp. 7 N, Rge. 41 E, B. M.

Sec. 11 -	SW $\frac{1}{4}$ SW $\frac{1}{4}$	34 acres
	SE $\frac{1}{4}$ SW $\frac{1}{4}$	36 acres
	SW $\frac{1}{4}$ SE $\frac{1}{4}$	34 acres
Sec. 14 -	NW $\frac{1}{4}$ NE $\frac{1}{4}$	23 acres
	NE $\frac{1}{4}$ NW $\frac{1}{4}$	40 acres
	NW $\frac{1}{4}$ NW $\frac{1}{4}$	39 acres
	SW $\frac{1}{4}$ NW $\frac{1}{4}$	6 acres
	SE $\frac{1}{4}$ NW $\frac{1}{4}$	26 acres
Sec. 15 -	NE $\frac{1}{4}$ NE $\frac{1}{4}$	39 acres
	NW $\frac{1}{4}$ NE $\frac{1}{4}$	39 acres
	SW $\frac{1}{4}$ NE $\frac{1}{4}$	22 acres
	SE $\frac{1}{4}$ NE $\frac{1}{4}$	<u>14 acres</u>
TOTAL		352 acres

Our examiner's report also indicates that 52 acres east of the canal in the N $\frac{1}{2}$ NE $\frac{1}{4}$ of Sec. 14 is being irrigated, however, that acreage is leased from Remington and is covered under their permit 22-7035.

Therefore, if you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued on the above described land. The license will be for 4.79 cfs from a well in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, Twp. 7 N, Rge. 41 E, B. M. with a priority date of February 25, 1970.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

Enc: Copy of photo from field report

August 12, 1976

Jimmy Reynolds

Mr. Robert L. Reynolds
Route 1, Box 162
St. Anthony, ID 83445

Dear Mr. Reynolds:

In July, 1975, a representative of this Department made an examination of the works covered by your Permit No. 22-7031 and found the following:

Quantity of water diverted: 4.79 cfs Source: ground water
Point of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, Twp. 7 N, Rge. 41 E, BM
Beneficial use: Irrigation of 404 acres within the S $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$,
Sec. 11; N $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 14; NE $\frac{1}{4}$, Sec. 15; all in Twp. 7 N,
Rge. 41 E, BM.

In reviewing your permit, we note your statement that you own only the land in the NE $\frac{1}{4}$ of Sec. 15 and that the other ground is under lease. We are now prepared to issue the water license under this permit and are wondering if you wish only your land covered by the license or also that land under lease.

Please contact this office at your earliest convenience regarding this matter in order that we might issue your license to reflect the water right you wish to establish.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

Handwritten: 7/22/74

RECEIVED
AUG 16 1974

1. Name of permit holder Robert L. Reynolds
Post office address Route #1, Box 162, St. Anthony, ID 83445 Phone 264-3700
Person to contact _____ Phone _____
Department of Water Resources
Eastern District Office

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:
Amount 8 c.f.s. for irrigation
_____ AF/Annum (nature of use)
Period of Use: from June 1 to Oct. 30
(mo.-day) inclusive (mo.-day)
Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)
Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)
Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)
Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)
Other uses: _____

Handwritten: 94.8
3
97.8

Permit No. 22-7031
Examination for b/u

4. Total amount to be appropriated:
Max Rate of Diversion 8 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:
Township 7N N/S, Range 41E E/W, B.M., Section 15, Subdivision NE 1/4 NE 1/4, Fremont County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County
Other Points of Diversions: _____

Description of diverting works: 2400 gpm pump, 200 hp motor(elec.) 20" well casing, 451' deep, subterranean pumping system.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	41E	15	40	40	40	28.5													148.5
		14	40	40			40	40	28.5	40									228.5
		11										40	40				40		120

T
7
N




Diagram of System



DATE OF EXAM 7-16-75

ACREAGE
Found 403.6
Recommended 352

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 4.79 c.f.s. V = 1232 AF/Ann. from May 15 to Oct. 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ✓

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 4.79 Method of measurement McCrometer

Total Q recommended 4.79 Meter No. 7310122 Type In Line Condition New

Total V recommended 1232 AF/Ann

Recommended Amendments:
P.D. _____
Place of Use _____
Other _____
None None

MEASUREMENT CALCULATION:
 $Q = 2.01 \text{ AF/91 seconds} = 435.6 \text{ ft}^3/91 \text{ sec} = 4.79 \text{ CFS}$
 $V = (3.5 \text{ AF/Ac} \times 352 \text{ Ac}) = 1232 \text{ AF/Ann}$

SYSTEM DESCRIPTION:
200 H.P. Hollasch motor, Type RH, Ser. # J1427359 Johnston pump.
Ten inch McCrometer, Ser. # 7310122. System operating @ 57 psig.
Main line and laterals are used to apply the water.

REMARKS:
Bob Reynolds contacted by examiner. Fifty two acres east of
the canal in the N & NE 1/4, Sec. 14 is leased from Remington Rubber, Inc.
producer of Ford St. Anthony, lease expires this year. This acreage
will be allowed on Permit No. 22-7035

Examiner's Signature Kenneth O. Flanagan Date 7-16-75

Checked by Loren O. Halver Date 5-26-76

Approved by _____ Date _____

August 14, 1974

Re: Permit No. 22-7031

Robert L. Reynolds
Route #1, Box 162
St. Anthony, ID 83445

Dear Mr. Reynolds:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions concerning the field exam, please contact our Eastern District Office at 1515 Lincoln Road, Idaho Falls, Idaho.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

22-7031

RECEIVED

AUG 7 1974

Department of Water Resources
Eastern District Office

Identification No. 22-7031

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Robert L. Reynolds
b) Post Office Address Route 1, Box 162, St. Anthony, Idaho 83445
2. Permit Number 22-7031
3. Date of Priority that you are prepared to establish May 1, 1970
4. a) Source from which water was appropriated Groundwater
b) Location of the point of diversion: NE 1/4 NE 1/4, Section 15
Township 7N, Range 41 E Boise Meridian, Other points of diversion: none
5. a) The amount of water and use to which the water has been applied:
amount 5.25 cfs for Irrigation purposes from May 1 to October 30 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 5.25 cfs cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Gem State Irrigation Co., Rexburg, Idaho
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: **** DOES NOT APPLY ****
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 2400 gpm pump, 200 HP motor (electric) 20" well casing, well depth 451 feet; subterranean pumping system.
b) Describe the type and size of measuring device which you have installed at your point of diversion: Propeller-driven measuring gage installed in the outlet pipe- 5000 gpm.
c) Give well drillers name and address and date the well was completed Hopkins Bros. well drillers of Rexburg, Idaho, well finished August '70.

Exam typed 8/14/74 by ja

22-7031

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7N	41 E	11											40	40			40		120
		14	40	40			40	40	28 1/2	40									228.5
		15	40	40	40	28 1/2													148.5

Total number of acres irrigated 497.0 acres

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

August 6, 1974
(Date)

Robert L. Reynolds
(Signature)

State of Idaho)
County of Fremont) ss.

On this 6th day of August, 19 74, personally appeared before me the signer(~~s~~) of the above instrument, who duly acknowledged to me that he (~~she~~) executed the same.

Jerry D. Reynolds
Notary Public residing at St. Anthony, Idaho
Commission Expires 1/2/1978

My commission expires 1/2/1978

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Mrs. Verla Reynolds (Robert)
Address St. Anthony, Idaho Route 1
22-7031
Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED


☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 20 inches ^{reduced to 16"} Total depth 452 feet
Casing schedule: ☒ Steel ☐ Concrete
Thickness 2.50 inches Diameter 20 inches From 452 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feetWas a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inchesNumber _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feetWell screen installed? ☐ Yes ☒ NoManufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☐ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal? ☒ Yes ☐ No To what depth 18 feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County Fremont
NE NE 15 70 N/S, R. 410 E/W
1/4 Sec. _____ T. _____ R. _____

7. WATER LEVEL

Static water level 55 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature 55 ° F. Quality good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug8. WELL TEST DATA See Gem State Irrigation
Rexburg☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
20	0	2	soil		
"	2	30	grey welded tuft		
"	30	34	~~brown~~ /tuft red		
"	34	44	brown tuft		
"	44	63	grey & brown tuft		
"	63	66	cinders (water)	x	
16	66	73	cinders	x	
"	73	78	soft pink tuft	x	
"	78	82	hard grey tuft	x	
"	82	121	broken grey tuft	x	
"	121	144	brown tuft hard & soft	x	
"	144	149	grey tuft	x	
"	149	163	grey & brown tuft	x	
"	163	180	brown tuft (caving)	x	
"	180	219	brown tuft & clay	x	
"	219	240	grey tuft & brown clay	x	
"	240	259	grey tuft (hard)	x	
"	259	270	brown tuft & clay	x	
"	270	280	grey tuft	x	
"	280	295	grey tuft	x	
"	295	310	clay & tuft	x	
"	310	385	clay & tuft	x	
"	385	403	brown tuft (more water)	x	
"	403	412	med. hard grey tuft	x	
"	412	427	clay & tuft	x	
"	427	430	brown tuft	x	
"	430	452	grey tuft	x	

10. Work started July 27, 1969 finished Nov 4, 1969

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.

Hopkins Brothers 32

Driller's or Firm's Name _____ Number _____

Thornton, Idaho box 4

Address _____

Signed By Sam L. Hopkins Date 4-2-70

May 4, 1970

Re: Permit No. 22-7031

Mr. Robert L. Reynolds
Route 1, Box 162
St. Anthony, Idaho 83445

Dear Mr. Reynolds:

We enclose a copy of your approved application for permit 22-7031 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, ~~Assistant~~ Deputy
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 4261 for \$55
2 informational letters

P.S. Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

22-7031

April 8, 1970

Re: Application for Permit No. 22-7031 - Robert L. Reynolds

Fremont County Chronicle News
44 North Bridge
St. Anthony, Idaho 83445

Gentlemen:

Would you please submit an affidavit of publication and a certified bill in connection with the above referenced item(s). The legal notice was to be published in your paper on March 19 and 26, 1970.

As the above permit application cannot be approved until we are in receipt of the affidavit, it is important that we receive it as soon as possible.

May we please have your prompt attention to this matter.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

624-3921

22-7031

LEGAL -- -CN - - - - -

NOTICE OF APPLICATION
FOR PERMIT TO AP-
PROPRIATE THE PUBLIC
WATERS OF THE
STATE OF IDAHO

Notice is hereby given that Robert L. Reynolds, Route 1, Box 162, St. Anthony, Idaho, has on February 25, 1970, submitted Application No. 22-7031 to appropriate the public waters of a groundwater source.

The application proposes a maximum diversion and appropriation of 8.0 cubic feet per second of water to be diverted by pump and sprinkler system within the NE1/4NE1/4 of Sec. 15, T. 7N, R. 41E, B.M., Fremont County, and is to be used within the SE1/4SW1/4, SW1/4SE1/4, Sec. 11; NE1/2NE1/4, NW1/4, Sec. 14; NE1/4, Sec. 15, T. 7N, R. 41E, B.M. for the irrigation of 497 acres from June 1 to October 30.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before April 6, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer

(C.N. MARCH 19, 26, 1970)

CHRONICLE - NEWS

ST. ANTHONY, IDAHO

22-7031

March 11, 1970

Re: Application for Permit No. 22-7031 - Robert L. Reynolds

Fremont County Chronicle News
44 North Bridge
St. Anthony, Idaho 83445

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enc: Legal notice

Bill submitted
4-28-70
ds

22-7031

NOTICE OF APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Robert L. Reynolds, Route 1, Box 162,
St. Anthony, Idaho, has on February 25, 1970,
submitted Application No. 22-7031 to appropriate the public waters of
a groundwater source

~~The/proposed/use/for~~

The application proposes a maximum diversion and appropriation of 8.0
cubic feet per second ~~at/for~~ of water to be diverted by pump and sprinkler
system within the NE1/4 of Sec. 15,
T. 7N, R. 41E, B.M., Fremont County,

and is to be used within the S1/4SW1/4, SW1/4SE1/4, Sec. 11; NE1/4, NW1/4, Sec. 14;
NE1/4, Sec. 15, T. 7N, R. 41E, B.M. for the irrigation of 497 acres from June 1 to
October 30

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before April 6, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Fremont County Chronicle News, St. Anthony, Idaho,
on March 19 and March 26, 1970.

*H.

22-7031

January 27, 1970
St. Anthony, Idaho

Dept. of Reclamation
107 Statehouse
Boise, Idaho 83701

RECEIVED
JAN 30 1970
Department of Reclamation

Dear Sir:

Why have I not heard from you on my application for an well? It was sent around Dec 20, 1969.

What's the hold up? If you have misplaced this permit the least you can do is send another. I would like this taken care of that I may continue my operation.

Therefore if you don't answer this letter you'll be hearing from my attorney.

Sincerely,
Robert L. Reynolds
St. 1 Box 163
St. Anthony, Idaho

22-7031

St. Anthony, Idaho

Jan. 13, 1970

RECEIVED

Dept. of Reclamation
Boise, Idaho

Water Division

Dear Sir:

I made application for a
pumping well permit before
Christmas and so far have
heard nothing from you.

I would like to get
this cleared up as soon
as possible.

Please answer by return
mail and give me any
information you can about
this.

Sincerely,
Robert Reynolds

22-7031