


NAME OF APPLICANT Edmund J. Williams


Form No. 0



SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

22-2024

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward Jay Williams
(Applicant)

22-2024

The REXBURG STANDARD and
The REXBURG JOURNAL
REXBURG, IDAHO

Affidavit of Publication

STATE OF IDAHO }
County of Madison } ss.

I, Annette Porter,
being first duly sworn, depose and say,
that I am the printer of THE REXBURG
Journal, a newspaper printed and
published weekly at Rexburg, Madison
County, Idaho; and I do solemnly swear
that the

Notice of Application
for Water

a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in

any supplement issue thereof for two
consecutive issues, the first publication hav-

ing been made on July 17, 1969
and the last publication having been made

on July 24, 1969.

Further, that said newspaper is one of
general circulation in said county; that it
is a legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide sub-
scribers living within the county of publica-
tion; and that it has been continuously and
uninterruptedly published in said county dur-
a period of seventy-eight consecutive weeks
prior to the first publication of the said not-
ice.

Annette Porter



Subscribed to and sworn to before me

this 25th day of July, 1969

John C. Porter
Notary Public.

(SEAL)

My commission expires 5-24-72

bill submitted 7-28-69

RECEIVED

Department of Reclamation

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that
Edmund Jay Williams, Route 1,
Rexburg, Idaho, has on July 9,
1969, applied for permit under
application No. 22-7024 to divert
.14 cubic feet per second of wa-
ter from a groundwater source.
Water will be diverted by well,
pump and motor within the
SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 31, T. 6 N. R.
40 E, B.M., Madison County
and is to be used from April 1
to November 1 for irrigation
and from January 1 to Decem-
ber 31 for domestic purposes in
the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 31, T. 6 N,
R 40 E, B.M.

Any protest against this ap-
plication must be filed with the
Department of Reclamation
within ten days from the last
date of this notice.

R. KEITH HIGGINSON

State Reclamation Engineer
Published in the Rexburg
Journal, Rexburg, Idaho, on
July 17 and July 24, 1969.

22-7024

T
6
N




Diagram of System

22-7004

NOT TO SCALE

R. 40 E.

Handwritten annotations on the grid:

- Top left: D 36.8, C 8.5, B 6.2, 7.5, 10.9
- Top center: A 36.9, C 16.5, C 11.1
- Top right: B 16.0, A 18.9
- Middle left: C 23.2, B 16.0, D 16.3, C 11.3, F 11.0
- Middle center: E 14.3, C 16.5, L. Steiner, D 17.8
- Middle right: D 9.5, G 36.4, A 60.2
- Bottom left: B 33.0, 10.3, B 13.8, C 9.6, A 19.1, B 19.6, A 7.6, C 6.4, E 12.8
- Bottom center: B 19.0, T. G. N., C 5.9, A 12.3, G. K. EPIKSON
- Bottom right: D 56.7, G 48.4, H 40.0, 32.2

22-7004

NOT TO SCALE

R. 40 E.

T.G.M.

P. Ricks

K. E. Peterson

Housing Development

36.8, 23.2, 11.3, 33.0, 19.6, 7.6, 6.4, 36.9, 16.0, 11.0, 14.3, 9.6, 31.0, 19.0, 13.8, 9.6, 19.8, 39.3, 17.9, 5.7, 2.9, 5.3, 9.5, 7.7, 48.4, 40.0, 32.2, 37.2, 56.7, 60.2, 36.4, 23.1, 18.9, 16.0, 9.5, 18.5, 7.5, 10.9, 6.9, 8.5, 6.2, 10.3, 10.4, 12.8, 12.3, 6.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 21.0, 22.0, 23.0, 24.0, 25.0, 26.0, 27.0, 28.0, 29.0, 30.0, 31.0, 32.0, 33.0, 34.0, 35.0, 36.0, 37.0, 38.0, 39.0, 40.0, 41.0, 42.0, 43.0, 44.0, 45.0, 46.0, 47.0, 48.0, 49.0, 50.0, 51.0, 52.0, 53.0, 54.0, 55.0, 56.0, 57.0, 58.0, 59.0, 60.0, 61.0, 62.0, 63.0, 64.0, 65.0, 66.0, 67.0, 68.0, 69.0, 70.0, 71.0, 72.0, 73.0, 74.0, 75.0, 76.0, 77.0, 78.0, 79.0, 80.0, 81.0, 82.0, 83.0, 84.0, 85.0, 86.0, 87.0, 88.0, 89.0, 90.0, 91.0, 92.0, 93.0, 94.0, 95.0, 96.0, 97.0, 98.0, 99.0, 100.0

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 22-7024 Priority July 9, 1969 Amount 0.14 cfs

THIS IS TO CERTIFY, that EDMUND JAY WILLIAMS
of Rexburg, Idaho, has complied with the terms and conditions of Permit
No. 22-7024 issued pursuant to Application for Permit dated July 9, 1969,
and has submitted proof to the Department of Water Resources on July 16, 1974,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.16 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> from <u>Jan. 1</u> to <u>Dec. 31</u> at <u>0.02</u> cfs and <u>0.6 acre feet</u>			
<u>Irrigation</u> from <u>April 1</u> to <u>Nov. 1</u> at <u>0.12</u> cfs and <u>21.0 acre feet or</u>			
from _____ to _____ at _____ cfs and <u>3.0 af per acre</u>			

(both dates inclusive)

Subject, however, to the condition that no more than 0.14 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
21.6 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 31,
Twp. 6 N, Rge. 40 E, B.M. in the County of Madison

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6 N	40 E	31										X							Six
												(lot 4)							

Total number of acres irrigated Six

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 19 day of
November, 19 74

Director

Identification No. 22-7024

Application No. _____

LICENSE ISSUED FOR 114 SEC. FT.
LICENSE PAGE NO. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Edmund Jay Williams
post office address Route #1 Rexburg, Idaho 83440

2. Source of water supply groundwater which is a tributary of _____

3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 31 Township 6 N
Range 40 E B.M. Madison County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount .12 for irrigation purpose from April-1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for domestic purpose from Jan-1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .14 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. cased well, pump and motor

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 1/2 years.

b. Estimated construction cost is \$ 1,200.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1 ok
Edmund Jay Williams

(5) If water is to be used for other purposes describe: _____

22-7024

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6 N	40 E	31											6						6

Total number of acres to be irrigated 6


c. Describe any other water rights used for the same purposes None

9. a. Who owns the property at the point of diversion Edmund Jay Williams
- b. Who owns the land to be irrigated or place of use Edmund Jay Williams
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Water is used to irrigate six acres including yard, garden, and an evergreen tree nursery. Household culinary water is obtained from the same system.

NAME OF APPLICANT Edmund J. Williams


Form No. 0



SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

22-2024

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward Jay Williams
(Applicant)

22-2024

7-9-69
Received by ef Date 7-9-69 Time 8:00 am
Preliminary check by Dum Fee \$ 10.00
Receipted by ef Date 7-9-69
Publication prepared by ty Date 7-10-69
Published in Reflex Journal
Publication dates 7-17-69 to 7-24-69
Publication approved ty Date 7-15-69
Priority reduced to 2 Reason _____

Protests filed by: none 8-11-69

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by Dum est PMC

APPROVED

ACTION OF STATE RECLAMATION ENGINEER


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7024, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 74.
- c. Other: Maximum rate of diversion shall not exceed 0.14 c.f.s.

2. Denial of said application is for the following reasons: _____

Witness my hand this 12th day of August, 19 69.


State Reclamation Engineer

DON SAMUELSON
GOVERNOR



STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

R. KEITH HIGGINSON
State Reclamation Engineer

RECEIVED

JUL 9 1969

Department of Reclamation

July 3, 1969

Re: Application for Permit

Mr. Edmund Jay Williams
c/o Ricks College
Rexburg, Idaho 83440

Dear Mr. Williams:

We are returning your application for permit.

We have inserted some information underlined in red. If you agree with these additions, please initial them. If not, please change the discrepancy, and then return the application to the Department for processing.

Very truly yours,

A handwritten signature in cursive script, reading "Donald W. McEldowney".

Donald W. McEldowney
Appropriation Examiner

DWM:TG

Enc: application for permit
check for \$10

Sorry I did not fill these in before
Thank you for your efforts.

Edmund J. Williams

22-7024

Affidavit of Publication

22-7024

November 22, 1974

Re: Permit No. 22-7024

Mr. Edmund Jay Williams
Route 1
Rexburg, Idaho 83440

Dear Mr. Williams:

Enclosed is a copy of the water license issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

MICROFILMED

needs: p. 9.

none

- (name spring, stream, etc.)

2014

- Figure 1.**

(nature of use)

(mo.-day) inclusive (mo.-day)

(nature of use)

(mo.-day) inclusive (mo.-day)

(nature of use)

(mo.-day) inclusive (mo.-day)

Other uses: _____

- Permit No. 22-7024
- Examination for b/u

AF/Annum.

-

County

County

County

Other Points of Diversions: _____

Description of diverting works: 2 hp pump, 6" well casing, 91' deep.

☐ no ☒

- (Note: Place of use for domestic not listed on Permit)

RECEIVED

6

T
6
N




Diagram of System

22-7007



NOT TO SCALE

DATE OF EXAM July 30, 1974

ACREAGE
Found 6
Recommended 6

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = .12 c.f.s. V = 21.0 AF/Ann. from April 1 to Nov 1
Domestic Q = .02 c.f.s. V = 1.2 AF/Ann. from Jan 1 to Dec 31
Livestock Q = 0.6 c.f.s. V = 0.6 AF/Ann. from Jan 1 to Dec 31

Is water co-mingled? yes no ☒

Name source: N/A
twp. N/S, Rge. E/W, B.M., Sec. 1/4, Sub. 1/4 County

Exchange? yes no ☒

Name source exchanged with: N/A
twp. N/S, Rge. E/W, B.M., Sec. 1/4, Sub. 1/4 County

Point of injection: N/A
twp. N/S, Rge. E/W, B.M., Sec. 1/4, Sub. 1/4 County

Point of exchange: N/A
twp. N/S, Rge. E/W, B.M., Sec. 1/4, Sub. 1/4 County

Total Q measured .16 CFS Method of measurement Potot tube

Total Q recommended .16 CFS Meter No. Type Condition

Total V recommended 22.24 F / ANN

Recommended Amendments:

P.D.
Place of Use
Other
None ☒

MEASUREMENT CALCULATION:

Rainbird Model 30 1/4 x 3/32 - 9 heads 50'
Q = 7.87 gal/min/head x 9 heads = 71 gal/min ÷ 448.8 = .16 CFS
V = (6) (3.5) = 21 < (.12) (1.983) (215)

SYSTEM DESCRIPTION: # 390 41 28
6" D domestic well with 2 HP Sears & Roebuck submersible
pump with 1 1/2" D discharge to 40' domast pressure tank

REMARKS:
System shown by Mrs. Williams
water for one single family dwelling in SWSW 3.31 T.6N. R.40E
Irrigation water used for tree irrigation and garden
Total Acreage Lot 4 Sec 31 40 acres

Examiner's Signature John Ferebauer Date July 30, 1974
Checked by L O Falmes Date Sept 9, 1974
Approved by Date

July 17, 1974

Re: Permit No. 22-7024

Edmund Jay Williams
Route #1
Rexburg, ID 83440

Dear Mr. Williams:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions concerning the field exam, please contact our Eastern District Office at 1515 Lincoln Road, Idaho Falls.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

22-7024

Identification No. _____

Permit No. 22-7024

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

JUL 16 1974

Department of Water Resources

1. a) Name of Permit Holder Edmund Jay Williams
b) Post Office Address Route #1 Rexburg, Idaho 83440
2. Permit Number 22-7024
3. Date of Priority that you are prepared to establish 7/9/69
4. a) Source from which water was appropriated Subterranean - well
b) Location of the point of diversion: SW 1/4 SW 1/4, Section 31
Township 6N, Range 40E Boise Meridian, Other points of diversion: None

5. a) The amount of water and use to which the water has been applied:
amount .12 cfs for Irrigation purposes from April 1 to Nov 1 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount .02 cfs for Domestic purposes from Jan 1 to Dec 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated .14 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Capacity of pump

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use N.A.

b) Describe the agreement or understanding by which you take water from the works: N.A.

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Pump - 2HP - Well Casing 6", depth of well 91 feet

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

c) Give well drillers name and address and date the well was completed _____

Hopkins Bros. Thornton, Idaho

Exam typed 7/27/74 by JG

22-7024

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use. Domestic use for house and farm animals in addition to irrigation of 6 Acres of land

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: For use on homesite, garden & Evergreen Nursery

[illegible]

Total number of acres irrigated 6

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 15 '74
(Date)

Edward J. McNamee
(Signature)

State of Iowa)
County of Madison) ss.

On this 15 day of July, 19 74, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Notary Public residing at Resting Shore

My commission expires - June 5, 1978

July 10, 1974

Re: Permit No. 22-7024

Edmund Jay Williams
Route #1
Rexburg, ID 83400

Dear Mr. Williams:

We received your letter containing several questions on the proof of beneficial use that is due on the above referenced permit.

The amount of water you are using may be estimated from the capacity of your pump. The rating of 2,500 gallons per hour would equal 0.09 cubic feet of water per second.

You are not required to install a measuring device, so Item 7-b may be left blank.

A new application for permit must be filed for your new well, unless it is for single family domestic use.

Enclosed is another proof form, and an application for for your consideration.

Again we remind you that this proof form must be filed before August 1, 1974, to prevent this permit from lapsing.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jg
Enc: Proof form
Application form

22-7024

Rexburg, Idaho 83440
July 1, 1974

RECEIVED
JUL 9 1974
Department of Water Resources

R. Keith Higginson Director
Idaho Dept. of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Dear Sir:

I have a question or two concerning my water permit no 22-7024 recently sent to me.
(proof of application of water to beneficial use).

Item 5-c. How is best way to measure rate of flow from my well? pump - 2hp - lift 71' - pump is designed to pump 2,500 gal/hr at 30 lbs pressure.

Item 7-b Size of measuring device installed - Do I need core? What are requirements?

Please send a new form - I would like to type over the form.

22-7024

I also plan to drill another well within the next 6 months. Is there an application form to drill? - Please send me the necessary information.

Thank you,

Edmund J. Williams

22-7024

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐ Show address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

25388

1

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

2

DATE DELIVERED

6-3-74

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

3

22-7024

U.S. POSTAL SERVICE
OFFICIAL BUSINESS

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300


Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.



- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.



RECEIVED

PS Form 3811
June 1973

DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - BUILDING #2

BOISE, IDAHO 83720

Department of Water Administration

22-7024

May 31, 1974 CERTIFIED MAIL

#25388

Re: Permit No. 22-7024

Edmund Jay Williams
Route #1
Rexburg, ID 83400

Dear Mr. Williams:

One of the conditions of approval of your water Permit No. 22-7024 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before August 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

22-7024

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

August 15, 1969

Re: Permit No. 22-7024

Mr. Edmund Jay Williams
Route 1
Pexburg, Idaho 83440

Dear Mr. Williams:

We enclose a copy of your approved application for permit 22-7024 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 3276 for \$10.00
1 informational letter

22-7024

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Edmund Jay Williams, Route 1, Rexburg, Idaho, has on July 9, 1969, applied for permit under application No. 22-7024 to divert .14 cubic feet per second of water from a groundwater source. Water will be diverted by well, pump and motor within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 31, T. 6 N., R. 40 E., B.M., Madison County and is to be used from April 1 to November 1 for irrigation and from January 1 to December 31 for domestic purposes in the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 31, T. 6 N., R. 40 E., B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of this notice.

R. KEITH HIGGINSON

State Reclamation Engineer
Published in the Rexburg
Journal, Rexburg, Idaho, on
July 17 and July 24, 1969.

July 10, 1969

Re: Application for Permit No. 22-7024-Edmund Jay Williams
Application for Permit No. 22-7023-Garry Smith and Blaine Smith

Rexburg Journal
Rexburg, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:tg
Enc: Legal Notices (2)

22-7024

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Edmund Jay Williams, Route 1, Rexburg, Idaho

has on July 9, 1969

applied for permit under application No. 22-7024

to divert ~~5444~~ .14 cubic feet per second ~~acre/feet~~

of water from / / / / / a groundwater source

Water will be diverted by _____ well, pump and motor

within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 31, T. 6 N, R. 40 E, B. M., Madison County

November

and is to be used from April 1 to ~~November~~/1 for irrigation and from

January 1 to December 31 for domestic purposes

in the SW₄SW₄, Sec. 31, T. 6 N, R. 40 E, E. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the _____ Rexburg Journal, Rexburg, Idaho

on July 17, and July 24, 1969

22-7024